




sarens
group

www.sarens.com

TEREX AC 650

650 TON



Axle load / Charge par essieu / Achslast / Aslast

Total weight / Poids total / Gesamtgewicht / Totaal gewicht

Tyres / Pneus / Bereifung / Banden

: 9 x 12 t (0 t)

: 108 t (0 t)

: 14.00 R 25

nothing too heavy, nothing too high



DEMAG AC 650


Configurations
Configurations

650 TON


Konfigurationen
Configuraties




Ha
P.6-9



Ha-SL
P.6-7




HaV 0°
P.10-11



HaV 20°
P.10-11



HaV 40°
P.10-11



HaV-SL 0°
P.12-13



HaV-SL 20°
P.12-13



HaV-SL 40°
P.12-13




DEMAG AC 650


Configurations
Configurations

650 TON


Konfigurationen
Configuraties




FHi 0°
P.14-16




FHi 20°
P.14-16




FHi 40°
P.14-16



FHi-SL 0°
P.17



FHi-SL 20°
P.17



FHi-SL 40°
P.17




DEMAG AC 650


Configurations
Configurations

650 TON


Konfigurationen
Configuraties




WiHi 83°
P.18–25



WiHi 73°
P.26–33



WiHi 65°
P.34–39



WiHi-SL 83°
P.40–43




DEMAG AC 650


Configurations
Configurations

650 TON


Konfigurationen
Configuraties




WiHi-SL 73°
P.44-45



WiHi-SL 65°
P.46-47



(WiHi-Sp 83°/20°)



(WiHi-Sp 83°/40°)

() : On request / Sur demande / Auf Anfrage / Op aanvraag




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

Ha + HaSL






DEMAG AC 650



Capacities
Capacités

650 TON


Tragfähigkeiten
Capacités



HaSL



	35.5 m	40.5 m	45.5 m	50.5 m	55.5 m	60.0 m
m	t	t	t	t	t	t
5.0	195.0	-	-	-	-	-
6.0	195.0	164.0	-	-	-	-
7.0	192.0	160.0	139.0	-	-	-
8.0	189.0	157.0	135.0	114.0	-	-
9.0	184.0	154.0	132.0	113.0	94.0	72.5
10.0	172.0	150.0	130.0	112.0	92.5	71.5
12.0	148.0	142.0	125.0	109.0	89.5	69.5
14.0	129.0	131.0	121.0	105.0	86.0	67.0
16.0	115.0	116.0	116.0	102.0	82.0	64.0
18.0	102.0	104.0	105.0	98.0	78.0	61.0
20.0	92.5	93.5	94.5	92.0	74.0	58.0
22.0	84.0	85.0	86.0	86.0	70.5	55.5
24.0	76.0	77.5	78.5	80.0	67.0	53.0
26.0	68.5	70.0	71.0	72.5	63.5	50.5
28.0	62.0	63.5	64.5	66.0	60.0	48.5
30.0	55.5	58.0	59.0	60.5	57.0	46.5
32.0	43.5	53.0	54.0	55.5	54.0	44.5
34.0	-	48.0	50.0	51.5	51.0	43.0
36.0	-	40.0	46.0	47.5	48.0	41.0
38.0	-	-	42.5	44.0	45.0	39.5
40.0	-	-	36.5	41.0	42.0	38.0
42.0	-	-	32.5	38.0	39.0	36.5
44.0	-	-	-	33.5	36.5	35.5
46.0	-	-	-	27.8	34.0	34.0
48.0	-	-	-	-	31.0	32.0
50.0	-	-	-	-	26.7	30.0
54.0	-	-	-	-	-	23.8



Ha



	15.5 m	20.5 m	25.5 m	30.5 m	35.5 m	40.5 m	45.5 m	50.5 m	55.5 m	60.0 m
m	t	t	t	t	t	t	t	t	t	t
3.0	312.0	312.0	-	-	-	-	-	-	-	-
3.5	312.0	312.0	-	-	-	-	-	-	-	-
4.0	311.0	310.0	300.0	-	-	-	-	-	-	-
4.5	293.0	291.0	292.0	-	-	-	-	-	-	-
5.0	276.0	275.0	275.0	230.0	197.0	-	-	-	-	-
6.0	248.0	246.0	247.0	218.0	187.0	158.0	-	-	-	-
7.0	224.0	223.0	223.0	206.0	176.0	146.0	123.0	-	-	-
8.0	205.0	203.0	204.0	195.0	166.0	135.0	116.0	-	-	-
9.0	188.0	186.0	187.0	183.0	156.0	125.0	110.0	102.0	-	-
10.0	174.0	172.0	173.0	172.0	146.0	116.0	104.0	96.0	83.5	-
12.0	150.0	149.0	149.0	150.0	128.0	101.0	92.5	86.0	74.5	65.0
14.0	-	130.0	131.0	131.0	115.0	89.5	82.5	76.5	67.5	59.0
16.0	-	116.0	116.0	115.0	104.0	79.5	74.0	69.0	61.5	54.5
18.0	-	93.5	104.0	102.0	96.0	71.0	66.5	62.0	56.5	50.0
20.0	-	-	92.0	92.0	88.0	64.0	60.0	56.5	52.5	46.5
22.0	-	-	81.0	83.5	80.5	58.0	54.5	51.5	48.5	43.0
24.0	-	-	-	75.0	74.0	52.5	49.5	47.5	45.0	40.0
26.0	-	-	-	68.0	68.0	48.0	45.5	44.0	42.0	37.5
28.0	-	-	-	-	62.5	44.5	41.5	40.5	39.0	35.0
30.0	-	-	-	-	56.0	41.0	38.5	37.5	36.5	32.5
32.0	-	-	-	-	50.0	38.5	36.0	35.0	34.0	30.5
34.0	-	-	-	-	-	35.5	33.5	32.5	31.5	28.8
36.0	-	-	-	-	-	33.5	31.0	30.0	29.8	27.0
38.0	-	-	-	-	-	-	29.4	28.3	28.0	25.3
40.0	-	-	-	-	-	-	27.6	26.5	26.3	23.8
42.0	-	-	-	-	-	-	25.9	24.8	24.8	22.5
44.0	-	-	-	-	-	-	-	23.4	23.4	21.2
46.0	-	-	-	-	-	-	-	22.1	22.1	20.0
48.0	-	-	-	-	-	-	-	-	20.9	19.0
50.0	-	-	-	-	-	-	-	-	19.7	18.0
54.0	-	-	-	-	-	-	-	-	-	16.2




DEMAG AC 650


Capacities
Capacités

650 TON


Tragfähigkeiten
Capacités




Ha



	15.5 m	20.5 m	25.5 m	30.5 m	35.5 m	40.5 m	45.5 m	50.5 m	55.5 m	60.0 m
m	t	t	t	t	t	t	t	t	t	t
3.0	312.0	312.0	-	-	-	-	-	-	-	-
3.5	312.0	312.0	-	-	-	-	-	-	-	-
4.0	303.0	302.0	300.0	-	-	-	-	-	-	-
4.5	285.0	284.0	284.0	-	-	-	-	-	-	-
5.0	269.0	267.0	268.0	230.0	197.0	-	-	-	-	-
6.0	241.0	240.0	240.0	218.0	187.0	158.0	-	-	-	-
7.0	218.0	217.0	217.0	206.0	176.0	146.0	123.0	-	-	-
8.0	199.0	198.0	198.0	195.0	166.0	135.0	116.0	-	-	-
9.0	183.0	181.0	182.0	183.0	156.0	125.0	110.0	102.0	-	-
10.0	169.0	167.0	168.0	169.0	146.0	116.0	104.0	96.0	83.5	-
12.0	146.0	144.0	145.0	146.0	128.0	101.0	92.5	86.0	74.5	65.0
14.0	-	123.0	123.0	125.0	115.0	89.5	82.5	76.5	67.5	59.0
16.0	-	105.0	105.0	107.0	104.0	79.5	74.0	69.0	61.5	54.5
18.0	-	90.5	91.0	93.0	95.0	71.0	66.5	62.0	56.5	50.0
20.0	-	-	75.5	77.5	79.5	64.0	60.0	56.5	52.5	46.5
22.0	-	-	64.0	65.5	67.5	58.0	54.5	51.5	48.5	43.0
24.0	-	-	-	65.5	58.0	52.5	49.5	47.5	45.0	40.0
26.0	-	-	-	49.5	51.0	48.0	45.5	44.0	42.0	37.5
28.0	-	-	-	-	45.0	43.5	41.5	40.5	39.0	35.0
30.0	-	-	-	-	40.0	39.0	38.5	37.5	36.5	32.5
32.0	-	-	-	-	36.0	34.5	35.0	35.0	34.0	30.5
34.0	-	-	-	-	-	31.0	31.0	32.0	31.5	28.8
36.0	-	-	-	-	-	28.4	28.4	29.0	29.8	27.0
38.0	-	-	-	-	-	-	25.7	26.3	27.2	25.3
40.0	-	-	-	-	-	-	23.4	23.9	24.8	23.8
42.0	-	-	-	-	-	-	21.3	21.8	22.7	22.5
44.0	-	-	-	-	-	-	-	19.8	20.8	20.9
46.0	-	-	-	-	-	-	-	18.1	19.0	19.1
48.0	-	-	-	-	-	-	-	-	17.4	17.5
50.0	-	-	-	-	-	-	-	-	16.0	16.1
54.0	-	-	-	-	-	-	-	-	-	13.6



Ha



	15.5 m	20.5 m	25.5 m	30.5 m	35.5 m	40.5 m	45.5 m	50.5 m	55.5 m	60.0 m
m	t	t	t	t	t	t	t	t	t	t
3.0	312.0	312.0	-	-	-	-	-	-	-	-
3.5	312.0	312.0	-	-	-	-	-	-	-	-
4.0	295.0	294.0	294.0	-	-	-	-	-	-	-
4.5	277.0	276.0	276.0	-	-	-	-	-	-	-
5.0	261.0	260.0	261.0	230.0	197.0	-	-	-	-	-
6.0	234.0	233.0	234.0	218.0	187.0	158.0	-	-	-	-
7.0	212.0	211.0	211.0	206.0	176.0	146.0	123.0	-	-	-
8.0	194.0	192.0	193.0	194.0	166.0	135.0	116.0	-	-	-
9.0	178.0	176.0	177.0	178.0	156.0	125.0	110.0	102.0	-	-
10.0	159.0	157.0	158.0	160.0	146.0	116.0	104.0	96.0	83.5	-
12.0	129.0	127.0	128.0	130.0	128.0	101.0	92.5	86.0	74.5	65.0
14.0	-	100.0	101.0	104.0	107.0	89.5	82.5	76.5	67.5	59.0
16.0	-	76.5	77.0	79.5	81.5	79.5	74.0	69.0	61.5	54.5
18.0	-	60.5	61.0	63.0	65.5	64.0	64.0	62.0	56.5	50.0
20.0	-	-	50.0	51.5	53.5	52.5	52.5	53.5	52.5	46.5
22.0	-	-	41.5	43.0	45.0	43.5	44.0	45.0	46.0	43.0
24.0	-	-	-	36.5	38.5	37.0	37.5	38.0	39.0	39.5
26.0	-	-	-	31.5	33.0	32.0	32.0	32.5	34.0	34.0
28.0	-	-	-	-	29.0	27.7	27.9	28.6	29.6	29.9
30.0	-	-	-	-	25.5	24.1	24.2	25.0	26.0	26.3
32.0	-	-	-	-	22.6	20.9	21.1	21.8	22.9	23.2
34.0	-	-	-	-	-	18.3	18.3	19.0	20.2	20.4
36.0	-	-	-	-	-	16.0	16.0	16.7	17.8	18.0
38.0	-	-	-	-	-	-	14.0	14.6	15.7	15.9
40.0	-	-	-	-	-	-	12.3	12.8	13.9	14.1
42.0	-	-	-	-	-	-	10.8	11.3	12.3	12.5
44.0	-	-	-	-	-	-	-	9.9	10.8	11.0
46.0	-	-	-	-	-	-	-	8.7	9.6	9.7
48.0	-	-	-	-	-	-	-	-	8.5	8.5
50.0	-	-	-	-	-	-	-	-	7.5	7.5
54.0	-	-	-	-	-	-	-	-	-	5.7




DEMAG AC 650


Capacities
Capacités

650 TON


Tragfähigkeiten
Capacités



Ha



	15.5 m	20.5 m	25.5 m	30.5 m	35.5 m	40.5 m	45.5 m	50.5 m	55.5 m	60.0 m
	t	t	t	t	t	t	t	t	t	t
3.0	215.0	223.0	-	-	-	-	-	-	-	-
3.5	211.0	219.0	-	-	-	-	-	-	-	-
4.0	207.0	216.0	211.0	-	-	-	-	-	-	-
4.5	204.0	213.0	208.0	-	-	-	-	-	-	-
5.0	200.0	210.0	205.0	196.0	188.0	-	-	-	-	-
6.0	195.0	205.0	200.0	191.0	182.0	158.0	-	-	-	-
7.0	190.0	191.0	192.0	187.0	176.0	146.0	123.0	-	-	-
8.0	174.0	172.0	173.0	174.0	166.0	135.0	116.0	-	-	-
9.0	158.0	156.0	157.0	158.0	156.0	125.0	110.0	102.0	-	-
10.0	145.0	143.0	144.0	145.0	146.0	116.0	104.0	96.0	83.5	-
12.0	123.0	121.0	122.0	123.0	125.0	101.0	92.5	86.0	74.5	65.0
14.0	-	93.5	94.0	96.0	98.0	89.5	82.5	76.5	67.5	59.0
16.0	-	75.0	75.5	77.0	79.0	78.0	74.0	69.0	61.5	54.5
18.0	-	62.0	62.5	64.0	65.5	64.5	65.0	62.0	56.5	50.0
20.0	-	-	53.0	54.0	55.5	54.5	55.0	55.5	52.5	46.5
22.0	-	-	45.5	46.5	48.0	47.0	47.0	48.0	48.5	43.0
24.0	-	-	-	40.5	42.0	41.0	41.0	41.5	43.0	40.0
26.0	-	-	-	35.5	37.0	36.0	36.0	36.5	37.5	37.5
28.0	-	-	-	-	33.0	32.0	32.0	32.5	33.5	33.5
30.0	-	-	-	-	29.6	28.4	28.6	29.1	30.0	30.0
32.0	-	-	-	-	26.7	25.5	25.6	26.1	26.9	27.1
34.0	-	-	-	-	-	22.9	23.0	23.5	24.3	24.5
36.0	-	-	-	-	-	20.7	20.7	21.2	22.0	22.2
38.0	-	-	-	-	-	-	18.8	19.2	20.0	20.2
40.0	-	-	-	-	-	-	17.1	17.5	18.2	18.4
42.0	-	-	-	-	-	-	15.6	15.9	16.7	16.8
44.0	-	-	-	-	-	-	-	14.6	15.3	15.4
46.0	-	-	-	-	-	-	-	13.3	14.0	14.1
48.0	-	-	-	-	-	-	-	-	12.9	12.9
50.0	-	-	-	-	-	-	-	-	11.9	11.9
54.0	-	-	-	-	-	-	-	-	-	10.1



Ha TELE



	15.5 m	15.5 - 20.5 m	20.5 - 25.5 m	25.5 - 30.5 m	30.5 - 35.5 m	35.5 - 40.5 m	40.5 - 45.5 m	45.5 - 50.5 m	50.5 - 55.5 m	55.5 - 60.0 m
	t	t	t	t	t	t	t	t	t	t
3.0	312.0	77.0	-	-	-	-	-	-	-	-
4.0	311.0	76.5	73.5	-	-	-	-	-	-	-
5.0	276.0	75.5	72.5	70.5	70.0	-	-	-	-	-
6.0	248.0	75.0	71.5	69.0	68.5	50.0	-	-	-	-
7.0	224.0	74.5	70.0	68.0	67.5	47.0	43.5	-	-	-
8.0	205.0	74.5	69.0	66.5	66.0	45.0	41.5	-	-	-
9.0	188.0	74.5	68.5	65.5	64.5	43.0	39.5	38.5	-	-
10.0	174.0	74.5	68.0	64.5	63.0	41.0	38.0	37.0	36.5	-
12.0	150.0	74.5	67.0	62.5	60.5	37.0	34.0	34.0	33.5	21.8
14.0	-	74.5	67.0	61.0	58.5	33.0	30.5	30.5	30.5	18.0
16.0	-	74.5	67.0	60.5	57.0	31.0	27.7	27.3	27.3	14.3
18.0	-	74.5	67.0	60.0	55.5	28.8	25.1	23.9	24.2	10.5
20.0	-	-	67.0	59.5	55.0	26.6	22.6	20.5	21.2	6.7
22.0	-	-	67.0	59.5	54.5	21.8	20.0	17.1	18.1	-
24.0	-	-	-	52.5	54.0	17.1	16.0	13.7	15.1	-
26.0	-	-	-	43.0	53.5	13.1	11.9	11.4	12.0	-
28.0	-	-	-	-	53.5	10.0	7.9	9.1	9.6	-
30.0	-	-	-	-	48.5	6.9	6.0	6.8	7.7	-
32.0	-	-	-	-	38.0	4.7	4.1	4.5	5.8	-
34.0	-	-	-	-	-	2.5	2.2	-	3.9	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

HaV






DEMAG AC 650



Capacities
Capacités

650 TON


Tragfähigkeiten
Capacités





HaV



	60.0 m										
	6m	12m		18m		24m		30m		36m	
	0°	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°
m	t	t	t	t	t	t	t	t	t	t	t
14.0	46.4	-	-	-	-	-	-	-	-	-	-
15.0	44.7	38.5	-	-	-	-	-	-	-	-	-
16.0	43.0	37.1	-	31.4	-	-	-	-	-	-	-
18.0	39.9	34.3	-	29.3	-	24.0	-	-	-	-	-
20.0	37.1	31.9	28.1	27.5	-	22.6	-	18.8	-	15.8	-
22.0	34.5	29.7	26.7	25.8	21.8	21.4	-	18.1	-	15.1	-
24.0	32.2	27.8	25.4	24.3	20.8	20.3	-	17.4	-	14.5	-
26.0	30.1	26.1	24.2	22.9	19.9	19.3	15.2	16.7	-	13.8	-
28.0	28.1	24.6	23.1	21.6	19.0	18.3	14.7	16.0	-	13.2	-
30.0	26.4	23.3	22.0	20.5	18.2	17.4	14.3	15.3	12.4	12.6	-
32.0	24.8	22.1	21.0	19.5	17.5	16.6	13.9	14.6	12.0	12.0	9.7
34.0	23.3	20.9	20.0	18.5	16.8	15.8	13.5	14.0	11.5	11.4	9.3
36.0	22.0	19.9	19.1	17.6	16.1	15.1	13.1	13.3	11.1	10.9	9.0
38.0	20.6	18.8	18.2	16.7	15.5	14.3	12.7	12.7	10.6	10.3	8.6
40.0	19.5	17.9	17.4	15.9	14.9	13.7	12.4	12.0	10.2	9.8	8.3
42.0	18.3	16.9	16.6	15.1	14.3	13.0	12.0	11.4	9.7	9.3	7.9
44.0	17.3	16.0	15.8	14.4	13.8	12.4	11.6	10.8	9.2	8.8	7.6
46.0	16.4	15.2	15.0	13.7	13.2	11.8	11.2	10.2	8.8	8.3	7.3
48.0	15.5	14.4	14.3	13.0	12.6	11.3	10.8	9.7	8.3	7.8	6.9
50.0	14.7	13.6	13.6	12.3	12.0	10.7	10.4	9.1	7.9	7.4	6.6
54.0	13.2	12.2	12.3	11.1	10.9	9.6	9.5	8.1	7.1	6.4	5.9
58.0	11.9	11.0	11.1	10.0	9.9	8.6	8.6	7.2	6.4	5.6	5.3
62.0	-	9.9	10.0	8.9	8.9	7.7	7.8	6.3	5.7	4.8	4.7
66.0	-	-	-	8.0	8.0	6.8	6.9	5.5	5.0	4.0	4.1
70.0	-	-	-	-	7.3	6.0	6.1	4.7	4.4	3.4	3.5
74.0	-	-	-	-	-	5.2	5.4	4.0	3.9	2.6	2.9
78.0	-	-	-	-	-	-	-	3.3	3.4	2.2	2.4
82.0	-	-	-	-	-	-	-	-	3.0	-	-



HaV



	60.0 m															
	6m		12m		18m			24m			30m			36m		
	0°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
m	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
14.0	46.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16.0	43.0	37.1	-	-	31.4	-	-	-	-	-	-	-	-	-	-	-
18.0	39.9	34.3	-	-	29.3	-	-	24.0	-	-	-	-	-	-	-	-
20.0	37.1	31.9	28.1	-	27.5	-	-	22.6	-	-	18.8	-	-	15.8	-	-
22.0	34.5	29.7	26.7	24.4	25.8	21.8	-	21.4	-	-	18.1	-	-	15.1	-	-
24.0	32.2	27.8	25.4	23.5	24.3	20.8	-	20.3	-	-	17.4	-	-	14.5	-	-
26.0	30.1	26.1	24.2	22.7	22.9	19.9	17.7	19.3	15.2	-	16.7	-	-	13.8	-	-
28.0	28.1	24.6	23.1	21.8	21.6	19.0	17.1	18.3	14.7	-	16.0	-	-	13.2	-	-
30.0	26.4	23.3	22.0	21.0	20.5	18.2	16.5	17.4	14.3	-	15.3	12.4	-	12.6	-	-
32.0	24.8	22.1	21.0	20.2	19.5	17.5	16.0	16.6	13.9	11.7	14.6	12.0	-	12.0	9.7	-
34.0	23.3	20.9	20.0	19.5	18.5	16.8	15.5	15.8	13.5	11.6	14.0	11.5	-	11.4	9.3	-
36.0	22.0	19.9	19.1	18.7	17.6	16.1	15.0	15.1	13.1	11.5	13.3	11.1	9.4	10.9	9.0	-
38.0	20.6	18.8	18.2	18.0	16.7	15.5	14.5	14.3	12.7	11.3	12.7	10.6	9.1	10.3	8.6	-
40.0	19.5	17.9	17.4	17.2	15.9	14.9	14.0	13.7	12.4	11.2	12.0	10.2	8.8	9.8	8.3	-
42.0	18.3	16.9	16.6	16.5	15.1	14.3	13.5	13.0	12.0	11.0	11.4	9.7	8.5	9.3	7.9	6.9
44.0	16.9	16.0	15.8	15.8	14.4	13.8	13.1	12.4	11.6	10.8	10.8	9.2	8.2	8.8	7.6	6.6
46.0	15.3	15.2	15.0	15.1	13.7	13.2	12.6	11.8	11.2	10.6	10.2	8.8	7.9	8.3	7.3	6.4
48.0	13.9	13.9	14.3	14.4	13.0	12.6	12.2	11.3	10.8	10.4	9.7	8.3	7.6	7.8	6.9	6.2
50.0	12.5	12.6	13.3	13.7	12.3	12.0	11.7	10.7	10.4	10.2	9.1	7.9	7.3	7.4	6.6	6.0
54.0	10.2	10.3	10.9	-	10.8	10.9	10.9	9.6	9.5	9.6	8.1	7.1	6.8	6.4	5.9	5.6
58.0	8.3	8.3	8.8	-	8.9	9.7	10.1	8.6	8.6	8.9	7.2	6.4	6.3	5.6	5.3	5.1
62.0	-	6.7	7.0	-	7.2	7.9	-	7.7	7.8	8.1	6.3	5.7	5.7	4.8	4.7	4.7
66.0	-	-	-	-	5.8	6.3	-	6.3	6.9	-	5.5	5.0	5.2	4.0	4.1	4.2
70.0	-	-	-	-	-	4.8	-	5.0	5.7	-	4.7	4.4	-	3.4	3.5	3.7
74.0	-	-	-	-	-	-	-	3.8	4.4	-	4.0	3.9	-	2.7	2.9	3.2
78.0	-	-	-	-	-	-	-	-	-	-	3.2	3.4	-	2.2	2.4	-
82.0	-	-	-	-	-	-	-	-	-	-	-	2.7	-	-	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

HaVSL






DEMAG AC 650



Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



HaVSL



	60.0 m					
	6m	12m		18m		
	0°	0°	20°	0°	20°	
m	t	t	t	t	t	
10.0	52.8	-	-	-	-	
12.0	52.8	43.1	-	35.0	-	
14.0	51.2	41.6	-	33.9	-	
16.0	49.6	40.1	38.5	32.7	-	
18.0	48.0	38.6	37.2	31.6	-	
20.0	46.4	37.2	36.0	30.5	26.7	
22.0	45.0	35.8	34.8	29.4	25.7	
24.0	43.6	34.5	33.6	28.3	24.7	
26.0	42.2	33.2	32.5	27.2	23.9	
28.0	40.9	32.0	31.5	26.2	23.1	
30.0	39.6	30.9	30.5	25.2	22.5	
32.0	38.3	29.9	29.5	24.4	21.9	
34.0	37.0	28.9	28.6	23.5	21.3	
36.0	35.8	28.0	27.7	22.8	20.9	
38.0	34.6	27.1	26.9	22.0	20.4	
40.0	33.5	26.4	26.2	21.4	20.0	
42.0	32.4	25.6	25.4	20.8	19.6	
44.0	31.3	25.0	24.8	20.3	19.2	
46.0	30.3	24.3	24.1	19.8	18.8	
48.0	29.3	23.8	23.5	19.4	18.5	
50.0	28.4	23.2	23.0	19.0	18.2	
54.0	26.7	22.3	22.0	18.3	17.5	
58.0	-	21.4	21.1	17.7	17.0	
62.0	-	20.6	-	17.1	16.4	
66.0	-	-	-	16.5	-	

	60.0 m						
	6m	12m			18m		
	0°	0°	20°	40°	0°	20°	40°
m	t	t	t	t	t	t	t
10.0	52.8	-	-	-	-	-	-
12.0	52.8	43.1	-	-	35.0	-	-
14.0	51.2	41.6	-	-	33.9	-	-
16.0	49.6	40.1	38.5	-	32.7	-	-
18.0	48.0	38.6	37.2	-	31.6	-	-
20.0	46.4	37.2	36.0	30.8	30.5	26.7	-
22.0	45.0	35.8	34.8	30.4	29.4	25.7	-
24.0	43.6	34.5	33.6	30.0	28.3	24.7	20.5
26.0	42.2	33.2	32.5	29.5	27.2	23.9	20.0
28.0	40.9	32.0	31.5	29.0	26.2	23.1	19.6
30.0	39.6	30.9	30.5	28.5	25.2	22.5	19.2
32.0	38.3	29.9	29.5	27.9	24.4	21.9	18.9
34.0	37.0	28.9	28.6	27.4	23.5	21.3	18.6
36.0	35.8	28.0	27.7	26.8	22.8	20.9	18.3
38.0	34.6	27.1	26.9	26.2	22.0	20.4	18.1
40.0	31.9	26.4	26.2	25.6	21.4	20.0	17.9
42.0	29.3	25.6	25.4	25.0	20.8	19.6	17.7
44.0	27.0	25.0	24.8	24.4	20.3	19.2	17.5
46.0	25.0	24.3	24.1	-	19.8	18.8	17.3
48.0	23.1	23.3	23.5	-	19.4	18.5	17.2
50.0	21.4	21.5	23.0	-	19.0	18.2	17.0
54.0	18.2	18.4	17.8	-	18.3	17.5	-
58.0	-	15.7	-	-	16.3	17.0	-
62.0	-	13.4	-	-	14.1	16.2	-
66.0	-	-	-	-	12.1	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

FHi






DEMAG AC 650



Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



FHi



	50.5 m										
	20m	26m		32m		38m		44m		50m	
	0°	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°
m	t	t	t	t	t	t	t	t	t	t	t
14.0	47.3	-	-	-	-	-	-	-	-	-	-
16.0	43.6	37.9	-	-	-	-	-	-	-	-	-
18.0	40.4	35.3	-	31.5	-	-	-	-	-	-	-
20.0	37.5	32.9	30.1	29.3	-	24.1	-	19.6	-	-	-
22.0	34.8	30.8	28.5	27.4	-	23.1	-	18.7	-	16.4	-
24.0	32.5	28.8	27.0	25.6	23.1	22.1	-	17.8	-	15.6	-
26.0	30.5	27.0	25.5	24.0	22.2	21.1	15.9	17.0	-	14.8	-
28.0	28.6	25.3	24.2	22.5	21.2	20.1	15.6	16.2	-	14.1	-
30.0	27.0	23.9	23.0	21.2	20.2	19.1	15.2	15.5	11.6	13.3	-
32.0	25.5	22.5	21.8	20.0	19.3	18.1	14.9	14.7	11.2	12.6	-
34.0	24.2	21.3	20.7	18.9	18.4	17.2	14.5	14.0	10.8	12.0	9.6
36.0	22.9	20.2	19.7	18.0	17.5	16.3	14.2	13.4	10.4	11.3	9.3
38.0	21.8	19.2	18.8	17.1	16.7	15.4	13.8	12.7	10.1	10.7	9.0
40.0	20.8	18.3	18.0	16.2	15.9	14.5	13.4	12.1	9.7	10.1	8.7
42.0	19.8	17.5	17.2	15.5	15.1	13.7	12.9	11.5	9.4	9.6	8.4
44.0	18.9	16.8	16.5	14.7	14.4	13.0	12.5	11.0	9.2	9.0	8.0
46.0	18.0	16.1	15.9	14.0	13.7	12.2	12.0	10.4	8.9	8.5	7.7
48.0	17.2	15.5	15.3	13.4	13.1	11.6	11.6	9.9	8.6	8.0	7.3
50.0	16.5	14.9	14.7	12.7	12.5	10.9	11.1	9.3	8.3	7.5	7.0
54.0	15.0	13.8	13.6	11.6	11.3	9.7	10.0	8.3	7.8	6.6	6.2
58.0	13.7	12.8	12.6	10.5	10.4	8.7	9.0	7.4	7.2	5.8	5.5
62.0	12.3	11.7	11.6	9.6	9.5	7.8	7.9	6.5	6.6	5.0	4.8
66.0	-	10.5	10.5	8.7	8.6	6.9	7.0	5.7	5.9	4.3	4.2
70.0	-	-	-	7.8	7.9	6.2	6.1	5.0	5.3	3.7	3.6
74.0	-	-	-	-	7.1	5.5	5.4	4.4	4.7	3.2	3.1
78.0	-	-	-	-	-	4.9	4.9	3.9	4.1	2.7	2.7
82.0	-	-	-	-	-	-	-	3.5	3.7	2.3	2.3
86.0	-	-	-	-	-	-	-	-	3.3	2.0	2.1

	55.5 m										
	20m	26m		32m		38m		44m		50m	
	0°	0°	20°	0°	20°	0°	20°	0°	20°	0°	20°
m	t	t	t	t	t	t	t	t	t	t	t
16.0	36.9	-	-	-	-	-	-	-	-	-	-
18.0	34.5	28.8	-	-	-	-	-	-	-	-	-
20.0	32.4	27.0	-	23.6	-	-	-	-	-	-	-
22.0	30.4	25.3	23.1	22.3	-	20.0	-	17.6	-	-	-
24.0	28.6	23.8	22.1	21.0	-	19.0	-	16.5	-	14.0	-
26.0	26.9	22.4	21.1	19.8	17.7	17.9	-	15.5	-	13.2	-
28.0	25.4	21.1	20.1	18.8	16.8	16.9	-	14.5	-	12.3	-
30.0	24.1	19.9	19.1	17.8	15.9	16.0	14.5	13.6	-	11.5	-
32.0	22.9	18.8	18.1	16.9	15.1	15.1	13.9	12.8	11.0	10.8	-
34.0	21.8	17.8	17.2	16.0	14.3	14.2	13.3	12.0	10.5	10.0	-
36.0	20.7	16.9	16.3	15.2	13.6	13.3	12.7	11.2	9.9	9.4	8.6
38.0	19.8	16.0	15.4	14.4	12.9	12.5	12.1	10.5	9.4	8.7	8.1
40.0	18.9	15.2	14.6	13.7	12.2	11.7	11.4	9.8	8.9	8.1	7.7
42.0	18.0	14.5	13.8	13.0	11.6	11.0	10.8	9.2	8.4	7.6	7.3
44.0	17.3	13.8	13.1	12.4	11.0	10.3	10.2	8.6	8.0	7.0	6.9
46.0	16.5	13.1	12.5	11.7	10.5	9.6	9.6	8.0	7.5	6.5	6.5
48.0	15.8	12.5	11.9	11.1	10.0	9.0	9.0	7.5	7.1	6.1	6.0
50.0	15.1	11.9	11.3	10.5	9.5	8.4	8.4	7.0	6.7	5.6	5.6
54.0	13.9	10.8	10.2	9.3	8.5	7.3	7.4	6.0	5.9	4.8	4.8
58.0	12.7	9.8	9.3	8.2	7.7	6.4	6.4	5.2	5.1	4.1	4.1
62.0	11.5	8.8	8.5	7.2	6.9	5.7	5.6	4.5	4.4	3.4	3.4
66.0	10.4	8.0	7.8	6.4	6.2	5.0	5.0	3.8	3.7	2.8	2.8
70.0	-	7.1	7.1	5.6	5.6	4.4	4.4	3.2	3.1	2.2	2.3
74.0	-	-	-	5.0	5.1	3.8	3.8	2.7	2.6	-	-
78.0	-	-	-	4.5	4.6	3.4	3.4	2.2	2.2	-	-
82.0	-	-	-	-	-	2.9	3.0	-	-	-	-




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capaciteiten



FHi



	50.5 m															
	20m	26m			32m			38m			44m			50m		
	0°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
m	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
14.0	47.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16.0	43.6	37.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18.0	40.4	35.3	-	-	31.5	-	-	-	-	-	-	-	-	-	-	-
20.0	37.5	32.9	30.1	-	29.3	-	-	24.1	-	-	19.6	-	-	-	-	-
22.0	34.8	30.8	28.5	26.6	27.4	-	-	23.1	-	-	18.7	-	-	16.4	-	-
24.0	32.5	28.8	27.0	25.5	25.6	23.1	-	22.1	-	-	17.8	-	-	15.6	-	-
26.0	30.5	27.0	25.5	24.4	24.0	22.2	-	21.1	15.9	-	17.0	-	-	14.8	-	-
28.0	28.6	25.3	24.2	23.3	22.5	21.2	19.1	20.1	15.6	-	16.2	-	-	14.1	-	-
30.0	27.0	23.9	23.0	22.3	21.2	20.2	18.5	19.1	15.2	-	15.5	11.6	-	13.3	-	-
32.0	25.5	22.5	21.8	21.3	20.0	19.3	18.0	18.1	14.9	12.3	14.7	11.2	-	12.6	-	-
34.0	24.2	21.3	20.7	20.3	18.9	18.4	17.4	17.2	14.5	12.1	14.0	10.8	-	12.0	9.6	-
36.0	22.9	20.2	19.7	19.5	18.0	17.5	16.8	16.3	14.2	11.9	13.4	10.4	8.9	11.3	9.3	-
38.0	21.8	19.2	18.8	18.6	17.1	16.7	16.1	15.4	13.8	11.8	12.7	10.1	8.7	10.7	9.0	-
40.0	20.8	18.3	18.0	17.8	16.2	15.9	15.5	14.5	13.4	11.6	12.1	9.7	8.5	10.1	8.7	-
42.0	19.8	17.5	17.2	17.1	15.5	15.1	14.8	13.7	12.9	11.4	11.5	9.4	8.4	9.6	8.4	7.0
44.0	18.9	16.8	16.5	16.4	14.7	14.4	14.2	13.0	12.5	11.2	11.0	9.2	8.2	9.0	8.0	6.9
46.0	18.0	16.1	15.9	15.7	14.0	13.7	13.5	12.2	12.0	11.0	10.4	8.9	8.0	8.5	7.7	6.7
48.0	17.2	15.5	15.3	15.1	13.4	13.1	12.9	11.6	11.6	10.7	9.9	8.6	7.8	8.0	7.3	6.5
50.0	16.0	14.9	14.7	14.5	12.7	12.5	12.3	10.9	11.1	10.5	9.3	8.3	7.7	7.5	7.0	6.4
54.0	13.4	13.3	13.6	13.5	11.6	11.3	11.2	9.7	10.0	9.9	8.3	7.8	7.4	6.6	6.2	5.9
58.0	11.1	11.0	11.6	-	10.5	10.4	10.2	8.7	9.0	9.2	7.4	7.2	7.0	5.8	5.5	5.4
62.0	9.2	9.1	9.5	-	9.6	9.5	-	7.8	7.9	8.3	6.5	6.6	6.6	5.0	4.8	4.8
66.0	-	7.4	7.7	-	7.9	8.6	-	6.9	7.0	7.1	5.7	5.9	6.0	4.3	4.2	4.2
70.0	-	-	-	-	6.5	7.0	-	6.2	6.1	-	5.0	5.3	5.4	3.7	3.6	3.7
74.0	-	-	-	-	-	5.5	-	5.5	5.4	-	4.4	4.7	-	3.2	3.1	3.2
78.0	-	-	-	-	-	-	-	4.5	4.9	-	3.9	4.1	-	2.7	2.7	2.8
82.0	-	-	-	-	-	-	-	-	-	-	3.5	3.7	-	2.3	2.3	-
86.0	-	-	-	-	-	-	-	-	-	-	-	3.3	-	2.0	2.1	-

	55.5 m															
	20m	26m			32m			38m			44m			50m		
	0°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
m	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
16.0	36.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18.0	34.5	28.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20.0	32.4	27.0	-	-	23.6	-	-	-	-	-	-	-	-	-	-	-
22.0	30.4	25.3	23.1	-	22.3	-	-	20.0	-	-	17.6	-	-	-	-	-
24.0	28.6	23.8	22.1	21.0	21.0	-	-	19.0	-	-	16.5	-	-	14.0	-	-
26.0	26.9	22.4	21.1	20.0	19.8	17.7	-	17.9	-	-	15.5	-	-	13.2	-	-
28.0	25.4	21.1	20.1	19.1	18.8	16.8	-	16.9	-	-	14.5	-	-	12.3	-	-
30.0	24.1	19.9	19.1	18.2	17.8	15.9	14.6	16.0	14.5	-	13.6	-	-	11.5	-	-
32.0	22.9	18.8	18.1	17.3	16.9	15.1	13.9	15.1	13.9	-	12.8	11.0	-	10.8	-	-
34.0	21.8	17.8	17.2	16.4	16.0	14.3	13.2	14.2	13.3	12.2	12.0	10.5	-	10.0	-	-
36.0	20.7	16.9	16.3	15.6	15.2	13.6	12.5	13.3	12.7	11.7	11.2	9.9	-	9.4	8.6	-
38.0	19.8	16.0	15.4	14.8	14.4	12.9	11.9	12.5	12.1	11.2	10.5	9.4	8.4	8.7	8.1	-
40.0	18.9	15.2	14.6	14.0	13.7	12.2	11.3	11.7	11.4	10.7	9.8	8.9	8.1	8.1	7.7	-
42.0	18.0	14.5	13.8	13.3	13.0	11.6	10.8	11.0	10.8	10.1	9.2	8.4	7.4	7.6	7.3	-
44.0	17.3	13.8	13.1	12.6	12.4	11.0	10.2	10.3	10.2	9.6	8.6	8.0	7.0	7.0	6.9	6.5
46.0	16.5	13.1	12.5	11.9	11.7	10.5	9.7	9.6	9.6	9.1	8.0	7.5	6.6	6.5	6.5	6.1
48.0	15.8	12.5	11.9	11.3	11.1	10.0	9.3	9.0	9.0	8.6	7.5	7.1	6.3	6.1	6.0	5.7
50.0	15.1	11.9	11.3	10.7	10.5	9.5	8.8	8.4	8.4	8.1	7.0	6.7	5.6	5.6	5.6	5.3
54.0	13.7	10.8	10.2	9.7	9.3	8.5	8.0	7.3	7.4	7.1	6.0	5.9	4.9	4.8	4.8	4.6
58.0	11.5	9.8	9.3	8.8	8.2	7.7	7.2	6.4	6.4	6.2	5.2	5.1	4.2	4.1	4.1	4.0
62.0	9.6	8.8	8.5	-	7.2	6.9	6.4	5.7	5.6	5.4	4.5	4.4	3.8	3.4	3.4	3.4
66.0	7.9	7.7	7.8	-	6.4	6.2	-	5.0	5.0	4.7	3.8	3.7	3.6	2.8	2.8	2.9
70.0	-	6.2	7.1	-	5.6	5.6	-	4.4	4.4	4.2	3.2	3.1	3.1	2.2	2.3	2.4
74.0	-	-	-	-	5.0	5.1	-	3.8	3.8	-	2.7	2.6	2.6	-	-	2.0
78.0	-	-	-	-	4.1	4.6	-	3.4	3.4	-	2.2	2.2	-	-	-	-
82.0	-	-	-	-	-	-	-	2.9	3.0	-	-	-	-	-	-	-




DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



FHISL



m	55.5 m																	
	20m			26m			32m			38m			44m			50m		
	0°	0°		0°	0°	20°	0°	0°	20°	0°	0°	20°	0°	0°	20°	0°	0°	20°
t	t	t		t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
12.0	42.2	42.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14.0	41.0	41.0	31.5	31.5	-	26.3	26.3	-	-	-	-	-	-	-	-	-	-	-
16.0	39.9	39.9	30.9	30.9	-	26.1	26.1	-	22.2	22.2	-	-	-	-	-	-	-	-
18.0	38.7	38.7	30.4	30.4	28.3	25.8	25.8	-	22.0	22.0	-	18.5	18.5	-	-	14.4	14.4	-
20.0	37.5	37.5	29.7	29.7	27.6	25.4	25.4	-	21.7	21.7	-	18.1	18.1	-	-	14.1	14.1	-
22.0	36.4	36.4	29.1	29.1	26.9	24.9	24.9	22.3	21.3	21.3	-	17.7	17.7	-	-	13.7	13.7	-
24.0	35.2	35.2	28.4	28.4	26.2	24.4	24.4	21.9	20.9	20.9	16.9	17.3	17.3	-	-	13.4	13.4	-
26.0	34.1	34.1	27.6	27.6	25.5	23.9	23.9	21.5	20.4	20.4	16.4	16.9	16.9	-	-	13.0	13.0	-
28.0	33.0	33.0	26.9	26.9	24.7	23.3	23.3	21.0	19.9	19.9	15.9	16.4	16.4	13.0	-	12.7	12.7	-
30.0	31.9	31.9	26.1	26.1	24.0	22.7	22.7	20.5	19.4	19.4	15.5	16.0	16.0	12.6	-	12.3	12.3	-
32.0	30.8	30.8	25.4	25.4	23.3	22.0	22.0	19.9	18.8	18.8	15.0	15.5	15.5	12.2	-	11.9	11.9	9.8
34.0	29.7	29.7	24.6	24.6	22.5	21.4	21.4	19.4	18.3	18.3	14.6	15.0	15.0	11.9	-	11.6	11.6	9.5
36.0	28.7	28.7	23.8	23.8	21.8	20.7	20.7	18.8	17.7	17.7	14.2	14.5	14.5	11.6	-	11.2	11.2	9.3
38.0	27.6	27.6	23.0	23.0	21.1	20.0	20.0	18.2	17.1	17.1	13.9	14.1	14.1	11.3	-	10.9	10.9	9.0
40.0	26.6	26.6	22.2	22.2	20.4	19.3	19.3	17.6	16.5	16.5	13.5	13.6	13.6	11.0	-	10.5	10.5	8.8
42.0	25.6	25.6	21.5	21.5	19.7	18.6	18.6	17.0	16.0	16.0	13.2	13.2	13.2	10.8	-	10.2	10.2	8.6
44.0	24.7	24.7	20.7	20.7	19.1	18.0	18.0	16.4	15.4	15.4	12.9	12.8	12.8	10.5	-	9.9	9.9	8.3
46.0	23.7	23.7	20.0	20.0	18.5	17.3	17.3	15.9	14.9	14.9	12.6	12.4	12.4	10.3	-	9.5	9.5	8.1
48.0	22.8	22.8	19.2	19.2	18.0	16.7	16.7	15.3	14.4	14.4	12.3	12.0	12.0	10.1	-	9.2	9.2	7.9
50.0	22.0	22.0	18.5	18.5	17.4	16.1	16.1	14.8	13.9	13.9	12.0	11.6	11.6	9.9	-	8.9	8.9	7.7
54.0	20.4	20.4	17.2	17.2	16.4	15.0	15.0	13.9	13.0	13.0	11.4	11.0	11.0	9.5	-	8.4	8.4	7.3
58.0	19.0	19.0	16.0	16.0	15.5	13.9	13.9	13.0	12.2	12.2	10.8	10.4	10.4	9.0	-	8.0	8.0	7.0
62.0	16.7	17.8	14.9	14.9	14.6	13.0	13.0	12.2	11.5	11.5	10.3	9.9	9.9	8.6	-	7.6	7.6	6.6
66.0	14.5	15.9	13.9	13.9	13.9	12.1	12.1	11.5	10.9	10.9	9.8	9.5	9.5	8.2	-	7.2	7.2	6.3
70.0	-	-	12.4	13.2	12.7	11.3	11.3	10.8	10.3	10.3	9.2	9.0	9.0	7.8	-	6.9	6.9	6.0
74.0	-	-	-	-	-	10.7	10.7	10.2	9.7	9.7	8.7	8.6	8.6	7.4	-	6.6	6.6	5.7
78.0	-	-	-	-	-	-	-	9.6	9.3	9.3	8.1	8.2	8.2	6.9	-	6.4	6.4	5.5
82.0	-	-	-	-	-	-	-	-	8.8	8.9	7.5	7.8	7.8	6.5	-	6.1	6.1	5.2
86.0	-	-	-	-	-	-	-	-	-	-	-	7.4	7.4	6.1	-	5.9	5.9	5.0
90.0	-	-	-	-	-	-	-	-	-	-	-	-	-	5.8	-	5.7	5.7	4.7
94.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.9	4.9	4.4

m	55.5 m														
	20m			26m			32m			38m			44m		
	0°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°
t	t	t	t	t	t	t	t	t	t	t	t	t	t	t	t
12.0	42.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14.0	41.0	31.5	-	-	26.3	-	-	-	-	-	-	-	-	-	-
16.0	39.9	30.9	-	-	26.1	-	-	22.2	-	-	-	-	-	-	-
18.0	38.7	30.4	28.3	-	25.8	-	-	22.0	-	-	18.5	-	-	-	-
20.0	37.5	29.7	27.6	-	25.4	-	-	21.7	-	-	18.1	-	-	-	-
22.0	36.4	29.1	26.9	26.2	24.9	22.3	-	21.3	-	-	17.7	-	-	-	-
24.0	35.2	28.4	26.2	25.5	24.4	21.9	-	20.9	16.9	-	17.3	-	-	-	-
26.0	34.1	27.6	25.5	24.8	23.9	21.5	19.9	20.4	16.4	-	16.9	-	-	-	-
28.0	33.0	26.9	24.7	24.1	23.3	21.0	19.5	19.9	15.9	-	16.4	13.0	-	-	-
30.0	31.9	26.1	24.0	23.4	22.7	20.5	19.0	19.4	15.5	12.8	16.0	12.6	-	-	-
32.0	30.8	25.4	23.3	22.7	22.0	19.9	18.4	18.8	15.0	12.6	15.5	12.2	-	-	-
34.0	29.7	24.6	22.5	21.9	21.4	19.4	17.9	18.3	14.6	12.4	15.0	11.9	-	-	-
36.0	28.7	23.8	21.8	21.2	20.7	18.8	17.4	17.7	14.2	12.1	14.5	11.6	9.9	-	-
38.0	27.6	23.0	21.1	20.5	20.0	18.2	16.8	17.1	13.9	11.9	14.1	11.3	9.7	-	-
40.0	26.1	22.2	20.4	19.8	19.3	17.6	16.3	16.5	13.5	11.6	13.6	11.0	9.6	-	-
42.0	23.9	21.5	19.7	19.1	18.6	17.0	15.7	16.0	13.2	11.4	13.2	10.8	9.4	-	-
44.0	21.8	20.7	19.1	18.5	18.0	16.4	15.2	15.4	12.9	11.2	12.8	10.5	9.2	-	-
46.0	19.8	19.8	18.5	17.9	17.3	15.9	14.6	14.9	12.6	10.9	12.4	10.3	9.0	-	-
48.0	18.1	18.0	18.0	17.3	16.7	15.3	14.1	14.4	12.3	10.7	12.0	10.1	8.8	-	-
50.0	16.5	16.4	17.3	16.8	16.1	14.8	13.6	13.9	12.0	10.5	11.6	9.9	8.6	-	-
54.0	13.7	13.7	14.4	14.8	14.2	13.9	12.7	13.0	11.4	10.0	11.0	9.5	8.2	-	-
58.0	11.4	11.3	11.9	-	11.8	12.9	11.9	12.2	10.8	9.5	10.4	9.0	7.9	-	-
62.0	9.4	9.3	9.8	-	9.8	10.7	11.2	10.3	10.3	9.0	9.9	8.6	7.5	-	-
66.0	7.7	7.6	8.0	-	8.0	8.8	-	8.5	9.7	8.5	8.8	8.2	7.1	-	-
70.0	-	6.1	6.4	-	6.5	7.1	-	7.0	8.0	-	7.3	7.8	6.7	-	-
74.0	-	-	-	-	5.2	5.7	-	5.7	6.5	-	6.0	7.1	6.4	-	-
78.0	-	-	-	-	-	4.3	-	4.5	5.1	-	4.8	5.7	-	-	-
82.0	-	-	-	-	-	-	-	3.3	3.9	-	3.7	4.5	-	-	-
86.0	-	-	-	-	-	-	-	-	-	-	2.6	3.4	-	-	-
90.0	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

WiHi 83°






DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 83°



15.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
12.0	123.0	-	-	-	-	-	-	-	-	-	-	-	-
14.0	118.0	103.0	89.0	-	-	-	-	-	-	-	-	-	-
16.0	113.0	101.0	88.0	73.0	-	-	-	-	-	-	-	-	-
18.0	109.0	101.0	87.0	73.0	60.5	52.0	-	-	-	-	-	-	-
20.0	102.0	100.0	86.0	72.5	60.5	52.0	42.0	-	-	-	-	-	-
22.0	89.5	95.5	85.5	72.0	60.5	52.0	42.0	35.5	-	-	-	-	-
24.0	-	88.5	85.0	71.5	60.5	52.0	42.0	35.0	30.0	-	-	-	-
26.0	-	82.5	82.0	71.0	59.5	52.0	42.0	34.5	30.0	24.3	-	-	-
28.0	-	71.0	76.0	70.0	58.5	51.5	42.0	34.0	30.0	23.9	19.7	16.0	-
30.0	-	58.5	66.5	69.5	57.5	50.5	42.0	33.5	30.0	23.5	19.3	15.6	13.0
32.0	-	-	58.0	64.5	57.0	49.0	42.0	33.0	30.0	23.1	19.0	15.3	12.5
34.0	-	-	49.5	57.5	56.0	48.0	42.0	32.5	29.9	22.8	18.6	14.9	12.0
36.0	-	-	41.0	51.0	52.5	46.5	42.0	32.5	29.7	22.4	18.3	14.6	11.6
38.0	-	-	-	45.0	49.5	45.0	42.0	32.0	29.4	22.1	17.9	14.3	11.2
40.0	-	-	-	39.0	44.5	43.0	42.0	31.5	29.1	21.8	17.5	14.0	10.9
42.0	-	-	-	32.5	40.0	41.0	42.0	31.0	28.8	21.5	17.2	13.7	10.6
44.0	-	-	-	-	35.5	39.0	40.5	30.5	28.5	21.2	16.8	13.4	10.3
46.0	-	-	-	-	31.0	35.0	38.0	30.0	28.2	20.9	16.4	13.1	10.0
48.0	-	-	-	-	-	31.5	34.5	29.3	27.9	20.5	16.1	12.8	9.7
50.0	-	-	-	-	-	28.3	31.5	28.6	27.6	20.2	15.7	12.5	9.5
54.0	-	-	-	-	-	-	26.0	26.9	25.7	19.6	15.0	12.0	9.0
58.0	-	-	-	-	-	-	20.4	22.9	23.6	18.9	14.3	11.5	8.7
62.0	-	-	-	-	-	-	-	18.4	20.2	18.2	13.7	11.1	8.4
66.0	-	-	-	-	-	-	-	-	16.4	17.4	13.1	10.7	8.1
70.0	-	-	-	-	-	-	-	-	12.7	14.8	12.6	10.3	7.8
74.0	-	-	-	-	-	-	-	-	-	11.8	12.1	10.0	7.5
78.0	-	-	-	-	-	-	-	-	-	-	10.8	9.6	7.3
82.0	-	-	-	-	-	-	-	-	-	-	8.2	9.4	7.0
86.0	-	-	-	-	-	-	-	-	-	-	-	7.4	6.7
90.0	-	-	-	-	-	-	-	-	-	-	-	-	6.4

20.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
14.0	114.0	98.5	78.5	-	-	-	-	-	-	-	-	-	-
16.0	110.0	96.0	77.5	63.5	-	-	-	-	-	-	-	-	-
18.0	104.0	94.0	77.0	63.5	52.0	-	-	-	-	-	-	-	-
20.0	98.5	92.0	77.0	63.0	52.0	44.0	37.0	-	-	-	-	-	-
22.0	92.5	89.5	76.5	63.0	52.0	44.0	37.0	30.0	-	-	-	-	-
24.0	87.0	86.5	76.0	62.5	52.0	44.0	37.0	30.0	25.9	-	-	-	-
26.0	-	81.5	74.5	62.0	51.5	44.0	37.0	29.9	25.8	21.7	-	-	-
28.0	-	75.5	72.0	61.5	51.0	44.0	37.0	29.7	25.7	21.5	17.5	-	-
30.0	-	64.0	68.5	61.0	51.0	44.0	37.0	29.5	25.7	21.3	17.4	13.8	-
32.0	-	-	62.0	58.0	50.5	43.5	37.0	29.2	25.6	21.2	17.2	13.6	10.9
34.0	-	-	53.5	55.5	50.0	43.0	37.0	29.0	25.6	21.0	17.0	13.3	10.6
36.0	-	-	45.0	51.0	48.0	42.5	37.0	28.7	25.6	20.8	16.8	13.1	10.4
38.0	-	-	-	46.5	46.0	41.5	37.0	28.5	25.6	20.6	16.6	12.8	10.1
40.0	-	-	-	41.5	43.0	40.0	37.0	28.2	25.5	20.3	16.3	12.6	9.8
42.0	-	-	-	35.5	40.0	39.0	37.0	28.0	25.4	20.1	16.0	12.3	9.6
44.0	-	-	-	-	37.0	37.0	36.0	27.7	25.3	19.9	15.7	12.1	9.3
46.0	-	-	-	-	33.0	35.0	35.0	27.4	25.2	19.6	15.4	11.9	9.1
48.0	-	-	-	-	28.5	33.0	33.0	26.8	24.9	19.3	15.1	11.6	8.9
50.0	-	-	-	-	-	30.0	31.5	26.2	24.7	19.1	14.8	11.4	8.7
54.0	-	-	-	-	-	22.8	27.5	24.4	24.0	18.5	14.2	11.0	8.3
58.0	-	-	-	-	-	-	21.8	22.6	23.0	17.9	13.6	10.5	7.9
62.0	-	-	-	-	-	-	-	19.6	21.2	17.2	12.9	10.1	7.6
66.0	-	-	-	-	-	-	-	-	17.4	16.6	12.4	9.8	7.3
70.0	-	-	-	-	-	-	-	-	13.6	15.7	11.9	9.4	7.0
74.0	-	-	-	-	-	-	-	-	-	12.6	11.5	9.1	6.7
78.0	-	-	-	-	-	-	-	-	-	-	11.1	8.8	6.4
82.0	-	-	-	-	-	-	-	-	-	-	8.8	8.5	6.1
86.0	-	-	-	-	-	-	-	-	-	-	-	7.9	5.8
90.0	-	-	-	-	-	-	-	-	-	-	-	-	5.6
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.0




DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 83°



25.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
14.0	111.0	92.5	-	-	-	-	-	-	-	-	-	-	-
16.0	106.0	91.5	76.0	-	-	-	-	-	-	-	-	-	-
18.0	99.5	89.0	76.0	60.5	49.0	-	-	-	-	-	-	-	-
20.0	91.5	86.0	76.0	60.5	49.0	41.0	-	-	-	-	-	-	-
22.0	83.0	82.0	75.5	60.5	49.0	41.0	36.0	-	-	-	-	-	-
24.0	76.5	78.0	74.0	60.0	49.0	41.0	36.0	28.0	-	-	-	-	-
26.0	-	74.0	71.5	59.5	49.0	41.0	36.0	28.0	24.0	21.0	-	-	-
28.0	-	69.5	69.0	59.0	49.0	41.0	36.0	28.0	24.0	21.0	17.0	-	-
30.0	-	65.5	65.5	58.5	49.0	41.0	36.0	28.0	24.0	21.0	16.9	13.5	-
32.0	-	-	61.0	57.0	49.0	41.0	36.0	28.0	24.0	21.0	16.9	13.3	10.4
34.0	-	-	56.5	55.5	49.0	41.0	36.0	28.0	24.0	21.0	16.8	13.1	10.3
36.0	-	-	48.0	52.0	48.0	41.0	36.0	27.9	24.0	21.0	16.7	12.9	10.1
38.0	-	-	-	48.5	47.0	41.0	36.0	27.9	24.0	21.0	16.6	12.7	9.9
40.0	-	-	-	44.0	44.5	40.0	36.0	27.8	24.0	20.8	16.6	12.5	9.7
42.0	-	-	-	38.0	42.0	39.5	36.0	27.7	24.0	20.7	16.5	12.3	9.5
44.0	-	-	-	-	39.5	37.5	35.5	27.7	24.0	20.5	16.2	12.1	9.3
46.0	-	-	-	-	35.0	35.5	35.0	27.6	24.0	20.2	15.9	11.9	9.1
48.0	-	-	-	-	30.0	33.5	33.5	27.3	24.0	20.0	15.6	11.7	9.0
50.0	-	-	-	-	-	31.5	32.0	27.0	24.0	19.7	15.3	11.5	8.8
54.0	-	-	-	-	-	24.2	28.6	25.7	23.6	19.2	14.7	11.1	8.4
58.0	-	-	-	-	-	-	23.0	24.4	22.4	18.7	14.1	10.7	8.0
62.0	-	-	-	-	-	-	-	20.4	21.2	18.2	13.6	10.3	7.6
66.0	-	-	-	-	-	-	-	15.7	18.2	17.7	13.2	9.9	7.2
70.0	-	-	-	-	-	-	-	-	14.4	16.3	12.7	9.5	6.9
74.0	-	-	-	-	-	-	-	-	-	13.2	12.3	9.1	6.5
78.0	-	-	-	-	-	-	-	-	-	9.9	11.9	8.8	6.2
82.0	-	-	-	-	-	-	-	-	-	-	9.3	8.5	5.9
86.0	-	-	-	-	-	-	-	-	-	-	-	8.2	5.6
90.0	-	-	-	-	-	-	-	-	-	-	-	-	5.3
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.1

30.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
16.0	93.0	80.5	62.0	-	-	-	-	-	-	-	-	-	-
18.0	87.0	78.5	62.0	50.0	-	-	-	-	-	-	-	-	-
20.0	81.5	76.0	62.0	50.0	40.0	-	-	-	-	-	-	-	-
22.0	77.0	72.5	61.5	50.0	40.0	33.5	30.0	-	-	-	-	-	-
24.0	73.5	68.5	60.5	50.0	40.0	33.5	30.0	23.3	-	-	-	-	-
26.0	71.0	65.0	59.0	49.5	40.0	33.5	30.0	23.3	20.2	-	-	-	-
28.0	-	62.0	57.5	49.0	40.0	33.5	30.0	23.3	20.2	17.6	-	-	-
30.0	-	59.5	55.5	49.0	40.0	33.5	30.0	23.3	20.2	17.6	14.2	-	-
32.0	-	59.0	53.5	48.5	40.0	33.5	30.0	23.3	20.2	17.6	14.2	11.6	-
34.0	-	-	51.0	48.0	40.0	33.5	30.0	23.3	20.2	17.6	14.2	11.4	8.9
36.0	-	-	48.5	46.0	40.0	33.5	30.0	23.3	20.2	17.6	14.1	11.3	8.8
38.0	-	-	42.0	44.0	40.0	33.5	30.0	23.2	20.2	17.6	14.1	11.2	8.6
40.0	-	-	-	42.0	38.5	33.5	30.0	23.2	20.2	17.5	14.1	11.1	8.5
42.0	-	-	-	40.0	37.0	33.5	30.0	23.2	20.2	17.5	14.0	10.9	8.3
44.0	-	-	-	33.5	35.5	32.5	29.9	23.1	20.2	17.4	13.9	10.8	8.2
46.0	-	-	-	-	34.5	31.5	29.9	23.1	20.2	17.3	13.8	10.7	8.0
48.0	-	-	-	-	32.0	30.5	29.1	23.0	20.2	17.2	13.7	10.5	7.9
50.0	-	-	-	-	26.9	29.5	28.4	23.0	20.2	17.1	13.6	10.4	7.7
54.0	-	-	-	-	-	25.5	26.9	22.3	20.1	16.8	13.3	10.1	7.4
58.0	-	-	-	-	-	-	23.9	21.6	19.6	16.6	13.0	9.8	7.1
62.0	-	-	-	-	-	-	-	20.9	19.0	16.3	12.7	9.5	6.8
66.0	-	-	-	-	-	-	-	16.5	18.4	16.0	12.4	9.3	6.5
70.0	-	-	-	-	-	-	-	-	14.9	15.7	12.1	9.0	6.2
74.0	-	-	-	-	-	-	-	-	-	13.6	11.8	8.7	5.9
78.0	-	-	-	-	-	-	-	-	-	10.4	11.4	8.4	5.6
82.0	-	-	-	-	-	-	-	-	-	-	9.7	8.1	5.4
86.0	-	-	-	-	-	-	-	-	-	-	-	7.9	5.1
90.0	-	-	-	-	-	-	-	-	-	-	-	6.3	5.0
94.0	-	-	-	-	-	-	-	-	-	-	-	-	4.8




DEMAG AC 650



Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 83°



35.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
16.0	81.5	67.5	-	-	-	-	-	-	-	-	-	-	-
18.0	77.0	66.5	54.5	-	-	-	-	-	-	-	-	-	-
20.0	72.5	65.0	54.5	45.0	35.5	-	-	-	-	-	-	-	-
22.0	68.0	62.5	54.5	45.0	35.5	30.0	-	-	-	-	-	-	-
24.0	64.5	60.0	53.5	45.0	35.5	30.0	27.0	-	-	-	-	-	-
26.0	62.0	57.5	52.5	45.0	35.5	30.0	27.0	21.0	-	-	-	-	-
28.0	-	55.5	51.0	44.5	35.5	30.0	27.0	21.0	18.5	16.0	-	-	-
30.0	-	54.0	50.0	44.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	-	-
32.0	-	53.5	49.5	44.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0	-
34.0	-	-	48.5	43.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	10.9	8.5
36.0	-	-	48.0	43.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	10.9	8.4
38.0	-	-	45.5	42.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	10.8	8.3
40.0	-	-	-	41.5	35.0	30.0	27.0	21.0	18.5	16.0	13.0	10.8	8.1
42.0	-	-	-	41.0	35.0	30.0	27.0	21.0	18.5	16.0	13.0	10.7	8.0
44.0	-	-	-	35.5	34.5	29.9	27.0	21.0	18.5	16.0	13.0	10.6	7.9
46.0	-	-	-	-	34.0	29.8	27.0	21.0	18.5	16.0	13.0	10.5	7.8
48.0	-	-	-	-	33.5	29.6	26.9	21.0	18.5	16.0	13.0	10.5	7.6
50.0	-	-	-	-	28.6	29.5	26.7	21.0	18.5	16.0	13.0	10.4	7.5
54.0	-	-	-	-	-	26.6	26.4	21.0	18.5	16.0	13.0	10.2	7.2
58.0	-	-	-	-	-	-	24.7	21.0	18.5	16.0	13.0	10.0	6.9
62.0	-	-	-	-	-	-	18.7	21.0	18.5	16.0	13.0	9.8	6.6
66.0	-	-	-	-	-	-	-	17.2	18.5	15.9	12.8	9.6	6.3
70.0	-	-	-	-	-	-	-	-	15.4	15.9	12.5	9.3	6.1
74.0	-	-	-	-	-	-	-	-	11.3	14.0	12.1	9.1	5.8
78.0	-	-	-	-	-	-	-	-	-	10.8	11.8	8.9	5.6
82.0	-	-	-	-	-	-	-	-	-	-	9.9	8.6	5.4
86.0	-	-	-	-	-	-	-	-	-	-	-	8.4	5.2
90.0	-	-	-	-	-	-	-	-	-	-	-	6.5	5.1
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.0

15.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
12.0	123.0	-	-	-	-	-	-	-	-	-	-	-	-
14.0	118.0	103.0	89.0	-	-	-	-	-	-	-	-	-	-
16.0	113.0	101.0	88.0	73.0	-	-	-	-	-	-	-	-	-
18.0	104.0	101.0	87.0	73.0	60.5	52.0	-	-	-	-	-	-	-
20.0	93.5	93.0	86.0	72.5	60.5	52.0	42.0	-	-	-	-	-	-
22.0	83.0	82.5	82.0	72.0	60.5	52.0	42.0	35.5	-	-	-	-	-
24.0	-	72.5	72.5	71.5	60.5	52.0	42.0	35.0	30.0	-	-	-	-
26.0	-	64.5	64.5	64.0	59.5	52.0	42.0	34.5	30.0	24.3	-	-	-
28.0	-	58.0	58.0	57.5	57.0	51.5	42.0	34.0	30.0	23.9	19.7	16.0	-
30.0	-	53.0	52.5	52.0	51.5	50.5	42.0	33.5	30.0	23.5	19.3	15.6	13.0
32.0	-	-	48.0	47.5	47.0	46.5	42.0	33.0	30.0	23.1	19.0	15.3	12.5
34.0	-	-	44.5	43.5	43.5	43.0	42.0	32.5	29.9	22.8	18.6	14.9	12.0
36.0	-	-	41.0	40.5	40.0	39.5	39.5	32.5	29.7	22.4	18.3	14.6	11.6
38.0	-	-	-	37.5	37.0	36.5	36.5	32.0	29.4	22.1	17.9	14.3	11.2
40.0	-	-	-	35.0	34.5	34.0	34.0	31.5	29.1	21.8	17.5	14.0	10.9
42.0	-	-	-	32.5	32.0	31.5	32.0	31.0	28.8	21.5	17.2	13.7	10.6
44.0	-	-	-	-	30.0	29.9	30.0	29.4	28.5	21.2	16.8	13.4	10.3
46.0	-	-	-	-	28.6	28.1	28.2	27.5	27.0	20.9	16.4	13.1	10.0
48.0	-	-	-	-	-	26.5	26.5	25.9	25.4	20.5	16.1	12.8	9.7
50.0	-	-	-	-	-	25.0	25.1	24.4	23.9	20.2	15.7	12.5	9.5
54.0	-	-	-	-	-	-	22.5	21.8	21.2	19.6	15.0	12.0	9.0
58.0	-	-	-	-	-	-	20.3	19.6	19.0	18.9	14.3	11.5	8.7
62.0	-	-	-	-	-	-	-	17.7	17.2	17.4	13.7	11.1	8.4
66.0	-	-	-	-	-	-	-	-	15.6	15.7	13.1	10.7	8.1
70.0	-	-	-	-	-	-	-	-	12.7	14.3	12.6	10.3	7.8
74.0	-	-	-	-	-	-	-	-	-	11.8	12.1	10.0	7.5
78.0	-	-	-	-	-	-	-	-	-	-	10.8	9.6	7.3
82.0	-	-	-	-	-	-	-	-	-	-	8.2	9.4	7.0
86.0	-	-	-	-	-	-	-	-	-	-	-	7.4	6.7
90.0	-	-	-	-	-	-	-	-	-	-	-	-	6.4




DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 83°



m	20.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
14.0	114.0	98.5	78.5	-	-	-	-	-	-	-	-	-	-
16.0	110.0	96.0	77.5	63.5	-	-	-	-	-	-	-	-	-
18.0	103.0	94.0	77.0	63.5	52.0	-	-	-	-	-	-	-	-
20.0	92.5	92.0	77.0	63.0	52.0	44.0	37.0	-	-	-	-	-	-
22.0	81.5	81.0	76.5	63.0	52.0	44.0	37.0	30.0	-	-	-	-	-
24.0	72.0	71.0	71.0	62.5	52.0	44.0	37.0	30.0	25.9	-	-	-	-
26.0	-	63.5	63.5	62.0	51.5	44.0	37.0	29.9	25.8	21.7	-	-	-
28.0	-	57.0	57.0	56.5	51.0	44.0	37.0	29.7	25.7	21.5	17.5	-	-
30.0	-	52.0	51.5	51.0	50.5	44.0	37.0	29.5	25.7	21.3	17.4	13.8	-
32.0	-	-	47.5	46.5	46.5	43.5	37.0	29.2	25.6	21.2	17.2	13.6	10.9
34.0	-	-	43.5	43.0	42.5	42.0	37.0	29.0	25.6	21.0	17.0	13.3	10.6
36.0	-	-	40.0	39.5	39.0	38.5	37.0	28.7	25.6	20.8	16.8	13.1	10.4
38.0	-	-	-	37.0	36.5	36.0	36.0	28.5	25.6	20.6	16.6	12.8	10.1
40.0	-	-	-	34.5	34.0	33.5	33.5	28.2	25.5	20.3	16.3	12.6	9.8
42.0	-	-	-	32.0	31.5	31.0	31.0	28.0	25.4	20.1	16.0	12.3	9.6
44.0	-	-	-	-	29.8	29.3	29.4	27.7	25.3	19.9	15.7	12.1	9.3
46.0	-	-	-	-	28.0	27.5	27.6	26.9	25.2	19.6	15.4	11.9	9.1
48.0	-	-	-	-	26.5	25.9	26.0	25.3	24.8	19.3	15.1	11.6	8.9
50.0	-	-	-	-	-	24.4	24.5	23.8	23.3	19.1	14.8	11.4	8.7
54.0	-	-	-	-	-	22.0	22.0	21.2	20.7	18.5	14.2	11.0	8.3
58.0	-	-	-	-	-	-	19.9	19.1	18.6	17.9	13.6	10.5	7.9
62.0	-	-	-	-	-	-	-	17.3	16.7	16.9	12.9	10.1	7.6
66.0	-	-	-	-	-	-	-	-	15.2	15.3	12.4	9.8	7.3
70.0	-	-	-	-	-	-	-	-	13.6	13.9	11.9	9.4	7.0
74.0	-	-	-	-	-	-	-	-	-	12.6	11.5	9.1	6.7
78.0	-	-	-	-	-	-	-	-	-	-	11.1	8.8	6.4
82.0	-	-	-	-	-	-	-	-	-	-	8.8	8.5	6.1
86.0	-	-	-	-	-	-	-	-	-	-	-	7.9	5.8
90.0	-	-	-	-	-	-	-	-	-	-	-	-	5.6
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.0

m	25.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
14.0	111.0	92.5	-	-	-	-	-	-	-	-	-	-	-
16.0	106.0	91.5	76.0	-	-	-	-	-	-	-	-	-	-
18.0	99.5	89.0	76.0	60.5	49.0	-	-	-	-	-	-	-	-
20.0	91.5	86.0	76.0	60.5	49.0	41.0	-	-	-	-	-	-	-
22.0	80.5	80.0	75.5	60.5	49.0	41.0	36.0	-	-	-	-	-	-
24.0	70.5	70.0	70.0	60.0	49.0	41.0	36.0	28.0	-	-	-	-	-
26.0	-	62.5	62.5	59.5	49.0	41.0	36.0	28.0	24.0	21.0	-	-	-
28.0	-	56.0	56.0	55.5	49.0	41.0	36.0	28.0	24.0	21.0	17.0	-	-
30.0	-	51.0	51.0	50.5	49.0	41.0	36.0	28.0	24.0	21.0	16.9	13.5	-
32.0	-	-	46.5	46.0	45.5	41.0	36.0	28.0	24.0	21.0	16.9	13.3	10.4
34.0	-	-	42.5	42.0	41.5	41.0	36.0	28.0	24.0	21.0	16.8	13.1	10.3
36.0	-	-	39.5	39.0	38.5	38.0	36.0	27.9	24.0	21.0	16.7	12.9	10.1
38.0	-	-	-	36.0	35.5	35.0	35.5	27.9	24.0	21.0	16.6	12.7	9.9
40.0	-	-	-	33.5	33.0	32.5	33.0	27.8	24.0	20.8	16.6	12.5	9.7
42.0	-	-	-	31.5	31.0	30.5	30.5	27.7	24.0	20.7	16.5	12.3	9.5
44.0	-	-	-	-	29.2	28.7	28.8	27.7	24.0	20.5	16.2	12.1	9.3
46.0	-	-	-	-	27.4	26.9	27.1	26.4	24.0	20.2	15.9	11.9	9.1
48.0	-	-	-	-	25.9	25.3	25.5	24.7	24.0	20.0	15.6	11.7	9.0
50.0	-	-	-	-	-	23.9	24.0	23.3	22.8	19.7	15.3	11.5	8.8
54.0	-	-	-	-	-	21.5	21.5	20.8	20.2	19.2	14.7	11.1	8.4
58.0	-	-	-	-	-	-	19.4	18.6	18.1	18.4	14.1	10.7	8.0
62.0	-	-	-	-	-	-	-	16.8	16.3	16.5	13.6	10.3	7.6
66.0	-	-	-	-	-	-	-	15.4	14.8	14.9	13.2	9.9	7.2
70.0	-	-	-	-	-	-	-	-	13.4	13.6	12.7	9.5	6.9
74.0	-	-	-	-	-	-	-	-	-	12.4	12.3	9.1	6.5
78.0	-	-	-	-	-	-	-	-	-	9.9	11.2	8.8	6.2
82.0	-	-	-	-	-	-	-	-	-	-	9.3	8.5	5.9
86.0	-	-	-	-	-	-	-	-	-	-	-	8.2	5.6
90.0	-	-	-	-	-	-	-	-	-	-	-	-	5.3
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.1




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 83°



m	30.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
16.0	t	t	t	t	t	t	t	t	t	t	t	t	t
18.0	93.0	80.5	62.0	-	-	-	-	-	-	-	-	-	-
20.0	87.0	78.5	62.0	50.0	-	-	-	-	-	-	-	-	-
22.0	81.5	76.0	62.0	50.0	40.0	-	-	-	-	-	-	-	-
24.0	77.0	72.5	61.5	50.0	40.0	33.5	30.0	-	-	-	-	-	-
26.0	70.0	68.5	60.5	50.0	40.0	33.5	30.0	23.3	-	-	-	-	-
28.0	62.5	61.5	59.0	49.5	40.0	33.5	30.0	23.3	20.2	-	-	-	-
30.0	-	55.5	55.5	49.0	40.0	33.5	30.0	23.3	20.2	17.6	-	-	-
32.0	-	50.5	50.0	49.0	40.0	33.5	30.0	23.3	20.2	17.6	14.2	-	-
34.0	-	46.0	46.0	45.5	40.0	33.5	30.0	23.3	20.2	17.6	14.2	11.6	-
36.0	-	-	42.0	41.5	40.0	33.5	30.0	23.3	20.2	17.6	14.2	11.4	8.9
38.0	-	-	39.0	38.5	38.0	33.5	30.0	23.3	20.2	17.6	14.1	11.3	8.8
40.0	-	-	36.0	35.5	35.0	33.5	30.0	23.2	20.2	17.6	14.1	11.2	8.6
42.0	-	-	-	33.0	32.5	32.0	30.0	23.2	20.2	17.5	14.1	11.1	8.5
44.0	-	-	-	31.0	30.5	30.0	30.0	23.2	20.2	17.5	14.0	10.9	8.3
46.0	-	-	-	29.3	28.7	28.2	28.4	23.1	20.2	17.4	13.9	10.8	8.2
48.0	-	-	-	-	27.0	26.4	26.6	23.1	20.2	17.3	13.8	10.7	8.0
50.0	-	-	-	-	25.4	24.9	25.0	23.0	20.2	17.2	13.7	10.5	7.9
52.0	-	-	-	-	24.1	23.5	23.6	22.9	20.2	17.1	13.6	10.4	7.7
54.0	-	-	-	-	-	21.1	21.1	20.4	19.9	16.8	13.3	10.1	7.4
56.0	-	-	-	-	-	-	19.0	18.3	17.7	16.6	13.0	9.8	7.1
58.0	-	-	-	-	-	-	-	16.5	15.9	16.2	12.7	9.5	6.8
60.0	-	-	-	-	-	-	-	15.0	14.4	14.6	12.4	9.3	6.5
62.0	-	-	-	-	-	-	-	-	13.1	13.3	12.1	9.0	6.2
64.0	-	-	-	-	-	-	-	-	-	12.1	11.8	8.7	5.9
66.0	-	-	-	-	-	-	-	-	-	10.4	10.9	8.4	5.6
68.0	-	-	-	-	-	-	-	-	-	-	9.7	8.1	5.4
70.0	-	-	-	-	-	-	-	-	-	-	-	7.9	5.1
72.0	-	-	-	-	-	-	-	-	-	-	-	6.3	5.0
74.0	-	-	-	-	-	-	-	-	-	-	-	-	4.8
76.0	-	-	-	-	-	-	-	-	-	-	-	-	4.5

m	35.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
16.0	t	t	t	t	t	t	t	t	t	t	t	t	t
18.0	81.5	67.5	-	-	-	-	-	-	-	-	-	-	-
20.0	77.0	66.5	54.5	-	-	-	-	-	-	-	-	-	-
22.0	72.5	65.0	54.5	45.0	35.5	-	-	-	-	-	-	-	-
24.0	68.0	62.5	54.5	45.0	35.5	30.0	-	-	-	-	-	-	-
26.0	64.5	60.0	53.5	45.0	35.5	30.0	27.0	-	-	-	-	-	-
28.0	61.5	57.5	52.5	45.0	35.5	30.0	27.0	21.0	-	-	-	-	-
30.0	-	55.0	51.0	44.5	35.5	30.0	27.0	21.0	18.5	16.0	-	-	-
32.0	-	49.5	49.5	44.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	-	-
34.0	-	45.5	45.0	44.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0	-
36.0	-	-	41.5	41.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	10.9	8.5
38.0	-	-	38.5	38.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	10.9	8.4
40.0	-	-	35.5	35.0	34.5	30.0	27.0	21.0	18.5	16.0	13.0	10.8	8.3
42.0	-	-	-	32.5	32.0	30.0	27.0	21.0	18.5	16.0	13.0	10.8	8.1
44.0	-	-	-	30.5	30.0	29.7	27.0	21.0	18.5	16.0	13.0	10.7	8.0
46.0	-	-	-	28.8	28.2	27.7	27.0	21.0	18.5	16.0	13.0	10.6	7.9
48.0	-	-	-	-	26.5	26.0	26.2	21.0	18.5	16.0	13.0	10.5	7.8
50.0	-	-	-	-	25.0	24.4	24.6	21.0	18.5	16.0	13.0	10.5	7.6
52.0	-	-	-	-	23.6	23.0	23.2	21.0	18.5	16.0	13.0	10.4	7.5
54.0	-	-	-	-	-	20.6	20.7	20.0	18.5	16.0	13.0	10.2	7.2
56.0	-	-	-	-	-	-	18.7	17.9	17.4	16.0	13.0	10.0	6.9
58.0	-	-	-	-	-	-	17.0	16.2	15.6	15.9	13.0	9.8	6.6
60.0	-	-	-	-	-	-	-	14.7	14.1	14.3	12.8	9.6	6.3
62.0	-	-	-	-	-	-	-	-	12.8	13.0	12.5	9.3	6.1
64.0	-	-	-	-	-	-	-	-	11.3	11.8	11.7	9.1	5.8
66.0	-	-	-	-	-	-	-	-	-	10.8	10.6	8.9	5.6
68.0	-	-	-	-	-	-	-	-	-	-	9.7	8.6	5.4
70.0	-	-	-	-	-	-	-	-	-	-	-	8.4	5.2
72.0	-	-	-	-	-	-	-	-	-	-	-	6.5	5.1
74.0	-	-	-	-	-	-	-	-	-	-	-	-	5.0




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 83°



40.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
18.0	65.5	56.0	43.0	-	-	-	-	-	-	-	-	-	-
20.0	63.0	56.0	43.0	35.5	-	-	-	-	-	-	-	-	-
22.0	60.0	55.0	43.0	35.5	29.2	-	-	-	-	-	-	-	-
24.0	56.5	52.0	43.0	35.5	29.2	25.2	21.9	-	-	-	-	-	-
26.0	53.5	49.5	42.0	35.5	29.2	25.2	21.9	17.0	-	-	-	-	-
28.0	-	47.5	41.0	35.5	29.2	25.2	21.9	17.0	14.3	-	-	-	-
30.0	-	46.0	40.5	35.5	29.2	25.2	21.9	17.0	14.3	12.6	-	-	-
32.0	-	45.0	40.0	35.0	29.2	25.2	21.9	17.0	14.3	12.6	10.0	-	-
34.0	-	-	39.5	35.0	29.2	25.2	21.9	17.0	14.3	12.5	10.0	8.3	-
36.0	-	-	38.0	34.5	29.2	25.1	21.9	17.0	14.3	12.5	10.0	8.3	6.3
38.0	-	-	35.5	34.5	29.1	25.1	21.9	17.0	14.3	12.4	10.0	8.2	6.2
40.0	-	-	-	32.5	29.0	25.1	21.9	17.0	14.3	12.4	10.0	8.2	6.1
42.0	-	-	-	30.0	28.8	25.1	21.9	17.0	14.3	12.4	10.0	8.2	5.9
44.0	-	-	-	28.5	27.9	25.0	21.9	17.0	14.3	12.4	10.0	8.1	5.8
46.0	-	-	-	-	26.2	25.0	21.9	17.0	14.3	12.4	10.0	8.1	5.7
48.0	-	-	-	-	24.6	24.1	21.9	17.0	14.3	12.4	10.0	8.1	5.6
50.0	-	-	-	-	23.3	22.7	21.8	17.0	14.3	12.4	10.0	8.0	5.5
54.0	-	-	-	-	-	20.3	20.4	17.0	14.3	12.4	10.0	8.0	5.3
58.0	-	-	-	-	-	-	18.4	17.0	14.3	12.4	10.0	7.9	5.1
62.0	-	-	-	-	-	-	16.7	15.9	14.3	12.3	10.0	7.8	4.9
66.0	-	-	-	-	-	-	-	14.4	13.8	12.3	9.9	7.7	4.7
70.0	-	-	-	-	-	-	-	-	12.5	12.3	9.8	7.6	4.6
74.0	-	-	-	-	-	-	-	-	11.4	11.6	9.6	7.4	4.4
78.0	-	-	-	-	-	-	-	-	-	10.5	9.5	7.3	4.3
82.0	-	-	-	-	-	-	-	-	-	-	9.3	7.2	4.2
86.0	-	-	-	-	-	-	-	-	-	-	7.3	7.1	4.1
90.0	-	-	-	-	-	-	-	-	-	-	-	6.7	4.0
94.0	-	-	-	-	-	-	-	-	-	-	-	-	3.9

45.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
20.0	51.5	45.0	36.0	-	-	-	-	-	-	-	-	-	-
22.0	49.5	45.0	36.0	30.0	26.0	-	-	-	-	-	-	-	-
24.0	47.0	43.5	36.0	30.0	26.0	23.0	-	-	-	-	-	-	-
26.0	44.5	41.5	35.5	30.0	26.0	23.0	19.0	-	-	-	-	-	-
28.0	42.5	40.0	35.0	30.0	26.0	23.0	19.0	14.7	-	-	-	-	-
30.0	-	39.0	35.0	30.0	26.0	23.0	19.0	14.7	11.5	10.6	-	-	-
32.0	-	38.5	34.5	30.0	25.9	23.0	19.0	14.7	11.5	10.5	-	-	-
34.0	-	37.5	34.0	30.0	25.9	23.0	19.0	14.7	11.5	10.4	8.0	-	-
36.0	-	-	33.5	30.0	25.8	23.0	19.0	14.7	11.5	10.3	8.0	6.5	4.9
38.0	-	-	32.5	30.0	25.7	22.9	19.0	14.7	11.5	10.2	8.0	6.5	4.8
40.0	-	-	-	29.8	25.6	22.9	19.0	14.7	11.5	10.2	8.0	6.5	4.6
42.0	-	-	-	29.7	25.5	22.9	19.0	14.7	11.5	10.1	8.0	6.5	4.5
44.0	-	-	-	28.1	25.3	22.8	19.0	14.7	11.5	10.0	8.0	6.5	4.4
46.0	-	-	-	26.4	25.2	22.8	19.0	14.7	11.5	10.0	8.0	6.5	4.3
48.0	-	-	-	-	24.3	22.7	19.0	14.7	11.5	10.0	8.0	6.5	4.2
50.0	-	-	-	-	22.9	22.4	19.0	14.7	11.5	10.0	8.0	6.5	4.1
54.0	-	-	-	-	-	20.0	19.0	14.7	11.5	10.0	8.0	6.5	3.9
58.0	-	-	-	-	-	18.1	18.1	14.7	11.5	10.0	8.0	6.5	3.8
62.0	-	-	-	-	-	-	16.4	14.7	11.5	10.0	8.0	6.5	3.7
66.0	-	-	-	-	-	-	-	14.1	11.5	10.0	8.0	6.5	3.6
70.0	-	-	-	-	-	-	-	12.9	11.5	10.0	8.0	6.5	3.5
74.0	-	-	-	-	-	-	-	-	11.1	10.0	8.0	6.5	3.5
78.0	-	-	-	-	-	-	-	-	-	10.0	8.0	6.5	3.4
82.0	-	-	-	-	-	-	-	-	-	7.8	8.0	6.5	3.4
86.0	-	-	-	-	-	-	-	-	-	-	7.6	6.5	3.3
90.0	-	-	-	-	-	-	-	-	-	-	-	6.5	3.3
94.0	-	-	-	-	-	-	-	-	-	-	-	4.2	3.2
98.0	-	-	-	-	-	-	-	-	-	-	-	-	3.0




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capaciteiten



WIHI 83°



	50.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
20.0	38.0	32.5	26.6	-	-	-	-	-	-	-	-	-	-
22.0	37.5	31.5	26.6	22.1	-	-	-	-	-	-	-	-	-
24.0	36.5	31.0	26.6	22.1	20.2	-	-	-	-	-	-	-	-
26.0	36.0	31.0	26.6	22.1	20.2	17.1	13.5	-	-	-	-	-	-
28.0	35.0	31.0	26.4	22.1	20.2	17.1	13.5	10.3	-	-	-	-	-
30.0	-	31.0	26.2	22.1	20.2	17.1	13.5	10.3	7.8	-	-	-	-
32.0	-	30.5	26.1	22.1	20.1	17.1	13.5	10.3	7.8	6.6	-	-	-
34.0	-	30.0	25.9	22.1	20.0	17.1	13.5	10.3	7.8	6.5	4.8	-	-
36.0	-	-	25.8	22.1	19.8	17.0	13.5	10.3	7.8	6.5	4.8	-	-
38.0	-	-	25.7	22.1	19.6	17.0	13.5	10.3	7.8	6.5	4.8	-	-
40.0	-	-	25.6	22.1	19.5	17.0	13.5	10.3	7.8	6.4	4.8	-	-
42.0	-	-	-	22.0	19.3	17.0	13.5	10.3	7.8	6.4	4.8	-	-
44.0	-	-	-	21.9	19.1	17.0	13.5	10.3	7.8	6.3	4.8	-	-
46.0	-	-	-	21.9	19.0	17.0	13.5	10.3	7.8	6.3	4.8	-	-
48.0	-	-	-	-	18.8	16.9	13.5	10.3	7.8	6.3	4.8	-	-
50.0	-	-	-	-	18.7	16.8	13.5	10.3	7.8	6.3	4.8	-	-
54.0	-	-	-	-	-	16.6	13.5	10.3	7.8	6.3	4.8	-	-
58.0	-	-	-	-	-	16.5	13.5	10.3	7.8	6.3	4.8	-	-
62.0	-	-	-	-	-	-	13.5	10.3	7.8	6.3	4.8	-	-
66.0	-	-	-	-	-	-	-	10.3	7.8	6.3	4.8	-	-
70.0	-	-	-	-	-	-	-	10.3	7.8	6.3	4.8	-	-
74.0	-	-	-	-	-	-	-	-	7.8	6.3	4.8	-	-
78.0	-	-	-	-	-	-	-	-	-	6.3	4.8	-	-
82.0	-	-	-	-	-	-	-	-	-	6.3	4.8	-	-
86.0	-	-	-	-	-	-	-	-	-	-	4.8	-	-

	55.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
22.0	31.0	25.5	20.0	-	-	-	-	-	-	-	-	-	-
24.0	30.0	25.5	20.0	16.6	-	-	-	-	-	-	-	-	-
26.0	29.5	25.2	20.0	16.6	16.5	-	-	-	-	-	-	-	-
28.0	28.8	24.7	20.0	16.6	16.5	12.9	9.5	-	-	-	-	-	-
30.0	-	24.3	20.0	16.6	16.5	12.9	9.5	7.0	-	-	-	-	-
32.0	-	23.9	20.0	16.6	16.4	12.9	9.5	7.0	5.0	-	-	-	-
34.0	-	23.5	20.0	16.6	16.3	12.9	9.5	7.0	5.0	3.3	-	-	-
36.0	-	-	20.0	16.6	16.0	12.9	9.5	7.0	5.0	3.3	2.0	-	-
38.0	-	-	20.0	16.6	15.7	12.9	9.5	7.0	5.0	3.3	2.0	-	-
40.0	-	-	20.0	16.6	15.5	12.9	9.5	7.0	5.0	3.3	2.0	-	-
42.0	-	-	-	16.6	15.2	12.9	9.5	7.0	5.0	3.3	2.0	-	-
44.0	-	-	-	16.6	15.0	12.9	9.5	7.0	5.0	3.3	2.0	-	-
46.0	-	-	-	16.6	14.8	12.9	9.5	7.0	5.0	3.3	2.0	-	-
48.0	-	-	-	-	14.6	12.9	9.5	7.0	5.0	3.3	2.0	-	-
50.0	-	-	-	-	14.5	12.8	9.5	7.0	5.0	3.3	2.0	-	-
54.0	-	-	-	-	-	12.7	9.5	7.0	5.0	3.3	2.0	-	-
58.0	-	-	-	-	-	12.6	9.5	7.0	5.0	3.3	2.0	-	-
62.0	-	-	-	-	-	-	9.5	7.0	5.0	3.3	2.0	-	-
66.0	-	-	-	-	-	-	-	7.0	5.0	3.3	2.0	-	-
70.0	-	-	-	-	-	-	-	7.0	5.0	3.3	2.0	-	-
74.0	-	-	-	-	-	-	-	-	5.0	3.3	2.0	-	-
78.0	-	-	-	-	-	-	-	-	-	3.3	2.0	-	-
82.0	-	-	-	-	-	-	-	-	-	3.3	2.0	-	-
86.0	-	-	-	-	-	-	-	-	-	-	2.0	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

WiHi 73°






DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 73°



	15.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
20.0	101.0	92.0	-	-	-	-	-	-	-	-	-	-	-
22.0	93.5	89.0	-	-	-	-	-	-	-	-	-	-	-
24.0	87.0	86.0	77.0	-	-	-	-	-	-	-	-	-	-
26.0	81.0	80.0	76.0	67.0	-	-	-	-	-	-	-	-	-
28.0	-	74.5	74.0	67.0	56.5	-	-	-	-	-	-	-	-
30.0	-	69.0	68.5	66.5	56.5	-	-	-	-	-	-	-	-
32.0	-	64.5	64.0	63.0	56.0	49.0	-	-	-	-	-	-	-
34.0	-	-	59.5	59.0	55.5	48.5	40.0	-	-	-	-	-	-
36.0	-	-	56.0	55.5	55.0	47.5	40.0	32.5	-	-	-	-	-
38.0	-	-	52.5	52.5	52.0	46.5	39.5	32.5	29.5	-	-	-	-
40.0	-	-	-	49.5	49.0	45.5	39.5	32.0	29.5	-	-	-	-
42.0	-	-	-	46.5	46.0	44.5	39.0	31.5	29.5	22.0	-	-	-
44.0	-	-	-	42.5	44.0	43.0	38.5	31.5	29.5	21.7	17.4	-	-
46.0	-	-	-	-	41.5	41.0	38.0	31.0	29.5	21.4	17.0	-	-
48.0	-	-	-	-	39.0	38.5	37.0	30.5	29.5	21.1	16.6	13.3	-
50.0	-	-	-	-	34.0	36.5	36.0	30.0	29.5	20.8	16.2	13.0	9.9
54.0	-	-	-	-	-	31.5	33.0	28.8	29.5	20.2	15.5	12.4	9.5
58.0	-	-	-	-	-	-	29.0	27.5	27.7	19.6	14.8	11.9	9.1
62.0	-	-	-	-	-	-	23.3	25.7	25.9	19.0	14.2	11.5	8.7
66.0	-	-	-	-	-	-	-	21.2	22.8	18.4	13.6	11.0	8.4
70.0	-	-	-	-	-	-	-	-	19.1	17.7	13.1	10.6	8.0
74.0	-	-	-	-	-	-	-	-	15.2	17.1	12.6	10.2	7.7
78.0	-	-	-	-	-	-	-	-	-	14.2	12.2	9.9	7.4
82.0	-	-	-	-	-	-	-	-	-	-	11.8	9.6	7.0
86.0	-	-	-	-	-	-	-	-	-	-	-	9.3	6.7
90.0	-	-	-	-	-	-	-	-	-	-	-	9.1	6.5
94.0	-	-	-	-	-	-	-	-	-	-	-	-	6.2

	20.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
20.0	92.5	-	-	-	-	-	-	-	-	-	-	-	-
22.0	87.0	80.0	-	-	-	-	-	-	-	-	-	-	-
24.0	82.0	76.5	66.5	-	-	-	-	-	-	-	-	-	-
26.0	77.5	73.0	65.0	-	-	-	-	-	-	-	-	-	-
28.0	73.5	70.0	63.5	57.0	-	-	-	-	-	-	-	-	-
30.0	-	66.5	61.5	56.0	50.0	-	-	-	-	-	-	-	-
32.0	-	63.0	59.5	54.5	49.0	43.0	-	-	-	-	-	-	-
34.0	-	59.0	57.5	53.5	48.0	42.5	-	-	-	-	-	-	-
36.0	-	-	54.5	51.5	47.0	41.5	35.0	-	-	-	-	-	-
38.0	-	-	51.5	50.0	46.0	41.0	35.0	29.6	-	-	-	-	-
40.0	-	-	48.5	48.0	45.0	40.0	35.0	29.3	25.2	-	-	-	-
42.0	-	-	-	45.5	43.5	39.0	34.5	29.0	25.2	-	-	-	-
44.0	-	-	-	43.0	42.0	38.0	34.5	28.7	25.2	20.3	-	-	-
46.0	-	-	-	41.0	40.0	37.0	34.0	28.4	25.2	20.1	16.0	-	-
48.0	-	-	-	-	38.0	36.0	33.0	28.1	25.2	19.8	15.7	-	-
50.0	-	-	-	-	36.0	35.0	32.5	27.8	25.2	19.6	15.4	11.9	-
54.0	-	-	-	-	-	32.0	31.0	27.0	25.2	19.1	14.7	11.4	8.7
58.0	-	-	-	-	-	27.4	29.2	25.9	24.6	18.5	14.1	11.0	8.4
62.0	-	-	-	-	-	-	25.9	24.8	23.6	18.0	13.6	10.6	8.0
66.0	-	-	-	-	-	-	-	23.2	22.6	17.5	13.0	10.2	7.6
70.0	-	-	-	-	-	-	-	18.5	20.7	16.9	12.5	9.8	7.3
74.0	-	-	-	-	-	-	-	-	17.0	16.4	12.1	9.4	7.0
78.0	-	-	-	-	-	-	-	-	-	15.7	11.7	9.1	6.7
82.0	-	-	-	-	-	-	-	-	-	-	11.3	8.8	6.4
86.0	-	-	-	-	-	-	-	-	-	-	11.0	8.5	6.1
90.0	-	-	-	-	-	-	-	-	-	-	-	8.3	5.8
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.5
98.0	-	-	-	-	-	-	-	-	-	-	-	-	5.3




DEMAG AC 650



Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 73°



25.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
22.0	76.0	-	-	-	-	-	-	-	-	-	-	-	-
24.0	71.0	68.0	-	-	-	-	-	-	-	-	-	-	-
26.0	67.0	64.0	61.5	-	-	-	-	-	-	-	-	-	-
28.0	64.0	60.5	58.0	-	-	-	-	-	-	-	-	-	-
30.0	62.5	57.5	55.5	53.0	-	-	-	-	-	-	-	-	-
32.0	-	55.5	53.5	50.5	48.0	-	-	-	-	-	-	-	-
34.0	-	53.5	51.5	48.5	46.0	40.5	-	-	-	-	-	-	-
36.0	-	52.5	50.5	47.0	44.0	40.0	-	-	-	-	-	-	-
38.0	-	-	49.0	45.0	42.5	39.0	34.5	-	-	-	-	-	-
40.0	-	-	47.5	43.5	41.0	38.5	34.0	29.5	-	-	-	-	-
42.0	-	-	45.0	42.5	39.5	37.5	34.0	29.3	23.5	-	-	-	-
44.0	-	-	-	41.5	38.5	37.0	34.0	29.2	23.5	-	-	-	-
46.0	-	-	-	39.5	38.0	36.0	33.5	29.0	23.5	20.8	-	-	-
48.0	-	-	-	37.5	37.0	35.5	33.0	28.8	23.5	20.6	16.4	-	-
50.0	-	-	-	-	35.0	34.5	33.0	28.5	23.5	20.4	16.1	12.0	-
54.0	-	-	-	-	31.5	31.0	31.0	28.0	23.5	19.9	15.4	11.6	8.9
58.0	-	-	-	-	-	28.3	28.3	27.3	23.5	19.4	14.8	11.1	8.5
62.0	-	-	-	-	-	-	25.9	25.1	23.1	18.9	14.3	10.7	8.1
66.0	-	-	-	-	-	-	22.2	23.0	22.4	18.4	13.8	10.4	7.7
70.0	-	-	-	-	-	-	-	20.4	20.6	17.8	13.3	10.0	7.3
74.0	-	-	-	-	-	-	-	-	18.5	17.3	12.9	9.6	7.0
78.0	-	-	-	-	-	-	-	-	-	16.8	12.4	9.3	6.7
82.0	-	-	-	-	-	-	-	-	-	13.7	12.1	9.0	6.3
86.0	-	-	-	-	-	-	-	-	-	-	11.7	8.6	6.0
90.0	-	-	-	-	-	-	-	-	-	-	-	8.3	5.7
94.0	-	-	-	-	-	-	-	-	-	-	-	8.0	5.4
98.0	-	-	-	-	-	-	-	-	-	-	-	-	5.2
100.0	-	-	-	-	-	-	-	-	-	-	-	-	5.0

30.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
24.0	62.0	-	-	-	-	-	-	-	-	-	-	-	-
26.0	58.0	56.5	-	-	-	-	-	-	-	-	-	-	-
28.0	55.0	53.5	49.0	-	-	-	-	-	-	-	-	-	-
30.0	52.5	51.5	46.5	-	-	-	-	-	-	-	-	-	-
32.0	51.0	49.5	44.0	42.5	-	-	-	-	-	-	-	-	-
34.0	-	47.5	42.0	40.5	38.5	-	-	-	-	-	-	-	-
36.0	-	46.0	41.0	39.0	37.0	33.5	-	-	-	-	-	-	-
38.0	-	44.5	39.5	37.5	35.5	32.5	-	-	-	-	-	-	-
40.0	-	-	39.0	36.0	34.0	31.5	27.9	-	-	-	-	-	-
42.0	-	-	39.0	35.0	33.0	31.0	27.7	25.7	-	-	-	-	-
44.0	-	-	39.0	34.5	32.0	30.0	27.3	25.2	19.7	-	-	-	-
46.0	-	-	-	33.5	31.0	29.7	27.0	24.8	19.7	-	-	-	-
48.0	-	-	-	33.0	30.5	29.1	26.7	24.3	19.6	17.2	-	-	-
50.0	-	-	-	33.0	30.0	28.5	26.3	23.9	19.6	17.1	13.7	-	-
54.0	-	-	-	-	29.6	27.5	25.5	23.0	19.5	16.9	13.4	10.6	-
58.0	-	-	-	-	-	26.7	24.6	22.2	19.4	16.7	13.1	10.3	7.6
62.0	-	-	-	-	-	25.3	23.7	21.5	19.2	16.4	12.9	10.0	7.2
66.0	-	-	-	-	-	-	22.6	20.9	18.8	16.1	12.6	9.7	6.9
70.0	-	-	-	-	-	-	-	20.2	18.4	15.8	12.4	9.4	6.6
74.0	-	-	-	-	-	-	-	-	18.0	15.4	12.2	9.1	6.3
78.0	-	-	-	-	-	-	-	-	16.0	15.0	12.0	8.9	6.0
82.0	-	-	-	-	-	-	-	-	-	14.5	11.8	8.6	5.8
86.0	-	-	-	-	-	-	-	-	-	-	11.6	8.3	5.5
90.0	-	-	-	-	-	-	-	-	-	-	10.9	8.0	5.3
94.0	-	-	-	-	-	-	-	-	-	-	-	7.8	5.1
98.0	-	-	-	-	-	-	-	-	-	-	-	-	4.9
102.0	-	-	-	-	-	-	-	-	-	-	-	-	4.8




DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 73°



	35.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
26.0	50.5	-	-	-	-	-	-	-	-	-	-	-	-
28.0	48.0	45.5	-	-	-	-	-	-	-	-	-	-	-
30.0	45.5	43.0	41.5	-	-	-	-	-	-	-	-	-	-
32.0	44.0	41.0	39.5	-	-	-	-	-	-	-	-	-	-
34.0	-	39.5	37.5	36.5	-	-	-	-	-	-	-	-	-
36.0	-	38.0	36.0	35.0	33.0	-	-	-	-	-	-	-	-
38.0	-	37.0	34.5	33.5	32.0	30.0	-	-	-	-	-	-	-
40.0	-	-	33.5	32.0	30.5	28.9	-	-	-	-	-	-	-
42.0	-	-	33.0	31.0	29.7	27.9	24.6	-	-	-	-	-	-
44.0	-	-	33.0	30.0	28.8	27.1	24.0	24.6	-	-	-	-	-
46.0	-	-	-	29.5	27.8	26.2	23.5	23.7	18.0	-	-	-	-
48.0	-	-	-	28.9	27.2	25.5	23.0	22.9	18.0	-	-	-	-
50.0	-	-	-	28.4	26.5	24.8	22.5	22.1	17.9	15.3	-	-	-
54.0	-	-	-	-	25.8	23.7	21.6	20.7	17.8	15.3	12.5	-	-
58.0	-	-	-	-	-	23.0	20.8	19.6	17.6	15.3	12.5	10.3	7.4
62.0	-	-	-	-	-	22.5	20.1	18.6	17.3	15.3	12.5	10.1	7.1
66.0	-	-	-	-	-	-	19.6	17.9	17.0	15.3	12.5	9.9	6.8
70.0	-	-	-	-	-	-	-	17.4	16.6	15.0	12.5	9.7	6.5
74.0	-	-	-	-	-	-	-	17.1	16.1	14.7	12.3	9.5	6.2
78.0	-	-	-	-	-	-	-	-	15.6	14.4	12.0	9.3	6.0
82.0	-	-	-	-	-	-	-	-	-	14.1	11.7	9.1	5.8
86.0	-	-	-	-	-	-	-	-	-	12.6	11.5	8.8	5.6
90.0	-	-	-	-	-	-	-	-	-	-	11.2	8.6	5.4
94.0	-	-	-	-	-	-	-	-	-	-	-	8.3	5.3
98.0	-	-	-	-	-	-	-	-	-	-	-	8.1	5.2
102.0	-	-	-	-	-	-	-	-	-	-	-	-	5.1

	15.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
20.0	90.0	89.0	-	-	-	-	-	-	-	-	-	-	-
22.0	79.0	78.5	-	-	-	-	-	-	-	-	-	-	-
24.0	69.5	69.0	68.5	-	-	-	-	-	-	-	-	-	-
26.0	62.0	61.5	61.0	60.5	-	-	-	-	-	-	-	-	-
28.0	-	55.0	55.0	54.5	54.0	-	-	-	-	-	-	-	-
30.0	-	50.0	50.0	49.5	49.0	-	-	-	-	-	-	-	-
32.0	-	46.0	45.5	45.0	44.5	44.0	-	-	-	-	-	-	-
34.0	-	-	42.0	41.5	41.0	40.5	40.0	-	-	-	-	-	-
36.0	-	-	38.5	38.0	37.5	37.0	37.5	32.5	-	-	-	-	-
38.0	-	-	36.0	35.5	35.0	34.5	34.5	32.5	29.5	-	-	-	-
40.0	-	-	-	33.0	32.5	32.0	32.0	31.5	29.5	-	-	-	-
42.0	-	-	-	31.0	30.5	29.9	30.0	29.4	28.8	22.0	-	-	-
44.0	-	-	-	29.1	28.5	28.0	28.1	27.4	26.9	21.7	17.4	-	-
46.0	-	-	-	-	26.8	26.3	26.4	25.7	25.2	21.4	17.0	-	-
48.0	-	-	-	-	25.3	24.7	24.8	24.1	23.6	21.1	16.6	13.3	-
50.0	-	-	-	-	23.9	23.3	23.4	22.7	22.1	20.8	16.2	13.0	9.9
54.0	-	-	-	-	-	20.9	20.9	20.2	19.7	19.9	15.5	12.4	9.5
58.0	-	-	-	-	-	-	18.9	18.1	17.6	17.8	14.8	11.9	9.1
62.0	-	-	-	-	-	-	17.2	16.4	15.8	16.0	14.2	11.5	8.7
66.0	-	-	-	-	-	-	-	14.9	14.3	14.4	13.6	11.0	8.4
70.0	-	-	-	-	-	-	-	-	13.0	13.1	13.0	10.6	8.0
74.0	-	-	-	-	-	-	-	-	11.9	11.9	11.8	10.2	7.7
78.0	-	-	-	-	-	-	-	-	-	10.9	10.7	9.9	7.4
82.0	-	-	-	-	-	-	-	-	-	-	9.8	9.6	7.0
86.0	-	-	-	-	-	-	-	-	-	-	-	9.0	6.7
90.0	-	-	-	-	-	-	-	-	-	-	-	8.2	6.5
94.0	-	-	-	-	-	-	-	-	-	-	-	-	6.2




DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 73°



	20.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
20.0	87.5	-	-	-	-	-	-	-	-	-	-	-	-
22.0	76.0	75.5	-	-	-	-	-	-	-	-	-	-	-
24.0	67.0	66.5	66.0	-	-	-	-	-	-	-	-	-	-
26.0	59.5	59.0	59.0	-	-	-	-	-	-	-	-	-	-
28.0	54.0	53.0	53.0	52.0	-	-	-	-	-	-	-	-	-
30.0	-	48.0	48.0	47.5	47.0	-	-	-	-	-	-	-	-
32.0	-	44.0	43.5	43.0	42.5	42.0	-	-	-	-	-	-	-
34.0	-	40.5	40.0	39.5	39.0	38.5	-	-	-	-	-	-	-
36.0	-	-	37.0	36.5	36.0	35.5	35.0	-	-	-	-	-	-
38.0	-	-	34.5	34.0	33.5	33.0	33.0	29.6	-	-	-	-	-
40.0	-	-	32.0	31.5	31.0	30.5	30.5	29.3	25.2	-	-	-	-
42.0	-	-	-	29.7	29.1	28.6	28.7	28.0	25.2	-	-	-	-
44.0	-	-	-	27.8	27.2	26.7	26.8	26.1	25.2	20.3	-	-	-
46.0	-	-	-	26.2	25.6	25.0	25.2	24.4	23.9	20.1	16.0	-	-
48.0	-	-	-	-	24.1	23.5	23.6	22.9	22.4	19.8	15.7	-	-
50.0	-	-	-	-	22.8	22.2	22.3	21.5	21.0	19.6	15.4	11.9	-
54.0	-	-	-	-	-	19.9	19.9	19.1	18.6	18.8	14.7	11.4	8.7
58.0	-	-	-	-	-	18.0	17.9	17.1	16.6	16.8	14.1	11.0	8.4
62.0	-	-	-	-	-	-	16.2	15.4	14.9	15.1	13.6	10.6	8.0
66.0	-	-	-	-	-	-	-	14.0	13.4	13.6	13.0	10.2	7.6
70.0	-	-	-	-	-	-	-	12.8	12.1	12.3	12.1	9.8	7.3
74.0	-	-	-	-	-	-	-	-	11.0	11.1	10.9	9.4	7.0
78.0	-	-	-	-	-	-	-	-	-	10.0	9.9	9.1	6.7
82.0	-	-	-	-	-	-	-	-	-	-	9.0	8.8	6.4
86.0	-	-	-	-	-	-	-	-	-	-	8.2	8.3	6.1
90.0	-	-	-	-	-	-	-	-	-	-	-	7.5	5.8
94.0	-	-	-	-	-	-	-	-	-	-	-	-	5.5
98.0	-	-	-	-	-	-	-	-	-	-	-	-	5.3

	25.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
22.0	73.5	-	-	-	-	-	-	-	-	-	-	-	-
24.0	64.5	64.0	-	-	-	-	-	-	-	-	-	-	-
26.0	57.5	57.0	56.5	-	-	-	-	-	-	-	-	-	-
28.0	52.0	51.0	51.0	-	-	-	-	-	-	-	-	-	-
30.0	47.0	46.5	46.0	45.5	-	-	-	-	-	-	-	-	-
32.0	-	42.5	42.0	41.5	41.0	-	-	-	-	-	-	-	-
34.0	-	39.0	38.5	38.0	37.5	37.0	-	-	-	-	-	-	-
36.0	-	36.0	35.5	35.0	34.5	34.0	-	-	-	-	-	-	-
38.0	-	-	33.0	32.5	32.0	31.5	31.5	-	-	-	-	-	-
40.0	-	-	31.0	30.0	29.8	29.2	29.4	28.6	-	-	-	-	-
42.0	-	-	29.0	28.3	27.7	27.2	27.4	26.6	23.5	-	-	-	-
44.0	-	-	-	26.5	25.9	25.4	25.6	24.8	23.5	-	-	-	-
46.0	-	-	-	25.0	24.3	23.8	23.9	23.2	22.6	20.8	-	-	-
48.0	-	-	-	23.5	22.9	22.3	22.5	21.7	21.2	20.6	16.4	-	-
50.0	-	-	-	-	21.6	21.0	21.1	20.4	19.8	20.1	16.1	12.0	-
54.0	-	-	-	-	19.4	18.8	18.8	18.1	17.5	17.8	15.4	11.6	8.9
58.0	-	-	-	-	-	16.9	16.9	16.1	15.6	15.8	14.8	11.1	8.5
62.0	-	-	-	-	-	-	15.3	14.5	13.9	14.2	14.0	10.7	8.1
66.0	-	-	-	-	-	-	14.0	13.1	12.4	12.6	12.5	10.4	7.7
70.0	-	-	-	-	-	-	-	11.9	11.2	11.3	11.2	10.0	7.3
74.0	-	-	-	-	-	-	-	-	10.1	10.2	10.0	9.6	7.0
78.0	-	-	-	-	-	-	-	-	-	9.2	9.0	9.3	6.7
82.0	-	-	-	-	-	-	-	-	-	8.3	8.1	8.3	6.3
86.0	-	-	-	-	-	-	-	-	-	-	7.4	7.5	6.0
90.0	-	-	-	-	-	-	-	-	-	-	-	6.8	5.7
94.0	-	-	-	-	-	-	-	-	-	-	-	6.1	5.4
98.0	-	-	-	-	-	-	-	-	-	-	-	-	5.2




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 73°



30.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
24.0	62.0	-	-	-	-	-	-	-	-	-	-	-	-
26.0	56.0	55.0	-	-	-	-	-	-	-	-	-	-	-
28.0	50.5	49.5	49.0	-	-	-	-	-	-	-	-	-	-
30.0	45.5	45.0	44.5	-	-	-	-	-	-	-	-	-	-
32.0	41.5	41.0	40.5	40.0	-	-	-	-	-	-	-	-	-
34.0	-	37.5	37.5	36.5	36.0	-	-	-	-	-	-	-	-
36.0	-	34.5	34.5	34.0	33.0	32.5	-	-	-	-	-	-	-
38.0	-	32.5	32.0	31.5	30.5	30.0	-	-	-	-	-	-	-
40.0	-	-	29.9	29.3	28.7	28.1	27.9	-	-	-	-	-	-
42.0	-	-	28.0	27.3	26.7	26.2	26.3	25.6	-	-	-	-	-
44.0	-	-	26.3	25.6	25.0	24.4	24.6	23.8	19.7	-	-	-	-
46.0	-	-	-	24.0	23.4	22.8	23.0	22.2	19.7	-	-	-	-
48.0	-	-	-	22.6	22.0	21.4	21.6	20.8	19.6	17.2	-	-	-
50.0	-	-	-	21.4	20.8	20.2	20.3	19.5	19.0	17.1	13.7	-	-
54.0	-	-	-	-	18.6	18.0	18.1	17.3	16.7	16.9	13.4	10.6	-
58.0	-	-	-	-	-	16.1	16.2	15.4	14.8	15.1	13.1	10.3	7.6
62.0	-	-	-	-	-	14.7	14.6	13.7	13.1	13.4	12.9	10.0	7.2
66.0	-	-	-	-	-	-	13.3	12.3	11.6	11.9	11.7	9.7	6.9
70.0	-	-	-	-	-	-	-	11.1	10.4	11.3	10.5	9.4	6.6
74.0	-	-	-	-	-	-	-	-	9.3	10.6	9.3	9.1	6.3
78.0	-	-	-	-	-	-	-	-	8.5	9.5	8.4	8.6	6.0
82.0	-	-	-	-	-	-	-	-	-	8.5	7.5	7.7	5.8
86.0	-	-	-	-	-	-	-	-	-	7.7	6.7	6.9	5.5
90.0	-	-	-	-	-	-	-	-	-	-	6.1	6.2	5.3
94.0	-	-	-	-	-	-	-	-	-	-	-	5.6	5.1
98.0	-	-	-	-	-	-	-	-	-	-	-	-	4.7
102.0	-	-	-	-	-	-	-	-	-	-	-	-	4.2

35.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
26.0	50.5	-	-	-	-	-	-	-	-	-	-	-	-
28.0	48.0	45.5	-	-	-	-	-	-	-	-	-	-	-
30.0	44.5	43.0	41.5	-	-	-	-	-	-	-	-	-	-
32.0	40.5	39.5	39.5	-	-	-	-	-	-	-	-	-	-
34.0	-	36.5	36.0	35.5	-	-	-	-	-	-	-	-	-
36.0	-	33.5	33.5	32.5	32.0	-	-	-	-	-	-	-	-
38.0	-	31.0	31.0	30.0	29.8	29.2	-	-	-	-	-	-	-
40.0	-	-	28.9	28.2	27.6	27.0	-	-	-	-	-	-	-
42.0	-	-	27.0	26.3	25.7	25.1	24.6	-	-	-	-	-	-
44.0	-	-	25.3	24.6	24.0	23.4	23.6	22.8	-	-	-	-	-
46.0	-	-	-	23.1	22.5	21.9	22.1	21.3	18.0	-	-	-	-
48.0	-	-	-	21.8	21.1	20.5	20.7	19.9	18.0	-	-	-	-
50.0	-	-	-	20.5	19.9	19.3	19.5	18.6	17.9	15.3	-	-	-
54.0	-	-	-	-	17.8	17.1	17.3	16.5	15.8	15.3	12.5	-	-
58.0	-	-	-	-	-	15.4	15.4	14.5	13.9	14.2	12.5	10.3	7.4
62.0	-	-	-	-	-	-	13.9	12.9	12.2	12.5	12.4	10.1	7.1
66.0	-	-	-	-	-	-	12.5	11.5	10.8	11.1	11.0	9.9	6.8
70.0	-	-	-	-	-	-	-	10.4	9.6	9.9	9.7	9.7	6.5
74.0	-	-	-	-	-	-	-	9.4	8.6	8.8	8.6	9.0	6.2
78.0	-	-	-	-	-	-	-	-	7.7	7.9	7.7	8.0	6.0
82.0	-	-	-	-	-	-	-	-	-	7.1	6.9	7.1	5.8
86.0	-	-	-	-	-	-	-	-	-	6.4	6.1	6.4	5.6
90.0	-	-	-	-	-	-	-	-	-	-	5.5	5.7	5.4
94.0	-	-	-	-	-	-	-	-	-	-	-	5.0	4.8
98.0	-	-	-	-	-	-	-	-	-	-	-	4.5	4.2
102.0	-	-	-	-	-	-	-	-	-	-	-	-	3.7




DEMAG AC 650


Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 73°



m	40.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
28.0	41.5	-	-	-	-	-	-	-	-	-	-	-	-
30.0	39.0	38.5	-	-	-	-	-	-	-	-	-	-	-
32.0	37.5	36.5	32.5	-	-	-	-	-	-	-	-	-	-
34.0	35.5	34.5	31.0	-	-	-	-	-	-	-	-	-	-
36.0	-	32.5	29.7	28.7	-	-	-	-	-	-	-	-	-
38.0	-	30.5	28.3	27.4	26.2	-	-	-	-	-	-	-	-
40.0	-	28.4	27.5	26.3	25.1	-	-	-	-	-	-	-	-
42.0	-	-	26.2	25.2	24.0	22.8	-	-	-	-	-	-	-
44.0	-	-	24.6	23.9	23.1	22.0	19.6	-	-	-	-	-	-
46.0	-	-	23.1	22.4	21.8	21.1	19.1	19.1	-	-	-	-	-
48.0	-	-	-	21.0	20.4	19.8	18.6	18.5	-	-	-	-	-
50.0	-	-	-	19.8	19.2	18.6	18.1	17.9	13.7	-	-	-	-
54.0	-	-	-	-	17.1	16.5	16.6	15.7	13.5	12.5	9.5	-	-
58.0	-	-	-	-	15.4	14.6	14.8	13.8	13.1	12.2	9.5	-	-
62.0	-	-	-	-	-	13.1	13.2	12.2	11.5	11.9	9.5	7.8	5.3
66.0	-	-	-	-	-	-	11.9	10.9	10.2	10.5	9.5	7.7	5.1
70.0	-	-	-	-	-	-	10.8	9.7	9.0	9.3	9.1	7.6	4.9
74.0	-	-	-	-	-	-	-	8.8	8.0	8.2	8.1	7.5	4.8
78.0	-	-	-	-	-	-	-	-	7.2	7.3	7.1	7.3	4.6
82.0	-	-	-	-	-	-	-	-	6.5	6.5	6.3	6.6	4.5
86.0	-	-	-	-	-	-	-	-	-	5.8	5.6	5.9	4.3
90.0	-	-	-	-	-	-	-	-	-	-	5.0	5.2	4.2
94.0	-	-	-	-	-	-	-	-	-	-	4.5	4.6	4.1
98.0	-	-	-	-	-	-	-	-	-	-	-	4.1	3.8
102.0	-	-	-	-	-	-	-	-	-	-	-	-	3.3
106.0	-	-	-	-	-	-	-	-	-	-	-	-	2.9

m	45.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
32.0	32.5	30.5	-	-	-	-	-	-	-	-	-	-	-
34.0	30.5	29.0	27.5	-	-	-	-	-	-	-	-	-	-
36.0	29.6	27.7	26.1	-	-	-	-	-	-	-	-	-	-
38.0	-	26.5	24.8	23.8	-	-	-	-	-	-	-	-	-
40.0	-	25.7	23.8	22.7	21.7	-	-	-	-	-	-	-	-
42.0	-	24.9	22.9	21.6	20.6	-	-	-	-	-	-	-	-
44.0	-	-	22.3	20.8	19.7	19.1	-	-	-	-	-	-	-
46.0	-	-	21.8	19.9	18.8	18.2	16.8	-	-	-	-	-	-
48.0	-	-	21.1	19.4	18.0	17.5	16.3	-	-	-	-	-	-
50.0	-	-	-	18.8	17.3	16.7	15.8	14.9	-	-	-	-	-
54.0	-	-	-	17.2	16.2	15.5	14.9	13.8	10.8	11.3	-	-	-
58.0	-	-	-	-	14.7	13.9	14.1	12.9	10.6	10.7	7.5	-	-
62.0	-	-	-	-	-	12.4	12.5	11.6	10.3	10.1	7.5	6.0	4.0
66.0	-	-	-	-	-	11.2	11.2	10.2	9.5	9.5	7.5	6.0	3.9
70.0	-	-	-	-	-	-	10.1	9.1	8.4	8.7	7.5	6.0	3.8
74.0	-	-	-	-	-	-	-	8.2	7.4	7.7	7.5	6.0	3.7
78.0	-	-	-	-	-	-	-	7.4	6.6	6.8	6.6	5.9	3.6
82.0	-	-	-	-	-	-	-	-	5.9	6.0	5.8	5.8	3.5
86.0	-	-	-	-	-	-	-	-	-	5.3	5.1	5.4	3.4
90.0	-	-	-	-	-	-	-	-	-	4.8	4.5	4.8	3.4
94.0	-	-	-	-	-	-	-	-	-	-	4.0	4.2	3.3
98.0	-	-	-	-	-	-	-	-	-	-	-	3.6	3.2
102.0	-	-	-	-	-	-	-	-	-	-	-	-	2.9
106.0	-	-	-	-	-	-	-	-	-	-	-	-	2.4




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capaciteiten



WIHI 73°



50.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
32.0	26.9	-	-	-	-	-	-	-	-	-	-	-	-
34.0	25.5	24.6	-	-	-	-	-	-	-	-	-	-	-
36.0	24.4	23.5	-	-	-	-	-	-	-	-	-	-	-
38.0	23.4	22.4	19.7	-	-	-	-	-	-	-	-	-	-
40.0	-	21.5	18.9	17.9	-	-	-	-	-	-	-	-	-
42.0	-	20.6	18.1	17.0	16.1	-	-	-	-	-	-	-	-
44.0	-	20.0	17.5	16.3	15.3	-	-	-	-	-	-	-	-
46.0	-	-	16.9	15.6	14.5	13.9	-	-	-	-	-	-	-
48.0	-	-	16.6	15.1	13.9	13.3	12.1	-	-	-	-	-	-
50.0	-	-	16.3	14.5	13.2	12.7	11.7	-	-	-	-	-	-
54.0	-	-	-	13.9	12.3	11.7	10.9	9.8	7.5	-	-	-	-
58.0	-	-	-	-	11.6	10.9	10.1	9.0	7.2	-	-	-	-
62.0	-	-	-	-	11.2	10.3	9.5	8.3	7.0	-	-	-	-
66.0	-	-	-	-	-	9.9	9.1	7.7	6.7	-	-	-	-
70.0	-	-	-	-	-	-	8.7	7.3	6.4	-	-	-	-
74.0	-	-	-	-	-	-	8.4	6.9	6.2	-	-	-	-
78.0	-	-	-	-	-	-	-	6.6	5.9	-	-	-	-
82.0	-	-	-	-	-	-	-	-	5.4	-	-	-	-
86.0	-	-	-	-	-	-	-	-	4.9	-	-	-	-

55.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
36.0	20.3	18.3	-	-	-	-	-	-	-	-	-	-	-
38.0	19.3	17.4	-	-	-	-	-	-	-	-	-	-	-
40.0	-	16.7	15.5	-	-	-	-	-	-	-	-	-	-
42.0	-	16.0	14.8	13.8	-	-	-	-	-	-	-	-	-
44.0	-	15.5	14.3	13.2	-	-	-	-	-	-	-	-	-
46.0	-	-	13.8	12.6	11.4	-	-	-	-	-	-	-	-
48.0	-	-	13.5	12.1	10.9	10.2	-	-	-	-	-	-	-
50.0	-	-	13.1	11.7	10.3	9.7	8.8	-	-	-	-	-	-
54.0	-	-	-	11.0	9.5	8.8	8.0	6.2	-	-	-	-	-
58.0	-	-	-	-	8.8	8.1	7.4	5.6	4.7	-	-	-	-
62.0	-	-	-	-	8.4	7.6	6.8	5.1	4.3	-	-	-	-
66.0	-	-	-	-	-	7.2	6.3	4.6	4.0	-	-	-	-
70.0	-	-	-	-	-	-	6.0	4.1	3.8	-	-	-	-
74.0	-	-	-	-	-	-	5.7	3.7	3.5	-	-	-	-
78.0	-	-	-	-	-	-	-	3.4	3.3	-	-	-	-
82.0	-	-	-	-	-	-	-	-	3.1	-	-	-	-
86.0	-	-	-	-	-	-	-	-	3.0	-	-	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

WiHi 65°






DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 65°



	15.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
24.0	85.0	-	-	-	-	-	-	-	-	-	-	-	-
26.0	79.0	78.0	-	-	-	-	-	-	-	-	-	-	-
28.0	73.0	72.5	-	-	-	-	-	-	-	-	-	-	-
30.0	68.0	67.0	66.5	-	-	-	-	-	-	-	-	-	-
32.0	-	62.5	62.0	-	-	-	-	-	-	-	-	-	-
34.0	-	58.5	58.0	57.5	-	-	-	-	-	-	-	-	-
36.0	-	55.0	54.5	54.0	50.5	-	-	-	-	-	-	-	-
38.0	-	-	51.5	50.5	50.0	-	-	-	-	-	-	-	-
40.0	-	-	48.5	48.0	47.5	45.5	-	-	-	-	-	-	-
42.0	-	-	46.0	45.5	45.0	44.0	-	-	-	-	-	-	-
44.0	-	-	-	43.0	42.5	42.0	37.5	-	-	-	-	-	-
46.0	-	-	-	41.0	40.0	39.5	37.0	31.0	-	-	-	-	-
48.0	-	-	-	38.5	38.0	37.5	36.5	30.5	-	-	-	-	-
50.0	-	-	-	-	36.0	35.5	35.5	30.0	27.9	-	-	-	-
54.0	-	-	-	-	-	32.0	32.0	29.0	27.6	20.4	-	-	-
58.0	-	-	-	-	-	29.3	29.2	28.1	27.3	19.7	15.4	-	-
62.0	-	-	-	-	-	-	26.7	25.9	25.4	19.0	14.7	12.3	-
66.0	-	-	-	-	-	-	-	23.8	23.2	18.4	14.1	11.7	8.6
70.0	-	-	-	-	-	-	-	22.0	21.3	17.8	13.5	11.1	8.0
74.0	-	-	-	-	-	-	-	-	19.7	17.2	12.9	10.6	7.5
78.0	-	-	-	-	-	-	-	-	-	16.7	12.5	10.2	7.1
82.0	-	-	-	-	-	-	-	-	-	15.3	12.0	9.8	6.7
86.0	-	-	-	-	-	-	-	-	-	-	11.7	9.5	6.4
90.0	-	-	-	-	-	-	-	-	-	-	-	9.2	6.2
94.0	-	-	-	-	-	-	-	-	-	-	-	-	6.1
98.0	-	-	-	-	-	-	-	-	-	-	-	-	6.0

	20.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
26.0	72.5	-	-	-	-	-	-	-	-	-	-	-	-
28.0	69.0	66.0	-	-	-	-	-	-	-	-	-	-	-
30.0	65.5	62.5	-	-	-	-	-	-	-	-	-	-	-
32.0	61.0	60.0	56.0	-	-	-	-	-	-	-	-	-	-
34.0	-	56.5	54.0	-	-	-	-	-	-	-	-	-	-
36.0	-	53.0	52.5	48.0	-	-	-	-	-	-	-	-	-
38.0	-	50.0	49.5	46.5	-	-	-	-	-	-	-	-	-
40.0	-	-	46.5	45.0	41.0	-	-	-	-	-	-	-	-
42.0	-	-	44.0	43.5	40.5	38.0	-	-	-	-	-	-	-
44.0	-	-	42.0	41.5	39.5	37.0	-	-	-	-	-	-	-
46.0	-	-	-	39.0	38.5	36.0	31.5	-	-	-	-	-	-
48.0	-	-	-	37.0	36.5	35.5	31.0	-	-	-	-	-	-
50.0	-	-	-	35.0	34.5	34.0	30.5	27.1	-	-	-	-	-
54.0	-	-	-	-	31.0	30.5	29.3	25.9	24.2	-	-	-	-
58.0	-	-	-	-	-	27.9	27.9	24.7	24.0	18.8	-	-	-
62.0	-	-	-	-	-	-	25.4	23.9	23.6	18.2	14.1	-	-
66.0	-	-	-	-	-	-	23.4	22.6	23.0	17.6	13.5	10.8	8.1
70.0	-	-	-	-	-	-	-	20.8	22.0	17.1	13.0	10.3	7.6
74.0	-	-	-	-	-	-	-	-	20.2	16.6	12.5	9.8	7.1
78.0	-	-	-	-	-	-	-	-	18.6	16.1	12.0	9.4	6.7
82.0	-	-	-	-	-	-	-	-	17.3	15.6	11.6	9.1	6.3
86.0	-	-	-	-	-	-	-	-	-	-	11.3	8.7	6.0
90.0	-	-	-	-	-	-	-	-	-	-	11.0	8.5	5.8
94.0	-	-	-	-	-	-	-	-	-	-	-	8.2	5.5
98.0	-	-	-	-	-	-	-	-	-	-	-	-	5.4




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 65°



25.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
30.0	55.0	-	-	-	-	-	-	-	-	-	-	-	-
32.0	52.5	50.0	-	-	-	-	-	-	-	-	-	-	-
34.0	50.5	47.5	47.0	-	-	-	-	-	-	-	-	-	-
36.0	-	45.5	45.0	-	-	-	-	-	-	-	-	-	-
38.0	-	44.0	42.5	41.0	-	-	-	-	-	-	-	-	-
40.0	-	43.0	41.0	39.5	-	-	-	-	-	-	-	-	-
42.0	-	-	39.5	37.5	36.0	-	-	-	-	-	-	-	-
44.0	-	-	39.0	36.5	34.5	-	-	-	-	-	-	-	-
46.0	-	-	38.0	35.0	33.0	33.0	-	-	-	-	-	-	-
48.0	-	-	-	34.0	32.0	32.0	28.9	-	-	-	-	-	-
50.0	-	-	-	33.5	31.0	30.5	28.4	-	-	-	-	-	-
54.0	-	-	-	-	29.8	28.9	27.4	25.7	-	-	-	-	-
58.0	-	-	-	-	27.2	26.5	26.3	24.2	22.4	-	-	-	-
62.0	-	-	-	-	-	24.2	24.2	22.9	21.7	19.1	15.0	-	-
66.0	-	-	-	-	-	-	22.2	21.3	20.7	18.6	14.4	10.9	-
70.0	-	-	-	-	-	-	20.5	19.6	19.0	18.1	13.8	10.4	7.8
74.0	-	-	-	-	-	-	-	18.2	17.5	17.6	13.3	10.0	7.4
78.0	-	-	-	-	-	-	-	-	16.2	16.3	12.8	9.6	7.0
82.0	-	-	-	-	-	-	-	-	-	15.0	12.4	9.3	6.6
86.0	-	-	-	-	-	-	-	-	-	13.9	12.0	8.9	6.3
90.0	-	-	-	-	-	-	-	-	-	-	11.7	8.6	6.0
94.0	-	-	-	-	-	-	-	-	-	-	-	8.3	5.7
98.0	-	-	-	-	-	-	-	-	-	-	-	8.0	5.4
102.0	-	-	-	-	-	-	-	-	-	-	-	-	5.1
30.5 m + 4 m													
32.0	45.0	-	-	-	-	-	-	-	-	-	-	-	-
34.0	43.0	42.0	-	-	-	-	-	-	-	-	-	-	-
36.0	41.5	40.0	-	-	-	-	-	-	-	-	-	-	-
38.0	-	38.5	35.0	-	-	-	-	-	-	-	-	-	-
40.0	-	37.0	33.5	32.5	-	-	-	-	-	-	-	-	-
42.0	-	36.0	32.0	30.5	-	-	-	-	-	-	-	-	-
44.0	-	-	31.5	29.7	28.5	-	-	-	-	-	-	-	-
46.0	-	-	30.5	28.5	27.2	-	-	-	-	-	-	-	-
48.0	-	-	30.0	27.7	26.1	25.6	-	-	-	-	-	-	-
50.0	-	-	-	26.9	25.1	24.6	22.8	-	-	-	-	-	-
54.0	-	-	-	26.4	23.7	22.8	21.7	21.1	-	-	-	-	-
58.0	-	-	-	-	22.9	21.5	20.7	19.7	18.2	-	-	-	-
62.0	-	-	-	-	-	20.6	19.7	18.3	17.3	15.6	-	-	-
66.0	-	-	-	-	-	20.1	18.9	17.4	16.4	14.9	12.1	-	-
70.0	-	-	-	-	-	-	18.1	16.9	15.7	14.2	11.6	9.5	-
74.0	-	-	-	-	-	-	-	16.4	15.2	13.7	11.0	9.1	6.8
78.0	-	-	-	-	-	-	-	15.9	14.7	13.2	10.5	8.7	6.5
82.0	-	-	-	-	-	-	-	-	14.1	12.8	10.0	8.3	6.2
86.0	-	-	-	-	-	-	-	-	-	12.4	9.6	8.0	5.9
90.0	-	-	-	-	-	-	-	-	-	-	9.2	7.6	5.6
94.0	-	-	-	-	-	-	-	-	-	-	8.9	7.3	5.3
98.0	-	-	-	-	-	-	-	-	-	-	-	6.9	5.1
102.0	-	-	-	-	-	-	-	-	-	-	-	-	4.8
106.0	-	-	-	-	-	-	-	-	-	-	-	-	4.6
35.5 m + 4 m													
34.0	36.5	-	-	-	-	-	-	-	-	-	-	-	-
36.0	35.0	32.5	-	-	-	-	-	-	-	-	-	-	-
38.0	33.0	31.5	-	-	-	-	-	-	-	-	-	-	-
40.0	-	30.0	29.3	-	-	-	-	-	-	-	-	-	-
42.0	-	29.3	27.9	-	-	-	-	-	-	-	-	-	-
44.0	-	28.6	26.9	25.6	-	-	-	-	-	-	-	-	-
46.0	-	-	25.9	24.4	23.5	-	-	-	-	-	-	-	-
48.0	-	-	25.3	23.5	22.4	-	-	-	-	-	-	-	-
50.0	-	-	24.8	22.6	21.4	20.5	-	-	-	-	-	-	-
54.0	-	-	-	21.7	19.8	18.8	18.6	-	-	-	-	-	-
58.0	-	-	-	-	18.9	17.5	17.4	16.9	-	-	-	-	-
62.0	-	-	-	-	18.5	16.5	16.3	15.4	14.9	-	-	-	-
66.0	-	-	-	-	-	15.9	15.4	14.2	13.7	12.9	-	-	-
70.0	-	-	-	-	-	-	14.7	13.3	12.6	12.1	10.5	-	-
74.0	-	-	-	-	-	-	14.1	12.8	11.8	11.3	9.9	9.2	-
78.0	-	-	-	-	-	-	-	12.5	11.2	10.7	9.3	8.8	6.5
82.0	-	-	-	-	-	-	-	-	10.8	10.2	8.8	8.3	6.3
86.0	-	-	-	-	-	-	-	-	10.6	9.8	8.3	7.9	6.0
90.0	-	-	-	-	-	-	-	-	-	9.5	7.8	7.5	5.8
94.0	-	-	-	-	-	-	-	-	-	-	7.4	7.1	5.5
98.0	-	-	-	-	-	-	-	-	-	-	7.0	6.6	5.3
102.0	-	-	-	-	-	-	-	-	-	-	-	6.2	5.0
106.0	-	-	-	-	-	-	-	-	-	-	-	-	4.7




DEMAG AC 650



Capacities
Capacités

650 TON

Tragfähigkeiten
Capaciteiten



WIHI 65°



15.5 m + 4 m													
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
24.0	67.0	-	-	-	-	-	-	-	-	-	-	-	-
26.0	59.5	59.0	-	-	-	-	-	-	-	-	-	-	-
28.0	53.5	53.0	-	-	-	-	-	-	-	-	-	-	-
30.0	49.0	48.0	47.5	-	-	-	-	-	-	-	-	-	-
32.0	-	44.0	43.5	-	-	-	-	-	-	-	-	-	-
34.0	-	40.5	40.0	39.5	-	-	-	-	-	-	-	-	-
36.0	-	37.5	37.0	36.5	36.0	-	-	-	-	-	-	-	-
38.0	-	-	34.5	34.0	33.0	-	-	-	-	-	-	-	-
40.0	-	-	32.0	31.5	31.0	30.5	-	-	-	-	-	-	-
42.0	-	-	30.0	29.6	29.0	28.4	-	-	-	-	-	-	-
44.0	-	-	-	27.7	27.1	26.6	26.7	-	-	-	-	-	-
46.0	-	-	-	26.1	25.5	24.9	25.0	24.3	-	-	-	-	-
48.0	-	-	-	24.7	24.0	23.4	23.5	22.8	-	-	-	-	-
50.0	-	-	-	-	22.7	22.1	22.2	21.4	20.9	-	-	-	-
54.0	-	-	-	-	-	19.8	19.8	19.0	18.5	18.7	-	-	-
58.0	-	-	-	-	-	17.9	17.8	17.0	16.5	16.7	15.4	-	-
62.0	-	-	-	-	-	-	16.2	15.3	14.8	14.9	14.7	12.3	-
66.0	-	-	-	-	-	-	-	13.9	13.3	13.5	13.3	11.7	8.6
70.0	-	-	-	-	-	-	-	12.7	12.0	12.1	12.0	11.1	8.0
74.0	-	-	-	-	-	-	-	-	10.9	10.9	10.8	10.6	7.5
78.0	-	-	-	-	-	-	-	-	-	9.9	9.7	9.9	7.1
82.0	-	-	-	-	-	-	-	-	-	9.0	8.8	9.0	6.7
86.0	-	-	-	-	-	-	-	-	-	-	8.0	8.1	6.4
90.0	-	-	-	-	-	-	-	-	-	-	-	7.3	6.2
94.0	-	-	-	-	-	-	-	-	-	-	-	-	6.1
98.0	-	-	-	-	-	-	-	-	-	-	-	-	5.8
20.5 m + 4 m													
26.0	56.5	-	-	-	-	-	-	-	-	-	-	-	-
28.0	51.0	50.0	-	-	-	-	-	-	-	-	-	-	-
30.0	46.0	45.5	-	-	-	-	-	-	-	-	-	-	-
32.0	42.0	41.5	41.0	-	-	-	-	-	-	-	-	-	-
34.0	-	38.0	37.5	-	-	-	-	-	-	-	-	-	-
36.0	-	35.0	35.0	34.0	-	-	-	-	-	-	-	-	-
38.0	-	32.5	32.5	31.5	-	-	-	-	-	-	-	-	-
40.0	-	-	30.0	29.6	29.1	-	-	-	-	-	-	-	-
42.0	-	-	28.3	27.7	27.1	26.5	-	-	-	-	-	-	-
44.0	-	-	26.6	25.9	25.3	24.8	-	-	-	-	-	-	-
46.0	-	-	-	24.4	23.8	23.2	23.3	-	-	-	-	-	-
48.0	-	-	-	23.0	22.4	21.8	21.9	-	-	-	-	-	-
50.0	-	-	-	21.7	21.1	20.5	20.6	19.8	-	-	-	-	-
54.0	-	-	-	-	18.9	18.3	18.3	17.5	17.0	-	-	-	-
58.0	-	-	-	-	-	16.5	16.4	15.6	15.0	15.3	-	-	-
62.0	-	-	-	-	-	-	14.9	14.0	13.3	13.6	13.4	-	-
66.0	-	-	-	-	-	-	13.5	12.6	11.9	12.1	11.9	10.8	8.1
70.0	-	-	-	-	-	-	-	11.4	10.7	10.8	10.7	10.3	7.6
74.0	-	-	-	-	-	-	-	-	9.6	9.7	9.5	9.8	7.1
78.0	-	-	-	-	-	-	-	-	8.7	8.7	8.5	8.8	6.7
82.0	-	-	-	-	-	-	-	-	-	7.9	7.7	7.9	6.3
86.0	-	-	-	-	-	-	-	-	-	-	6.9	7.1	6.0
90.0	-	-	-	-	-	-	-	-	-	-	6.3	6.3	5.8
94.0	-	-	-	-	-	-	-	-	-	-	-	5.7	5.4
98.0	-	-	-	-	-	-	-	-	-	-	-	-	4.8
25.5 m + 4 m													
30.0	43.5	-	-	-	-	-	-	-	-	-	-	-	-
32.0	40.0	39.0	-	-	-	-	-	-	-	-	-	-	-
34.0	36.5	35.5	35.5	-	-	-	-	-	-	-	-	-	-
36.0	-	33.0	32.5	-	-	-	-	-	-	-	-	-	-
38.0	-	30.5	30.0	29.8	-	-	-	-	-	-	-	-	-
40.0	-	28.8	28.3	27.7	-	-	-	-	-	-	-	-	-
42.0	-	-	26.5	25.8	25.2	-	-	-	-	-	-	-	-
44.0	-	-	24.8	24.1	23.5	-	-	-	-	-	-	-	-
46.0	-	-	23.4	22.7	22.0	21.4	-	-	-	-	-	-	-
48.0	-	-	-	21.3	20.7	20.1	20.2	-	-	-	-	-	-
50.0	-	-	-	20.1	19.5	18.9	19.0	-	-	-	-	-	-
54.0	-	-	-	-	17.4	16.8	16.9	16.0	-	-	-	-	-
58.0	-	-	-	-	15.7	15.0	15.1	14.1	13.4	-	-	-	-
62.0	-	-	-	-	-	13.5	13.5	12.5	11.8	12.1	11.9	-	-
66.0	-	-	-	-	-	-	12.2	11.2	10.5	10.7	10.5	10.8	-
70.0	-	-	-	-	-	-	11.1	10.0	9.3	9.5	9.3	9.6	7.8
74.0	-	-	-	-	-	-	-	9.1	8.3	8.4	8.3	8.5	7.4
78.0	-	-	-	-	-	-	-	-	7.5	7.5	7.3	7.6	7.0
82.0	-	-	-	-	-	-	-	-	-	6.7	6.5	6.7	6.5
86.0	-	-	-	-	-	-	-	-	-	6.1	5.8	6.0	5.7
90.0	-	-	-	-	-	-	-	-	-	-	5.2	5.3	5.0
94.0	-	-	-	-	-	-	-	-	-	-	5.0	4.7	4.4
98.0	-	-	-	-	-	-	-	-	-	-	-	4.2	3.9
102.0	-	-	-	-	-	-	-	-	-	-	-	-	3.4




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHI 65°



	30.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
32.0	38.0	-	-	-	-	-	-	-	-	-	-	-	-
34.0	35.0	34.0	-	-	-	-	-	-	-	-	-	-	-
36.0	32.5	31.5	-	-	-	-	-	-	-	-	-	-	-
38.0	-	29.3	28.9	-	-	-	-	-	-	-	-	-	-
40.0	-	27.3	26.9	26.2	-	-	-	-	-	-	-	-	-
42.0	-	25.5	25.1	24.4	-	-	-	-	-	-	-	-	-
44.0	-	-	23.5	22.8	22.2	-	-	-	-	-	-	-	-
46.0	-	-	22.1	21.4	20.8	-	-	-	-	-	-	-	-
48.0	-	-	20.8	20.1	19.5	18.8	-	-	-	-	-	-	-
50.0	-	-	-	19.0	18.3	17.6	17.8	-	-	-	-	-	-
54.0	-	-	-	17.0	16.3	15.5	15.6	14.7	-	-	-	-	-
58.0	-	-	-	-	14.6	13.8	13.9	12.9	12.2	-	-	-	-
62.0	-	-	-	-	-	12.3	12.4	11.4	10.7	10.9	-	-	-
66.0	-	-	-	-	-	11.2	11.1	10.1	9.4	9.6	9.4	-	-
70.0	-	-	-	-	-	-	10.0	9.0	8.3	8.5	8.3	8.6	-
74.0	-	-	-	-	-	-	-	8.1	7.3	7.5	7.3	7.6	6.8
78.0	-	-	-	-	-	-	-	7.3	6.5	6.6	6.4	6.7	6.4
82.0	-	-	-	-	-	-	-	-	5.8	5.8	5.6	5.9	5.6
86.0	-	-	-	-	-	-	-	-	-	5.2	5.0	5.2	4.9
90.0	-	-	-	-	-	-	-	-	-	-	4.4	4.5	4.2
94.0	-	-	-	-	-	-	-	-	-	-	3.9	4.0	3.7
98.0	-	-	-	-	-	-	-	-	-	-	-	3.4	3.5
102.0	-	-	-	-	-	-	-	-	-	-	-	-	2.7
106.0	-	-	-	-	-	-	-	-	-	-	-	-	2.3
35.5 m + 4 m													
34.0	33.0	-	-	-	-	-	-	-	-	-	-	-	-
36.0	30.5	30.0	-	-	-	-	-	-	-	-	-	-	-
38.0	28.7	27.8	-	-	-	-	-	-	-	-	-	-	-
40.0	-	25.8	25.5	-	-	-	-	-	-	-	-	-	-
42.0	-	24.1	23.7	-	-	-	-	-	-	-	-	-	-
44.0	-	22.6	22.2	21.5	-	-	-	-	-	-	-	-	-
46.0	-	-	20.8	20.1	19.4	-	-	-	-	-	-	-	-
48.0	-	-	19.6	18.9	18.1	-	-	-	-	-	-	-	-
50.0	-	-	18.5	17.7	17.0	16.2	-	-	-	-	-	-	-
54.0	-	-	-	15.8	15.0	14.2	14.4	-	-	-	-	-	-
58.0	-	-	-	-	13.3	12.5	12.7	11.7	-	-	-	-	-
62.0	-	-	-	-	12.0	11.2	11.2	10.2	9.5	-	-	-	-
66.0	-	-	-	-	-	10.0	10.0	9.0	8.3	8.5	-	-	-
70.0	-	-	-	-	-	-	9.0	8.0	7.2	7.5	7.3	-	-
74.0	-	-	-	-	-	-	8.1	7.1	6.3	6.5	6.3	6.6	-
78.0	-	-	-	-	-	-	-	6.3	5.5	5.7	5.5	5.8	5.5
82.0	-	-	-	-	-	-	-	-	4.9	5.0	4.8	5.0	4.7
86.0	-	-	-	-	-	-	-	-	4.4	4.3	4.1	4.4	4.1
90.0	-	-	-	-	-	-	-	-	-	3.8	3.6	3.7	3.5
94.0	-	-	-	-	-	-	-	-	-	-	3.1	3.2	2.9
98.0	-	-	-	-	-	-	-	-	-	-	2.7	2.7	2.4
102.0	-	-	-	-	-	-	-	-	-	-	-	2.3	2.0
40.5 m + 4 m													
36.0	29.6	-	-	-	-	-	-	-	-	-	-	-	-
38.0	27.5	-	-	-	-	-	-	-	-	-	-	-	-
40.0	25.6	24.7	-	-	-	-	-	-	-	-	-	-	-
42.0	-	23.0	22.7	-	-	-	-	-	-	-	-	-	-
44.0	-	21.6	21.2	-	-	-	-	-	-	-	-	-	-
46.0	-	20.3	19.8	19.0	-	-	-	-	-	-	-	-	-
48.0	-	-	18.6	17.8	-	-	-	-	-	-	-	-	-
50.0	-	-	17.5	16.6	15.9	-	-	-	-	-	-	-	-
54.0	-	-	-	14.7	13.9	13.1	-	-	-	-	-	-	-
58.0	-	-	-	13.2	12.3	11.5	11.7	-	-	-	-	-	-
62.0	-	-	-	-	11.0	10.2	10.3	9.3	-	-	-	-	-
66.0	-	-	-	-	-	9.1	9.1	8.1	7.4	-	-	-	-
70.0	-	-	-	-	-	8.2	8.1	7.1	6.4	6.6	6.4	-	-
74.0	-	-	-	-	-	-	7.3	6.2	5.5	5.7	5.5	5.9	-
78.0	-	-	-	-	-	-	-	5.5	4.7	4.9	4.7	5.0	-
82.0	-	-	-	-	-	-	-	4.9	4.1	4.2	4.0	4.3	-
86.0	-	-	-	-	-	-	-	-	3.6	3.6	3.4	3.7	-
90.0	-	-	-	-	-	-	-	-	-	3.1	2.9	3.1	-
94.0	-	-	-	-	-	-	-	-	-	2.7	2.4	2.6	-
98.0	-	-	-	-	-	-	-	-	-	-	2.0	2.1	-




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capaciteiten



WIHI 65°



	45.5 m + 4 m												
	24m	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m	96m
m	t	t	t	t	t	t	t	t	t	t	t	t	t
40.0	22.3	-	-	-	-	-	-	-	-	-	-	-	-
42.0	21.1	20.4	-	-	-	-	-	-	-	-	-	-	-
44.0	-	19.6	-	-	-	-	-	-	-	-	-	-	-
46.0	-	18.8	17.4	-	-	-	-	-	-	-	-	-	-
48.0	-	18.0	16.7	-	-	-	-	-	-	-	-	-	-
50.0	-	-	16.0	15.3	-	-	-	-	-	-	-	-	-
54.0	-	-	14.6	13.7	12.9	-	-	-	-	-	-	-	-
58.0	-	-	-	12.2	11.3	10.5	-	-	-	-	-	-	-
62.0	-	-	-	-	10.1	9.3	9.4	-	-	-	-	-	-
66.0	-	-	-	-	9.1	8.2	8.3	7.2	6.5	-	-	-	-
70.0	-	-	-	-	-	7.3	7.3	6.3	5.5	5.4	-	-	-
74.0	-	-	-	-	-	-	6.5	5.4	4.7	4.8	4.7	-	-
78.0	-	-	-	-	-	-	5.9	4.7	4.0	4.2	4.0	4.3	-
82.0	-	-	-	-	-	-	-	4.1	3.3	3.5	3.3	3.6	-
86.0	-	-	-	-	-	-	-	-	2.8	2.9	2.7	3.0	-
90.0	-	-	-	-	-	-	-	-	2.4	2.4	2.2	2.5	-
94.0	-	-	-	-	-	-	-	-	-	2.0	-	2.0	-
	50.5 m + 4 m												
44.0	-	17.0	-	-	-	-	-	-	-	-	-	-	-
46.0	-	16.0	-	-	-	-	-	-	-	-	-	-	-
48.0	-	15.3	13.4	-	-	-	-	-	-	-	-	-	-
50.0	-	14.5	12.8	-	-	-	-	-	-	-	-	-	-
54.0	-	-	11.9	11.0	-	-	-	-	-	-	-	-	-
58.0	-	-	-	10.2	9.1	-	-	-	-	-	-	-	-
62.0	-	-	-	9.6	8.3	7.9	7.4	-	-	-	-	-	-
66.0	-	-	-	-	7.7	7.2	6.7	-	-	-	-	-	-
70.0	-	-	-	-	-	6.6	6.1	-	-	-	-	-	-
74.0	-	-	-	-	-	5.9	5.6	-	-	-	-	-	-
78.0	-	-	-	-	-	-	5.2	-	-	-	-	-	-
	55.5 m + 4 m												
48.0	-	12.2	-	-	-	-	-	-	-	-	-	-	-
50.0	-	11.6	-	-	-	-	-	-	-	-	-	-	-
54.0	-	-	9.8	-	-	-	-	-	-	-	-	-	-
58.0	-	-	9.1	8.0	-	-	-	-	-	-	-	-	-
62.0	-	-	-	7.4	6.2	5.7	-	-	-	-	-	-	-
66.0	-	-	-	-	5.7	5.1	4.6	-	-	-	-	-	-
70.0	-	-	-	-	5.3	4.6	4.0	-	-	-	-	-	-
74.0	-	-	-	-	-	4.2	3.6	-	-	-	-	-	-
78.0	-	-	-	-	-	-	3.3	-	-	-	-	-	-
82.0	-	-	-	-	-	-	3.0	-	-	-	-	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

WiHiSL 83°






DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHL 83°



	35.5 m + 4 m										
	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m
m	t	t	t	t	t	t	t	t	t	t	t
16.0	67.0	54.5	-	-	-	-	-	-	-	-	-
18.0	67.0	54.5	45.0	-	-	-	-	-	-	-	-
20.0	67.0	54.5	45.0	35.5	-	-	-	-	-	-	-
22.0	66.0	54.5	45.0	35.5	30.0	-	-	-	-	-	-
24.0	65.0	54.0	45.0	35.5	30.0	27.0	21.0	-	-	-	-
26.0	64.0	53.5	45.0	35.5	30.0	27.0	21.0	18.5	-	-	-
28.0	59.5	53.0	45.0	35.5	30.0	27.0	21.0	18.5	16.0	-	-
30.0	55.0	52.0	45.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	-
32.0	50.5	49.0	44.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0
34.0	-	46.5	44.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0
36.0	-	43.5	42.5	35.0	30.0	27.0	21.0	18.5	16.0	13.0	11.0
38.0	-	40.5	40.5	35.0	30.0	27.0	21.0	18.5	16.0	13.0	11.0
40.0	-	-	38.5	34.0	30.0	27.0	21.0	18.5	16.0	13.0	11.0
42.0	-	-	36.0	33.0	29.9	27.0	21.0	18.5	16.0	13.0	11.0
44.0	-	-	34.0	32.0	29.2	27.0	21.0	18.5	16.0	13.0	11.0
46.0	-	-	-	31.0	28.6	26.9	21.0	18.5	16.0	13.0	11.0
48.0	-	-	-	30.0	27.9	26.3	21.0	18.5	16.0	13.0	10.9
50.0	-	-	-	28.6	27.2	25.6	21.0	18.5	16.0	13.0	10.8
54.0	-	-	-	-	25.9	24.3	20.5	18.5	16.0	13.0	10.6
58.0	-	-	-	-	-	23.0	20.1	18.2	16.0	13.0	10.4
62.0	-	-	-	-	-	18.7	19.7	17.9	15.8	13.0	10.2
66.0	-	-	-	-	-	-	17.2	17.6	15.6	12.7	10.0
70.0	-	-	-	-	-	-	-	15.4	15.3	12.4	9.8
74.0	-	-	-	-	-	-	-	-	14.0	12.1	9.5
78.0	-	-	-	-	-	-	-	-	10.8	11.8	9.3
82.0	-	-	-	-	-	-	-	-	-	9.9	9.1
86.0	-	-	-	-	-	-	-	-	-	-	8.8
90.0	-	-	-	-	-	-	-	-	-	-	6.5

	45.5 m + 4 m										
	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m
m	t	t	t	t	t	t	t	t	t	t	t
16.0	45.0	-	-	-	-	-	-	-	-	-	-
18.0	45.0	36.0	-	-	-	-	-	-	-	-	-
20.0	45.0	36.0	30.0	-	-	-	-	-	-	-	-
22.0	45.0	36.0	30.0	26.0	-	-	-	-	-	-	-
24.0	45.0	36.0	30.0	26.0	23.0	-	-	-	-	-	-
26.0	45.0	36.0	30.0	26.0	23.0	19.0	14.7	-	-	-	-
28.0	44.0	36.0	30.0	26.0	23.0	19.0	14.7	11.5	-	-	-
30.0	42.0	36.0	30.0	26.0	23.0	19.0	14.7	11.5	9.3	-	-
32.0	39.5	35.0	30.0	26.0	23.0	19.0	14.7	11.5	9.3	6.5	-
34.0	37.5	34.0	30.0	26.0	23.0	19.0	14.7	11.5	9.3	6.5	4.5
36.0	-	32.5	29.5	26.0	23.0	19.0	14.7	11.5	9.3	6.5	4.5
38.0	-	31.5	28.9	26.0	23.0	19.0	14.7	11.5	9.3	6.5	4.5
40.0	-	30.0	28.1	25.5	23.0	19.0	14.7	11.5	9.3	6.5	4.5
42.0	-	-	27.2	25.1	23.0	19.0	14.7	11.5	9.3	6.5	4.5
44.0	-	-	26.4	24.3	22.7	19.0	14.7	11.5	9.3	6.5	4.5
46.0	-	-	25.5	23.5	22.3	19.0	14.7	11.5	9.3	6.5	4.5
48.0	-	-	-	22.8	21.8	18.8	14.7	11.5	9.3	6.5	4.5
50.0	-	-	-	22.0	21.2	18.6	14.7	11.5	9.3	6.5	4.5
54.0	-	-	-	-	20.2	18.0	14.7	11.5	9.3	6.5	4.5
58.0	-	-	-	-	19.1	17.4	14.7	11.5	9.3	6.5	4.5
62.0	-	-	-	-	-	16.8	14.7	11.5	9.3	6.5	4.5
66.0	-	-	-	-	-	-	14.7	11.5	9.3	6.5	4.5
70.0	-	-	-	-	-	-	-	11.5	9.3	6.5	4.5
74.0	-	-	-	-	-	-	-	11.5	9.3	6.5	4.5
78.0	-	-	-	-	-	-	-	-	9.3	6.5	4.5
82.0	-	-	-	-	-	-	-	-	-	6.5	4.5
86.0	-	-	-	-	-	-	-	-	-	6.5	4.5
90.0	-	-	-	-	-	-	-	-	-	-	4.5
92.0	-	-	-	-	-	-	-	-	-	-	4.5




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHISL 83°



45.5 m + 4 m										
	30m	36m	42m	48m	54m	60m	66m	72m	78m	
m	t	t	t	t	t	t	t	t	t	
18.0	24.5	-	-	-	-	-	-	-	-	-
20.0	24.4	19.0	-	-	-	-	-	-	-	-
22.0	24.3	19.0	16.0	-	-	-	-	-	-	-
24.0	24.3	19.0	16.0	14.0	-	-	-	-	-	-
26.0	24.2	19.0	16.0	14.0	12.0	9.5	-	-	-	-
28.0	24.2	19.0	16.0	14.0	12.0	9.5	6.5	-	-	-
30.0	24.1	19.0	16.0	14.0	12.0	9.5	6.5	5.0	-	-
32.0	24.1	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3	-
34.0	24.1	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3	3.3
36.0	-	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3	3.3
38.0	-	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3	3.3
40.0	-	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3	3.3
42.0	-	-	16.0	13.9	12.0	9.5	6.5	5.0	3.3	3.3
44.0	-	-	16.0	13.8	12.0	9.5	6.5	5.0	3.3	3.3
46.0	-	-	16.0	13.6	12.0	9.5	6.5	5.0	3.3	3.3
48.0	-	-	-	13.5	12.0	9.5	6.5	5.0	3.3	3.3
50.0	-	-	-	13.3	12.0	9.5	6.5	5.0	3.3	3.3
54.0	-	-	-	-	12.0	9.5	6.5	5.0	3.3	3.3
58.0	-	-	-	-	12.0	9.5	6.5	5.0	3.3	3.3
62.0	-	-	-	-	-	9.5	6.5	5.0	3.3	3.3
66.0	-	-	-	-	-	-	6.5	5.0	3.3	3.3
70.0	-	-	-	-	-	-	6.5	5.0	3.3	3.3
74.0	-	-	-	-	-	-	-	5.0	3.3	3.3
78.0	-	-	-	-	-	-	-	-	3.3	3.3
82.0	-	-	-	-	-	-	-	-	-	3.3

35.5 m + 4 m											
	30m	36m	42m	48m	54m	60m	66m	72m*	78m*	84m#	90m#
m	t	t	t	t	t	t	t	t	t	t	t
16.0	67.0	54.5	-	-	-	-	-	-	-	-	-
18.0	67.0	54.5	45.0	-	-	-	-	-	-	-	-
20.0	67.0	54.5	45.0	35.5	-	-	-	-	-	-	-
22.0	66.0	54.5	45.0	35.5	30.0	-	-	-	-	-	-
24.0	65.0	54.0	45.0	35.5	30.0	27.0	21.0	-	-	-	-
26.0	63.0	53.5	45.0	35.5	30.0	27.0	21.0	18.5	-	-	-
28.0	56.5	53.0	45.0	35.5	30.0	27.0	21.0	18.5	16.0	-	-
30.0	51.5	51.0	45.0	35.5	30.0	27.0	21.0	18.5	16.0	13.0	-
32.0	47.0	47.0	44.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0
34.0	-	43.0	42.5	35.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0
36.0	-	40.0	39.0	35.0	30.0	27.0	21.0	18.5	16.0	13.0	11.0
38.0	-	37.0	36.5	35.0	30.0	27.0	21.0	18.5	16.0	13.0	11.0
40.0	-	-	34.0	33.5	30.0	27.0	21.0	18.5	16.0	13.0	11.0
42.0	-	-	31.5	31.0	29.9	27.0	21.0	18.5	16.0	13.0	11.0
44.0	-	-	29.9	29.3	28.8	27.0	21.0	18.5	16.0	13.0	11.0
46.0	-	-	-	27.5	27.0	26.9	21.0	18.5	16.0	13.0	11.0
48.0	-	-	-	26.0	25.4	25.6	21.0	18.5	16.0	13.0	10.9
50.0	-	-	-	24.6	24.0	24.1	21.0	18.5	16.0	13.0	10.8
54.0	-	-	-	-	21.5	21.6	20.5	18.5	16.0	13.0	10.6
58.0	-	-	-	-	-	19.5	18.7	18.2	16.0	13.0	10.4
62.0	-	-	-	-	-	17.7	16.9	16.3	15.8	13.0	10.2
66.0	-	-	-	-	-	-	15.4	14.8	15.0	12.7	10.0
70.0	-	-	-	-	-	-	-	13.4	13.6	12.4	9.8
74.0	-	-	-	-	-	-	-	-	12.4	12.1	9.5
78.0	-	-	-	-	-	-	-	-	10.8	11.2	9.3
82.0	-	-	-	-	-	-	-	-	-	9.9	9.1
86.0	-	-	-	-	-	-	-	-	-	-	8.8
90.0	-	-	-	-	-	-	-	-	-	-	6.5

*: Max. windspeed = 7 m/s
#: Max. windspeed = 5 m/s




DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHISL 83°



45.5 m + 4 m											
	30m	36m	42m	48m	54m	60m	66m	72m#	78m#	84m#	90m#
m	t	t	t	t	t	t	t	t	t	t	t
16.0	45.0	-	-	-	-	-	-	-	-	-	-
18.0	45.0	36.0	-	-	-	-	-	-	-	-	-
20.0	45.0	36.0	30.0	-	-	-	-	-	-	-	-
22.0	45.0	36.0	30.0	26.0	-	-	-	-	-	-	-
24.0	45.0	36.0	30.0	26.0	23.0	-	-	-	-	-	-
26.0	45.0	36.0	30.0	26.0	23.0	19.0	14.7	-	-	-	-
28.0	44.0	36.0	30.0	26.0	23.0	19.0	14.7	11.5	-	-	-
30.0	42.0	36.0	30.0	26.0	23.0	19.0	14.7	11.5	9.3	-	-
32.0	39.5	35.0	30.0	26.0	23.0	19.0	14.7	11.5	9.3	6.5	-
34.0	37.5	34.0	30.0	26.0	23.0	19.0	14.7	11.5	9.3	6.5	4.5
36.0	-	32.5	29.5	26.0	23.0	19.0	14.7	11.5	9.3	6.5	4.5
38.0	-	31.5	28.9	26.0	23.0	19.0	14.7	11.5	9.3	6.5	4.5
40.0	-	30.0	28.1	25.5	23.0	19.0	14.7	11.5	9.3	6.5	4.5
42.0	-	-	27.2	25.1	23.0	19.0	14.7	11.5	9.3	6.5	4.5
44.0	-	-	26.4	24.3	22.7	19.0	14.7	11.5	9.3	6.5	4.5
46.0	-	-	25.5	23.5	22.3	19.0	14.7	11.5	9.3	6.5	4.5
48.0	-	-	-	22.8	21.8	18.8	14.7	11.5	9.3	6.5	4.5
50.0	-	-	-	22.0	21.2	18.6	14.7	11.5	9.3	6.5	4.5
54.0	-	-	-	-	20.2	18.0	14.7	11.5	9.3	6.5	4.5
58.0	-	-	-	-	18.8	17.4	14.7	11.5	9.3	6.5	4.5
62.0	-	-	-	-	-	16.8	14.7	11.5	9.3	6.5	4.5
66.0	-	-	-	-	-	-	14.7	11.5	9.3	6.5	4.5
70.0	-	-	-	-	-	-	-	11.5	9.3	6.5	4.5
74.0	-	-	-	-	-	-	-	11.5	9.3	6.5	4.5
78.0	-	-	-	-	-	-	-	-	9.3	6.5	4.5
82.0	-	-	-	-	-	-	-	-	-	6.5	4.5
86.0	-	-	-	-	-	-	-	-	-	6.5	4.5
90.0	-	-	-	-	-	-	-	-	-	-	4.5

55.5 m + 4 m									
	30m	36m	42m	48m	54m	60m	66m	72m*	78m#
m	t	t	t	t	t	t	t	t	t
18.0	24.5	-	-	-	-	-	-	-	-
20.0	24.4	19.0	-	-	-	-	-	-	-
22.0	24.3	19.0	16.0	-	-	-	-	-	-
24.0	24.3	19.0	16.0	14.0	-	-	-	-	-
26.0	24.2	19.0	16.0	14.0	12.0	9.5	-	-	-
28.0	24.2	19.0	16.0	14.0	12.0	9.5	6.5	-	-
30.0	24.1	19.0	16.0	14.0	12.0	9.5	6.5	5.0	-
32.0	24.1	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3
34.0	24.1	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3
36.0	-	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3
38.0	-	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3
40.0	-	19.0	16.0	14.0	12.0	9.5	6.5	5.0	3.3
42.0	-	-	16.0	13.9	12.0	9.5	6.5	5.0	3.3
44.0	-	-	16.0	13.8	12.0	9.5	6.5	5.0	3.3
46.0	-	-	16.0	13.6	12.0	9.5	6.5	5.0	3.3
48.0	-	-	-	13.5	12.0	9.5	6.5	5.0	3.3
50.0	-	-	-	13.3	12.0	9.5	6.5	5.0	3.3
54.0	-	-	-	-	12.0	9.5	6.5	5.0	3.3
58.0	-	-	-	-	12.0	9.5	6.5	5.0	3.3
62.0	-	-	-	-	-	9.5	6.5	5.0	3.3
66.0	-	-	-	-	-	-	6.5	5.0	3.3
70.0	-	-	-	-	-	-	6.5	5.0	3.3
74.0	-	-	-	-	-	-	-	5.0	3.3
78.0	-	-	-	-	-	-	-	-	3.3
82.0	-	-	-	-	-	-	-	-	3.3

*: Max. windspeed = 7 m/s
#: Max. windspeed = 5 m/s




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

WiHiSL 73°






DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHISL 73°



35.5 m + 4 m											
	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m
m	t	t	t	t	t	t	t	t	t	t	t
28.0	62.0	-	-	-	-	-	-	-	-	-	-
30.0	60.0	52.0	-	-	-	-	-	-	-	-	-
32.0	57.5	51.0	45.0	-	-	-	-	-	-	-	-
34.0	54.5	49.5	44.5	-	-	-	-	-	-	-	-
36.0	51.5	48.0	44.5	35.5	-	-	-	-	-	-	-
38.0	48.0	46.5	44.0	35.5	30.0	-	-	-	-	-	-
40.0	-	44.0	43.5	35.5	30.0	27.0	-	-	-	-	-
42.0	-	42.0	42.5	35.5	30.0	27.0	21.0	-	-	-	-
44.0	-	39.5	40.0	35.0	30.0	27.0	21.0	-	-	-	-
46.0	-	-	38.0	34.5	30.0	27.0	21.0	18.5	-	-	-
48.0	-	-	36.0	33.5	29.7	27.0	21.0	18.5	16.0	-	-
50.0	-	-	34.0	32.0	29.5	27.0	21.0	18.5	16.0	-	-
54.0	-	-	-	29.9	27.9	26.6	21.0	18.5	16.0	13.0	10.5
58.0	-	-	-	-	26.2	25.3	20.9	18.5	16.0	13.0	10.4
62.0	-	-	-	-	24.6	23.9	20.4	18.4	16.0	13.0	10.3
66.0	-	-	-	-	-	22.6	20.0	18.0	15.9	13.0	10.2
70.0	-	-	-	-	-	-	19.6	17.6	15.7	12.9	10.1
74.0	-	-	-	-	-	-	18.9	17.2	15.4	12.6	10.0
78.0	-	-	-	-	-	-	-	16.8	15.1	12.2	9.7
82.0	-	-	-	-	-	-	-	-	14.8	11.9	9.5
86.0	-	-	-	-	-	-	-	-	12.6	11.5	9.2
90.0	-	-	-	-	-	-	-	-	-	11.2	9.0
94.0	-	-	-	-	-	-	-	-	-	-	8.7
98.0	-	-	-	-	-	-	-	-	-	-	8.4
45.5 m + 4 m											
30.0	44.5	-	-	-	-	-	-	-	-	-	-
32.0	43.0	-	-	-	-	-	-	-	-	-	-
34.0	41.5	35.5	-	-	-	-	-	-	-	-	-
36.0	40.0	35.0	29.9	-	-	-	-	-	-	-	-
38.0	38.0	34.5	29.8	26.0	-	-	-	-	-	-	-
40.0	36.0	33.5	29.6	26.0	-	-	-	-	-	-	-
42.0	34.0	32.5	29.5	26.0	23.0	-	-	-	-	-	-
44.0	-	31.0	28.9	26.0	23.0	18.1	-	-	-	-	-
46.0	-	29.6	28.3	26.0	23.0	18.1	14.7	-	-	-	-
48.0	-	28.1	27.2	25.6	23.0	18.1	14.7	-	-	-	-
50.0	-	-	26.0	25.1	23.0	18.1	14.7	11.5	-	-	-
54.0	-	-	23.8	23.0	22.3	18.1	14.7	11.5	9.3	6.5	-
58.0	-	-	-	20.8	20.7	17.8	14.7	11.5	9.3	6.5	4.5
62.0	-	-	-	-	19.1	17.0	14.6	11.5	9.3	6.5	4.5
66.0	-	-	-	-	17.4	16.3	14.4	11.5	9.3	6.5	4.5
70.0	-	-	-	-	-	15.5	14.2	11.5	9.3	6.5	4.5
74.0	-	-	-	-	-	-	14.0	11.5	9.3	6.5	4.5
78.0	-	-	-	-	-	-	13.7	11.5	9.3	6.5	4.5
82.0	-	-	-	-	-	-	-	11.5	9.3	6.5	4.5
86.0	-	-	-	-	-	-	-	-	9.3	6.5	4.5
90.0	-	-	-	-	-	-	-	-	9.3	6.5	4.5
94.0	-	-	-	-	-	-	-	-	-	6.5	4.5
98.0	-	-	-	-	-	-	-	-	-	-	4.5
55.5 m + 4 m											
34.0	24.4	-	-	-	-	-	-	-	-	-	-
36.0	24.1	19.0	-	-	-	-	-	-	-	-	-
38.0	23.8	19.0	-	-	-	-	-	-	-	-	-
40.0	23.1	19.0	15.7	-	-	-	-	-	-	-	-
42.0	22.3	19.0	15.7	14.0	-	-	-	-	-	-	-
44.0	21.3	18.7	15.7	13.8	-	-	-	-	-	-	-
46.0	-	18.4	15.7	13.7	11.5	-	-	-	-	-	-
48.0	-	17.8	15.5	13.5	11.5	8.8	-	-	-	-	-
50.0	-	17.3	15.3	13.4	11.5	8.8	6.5	-	-	-	-
54.0	-	-	14.7	13.0	11.5	8.8	6.5	5.0	-	-	-
58.0	-	-	-	12.5	11.3	8.8	6.5	5.0	3.3	-	-
62.0	-	-	-	11.9	10.9	8.8	6.5	5.0	3.3	-	-
66.0	-	-	-	-	10.5	8.8	6.5	5.0	3.3	-	-
70.0	-	-	-	-	-	8.8	6.5	5.0	3.3	-	-
74.0	-	-	-	-	-	8.8	6.5	5.0	3.3	-	-
78.0	-	-	-	-	-	-	6.5	5.0	3.3	-	-
82.0	-	-	-	-	-	-	-	5.0	3.3	-	-
86.0	-	-	-	-	-	-	-	5.0	3.3	-	-
90.0	-	-	-	-	-	-	-	-	3.3	-	-




DEMAG AC 650

Working ranges
Portées

650 TON

Arbeitsbereiche
Werkbereich

WiHiSL 65°






DEMAG AC 650

Capacities
Capacités

650 TON

Tragfähigkeiten
Capacités



WIHISL 65°



	35.5 m + 4 m										
	30m	36m	42m	48m	54m	60m	66m	72m	78m	84m	90m
m	t	t	t	t	t	t	t	t	t	t	t
36.0	48.0	-	-	-	-	-	-	-	-	-	-
38.0	45.0	-	-	-	-	-	-	-	-	-	-
40.0	42.5	42.0	-	-	-	-	-	-	-	-	-
42.0	40.0	39.5	39.0	-	-	-	-	-	-	-	-
44.0	38.0	37.5	37.0	-	-	-	-	-	-	-	-
46.0	-	35.5	35.0	34.0	-	-	-	-	-	-	-
48.0	-	34.0	33.0	32.5	-	-	-	-	-	-	-
50.0	-	32.5	31.5	31.0	29.8	-	-	-	-	-	-
54.0	-	-	28.7	28.0	27.4	27.0	-	-	-	-	-
58.0	-	-	-	25.4	24.8	24.9	21.0	-	-	-	-
62.0	-	-	-	23.3	22.6	22.6	21.0	18.5	-	-	-
66.0	-	-	-	-	20.7	20.7	19.8	18.5	16.0	13.0	-
70.0	-	-	-	-	-	19.1	18.1	17.4	16.0	12.7	10.5
74.0	-	-	-	-	-	17.7	16.6	15.9	16.0	12.4	10.2
78.0	-	-	-	-	-	-	15.4	14.6	14.7	12.1	9.9
82.0	-	-	-	-	-	-	-	13.4	13.5	11.9	9.6
86.0	-	-	-	-	-	-	-	-	12.5	11.6	9.4
90.0	-	-	-	-	-	-	-	-	11.6	11.3	9.2
94.0	-	-	-	-	-	-	-	-	-	10.5	9.0
98.0	-	-	-	-	-	-	-	-	-	-	8.8
102.0	-	-	-	-	-	-	-	-	-	-	8.6
	45.5 m + 4 m										
40.0	34.5	-	-	-	-	-	-	-	-	-	-
42.0	33.5	-	-	-	-	-	-	-	-	-	-
44.0	32.0	31.5	-	-	-	-	-	-	-	-	-
46.0	30.5	30.5	-	-	-	-	-	-	-	-	-
48.0	29.4	29.3	28.5	-	-	-	-	-	-	-	-
50.0	-	28.1	27.5	-	-	-	-	-	-	-	-
54.0	-	25.5	25.4	24.1	22.9	-	-	-	-	-	-
58.0	-	-	23.2	21.9	21.5	18.1	-	-	-	-	-
62.0	-	-	-	20.1	20.1	17.9	14.7	-	-	-	-
66.0	-	-	-	18.3	18.5	17.6	14.7	11.5	-	-	-
70.0	-	-	-	-	16.9	16.7	14.7	11.5	9.0	-	-
74.0	-	-	-	-	-	15.5	14.2	11.5	9.0	6.5	-
78.0	-	-	-	-	-	14.4	13.4	11.3	9.0	6.5	4.5
82.0	-	-	-	-	-	-	12.6	11.1	9.0	6.5	4.5
86.0	-	-	-	-	-	-	-	10.8	9.0	6.5	4.5
90.0	-	-	-	-	-	-	-	10.2	9.0	6.5	4.5
94.0	-	-	-	-	-	-	-	-	9.0	6.5	4.5
98.0	-	-	-	-	-	-	-	-	-	6.5	4.5
102.0	-	-	-	-	-	-	-	-	-	6.5	4.5
106.0	-	-	-	-	-	-	-	-	-	-	4.5
	55.5 m + 4 m										
46.0	20.4	-	-	-	-	-	-	-	-	-	-
48.0	19.6	-	-	-	-	-	-	-	-	-	-
50.0	18.7	17.4	-	-	-	-	-	-	-	-	-
54.0	-	16.1	14.8	-	-	-	-	-	-	-	-
58.0	-	14.8	14.0	12.6	-	-	-	-	-	-	-
62.0	-	-	13.0	11.9	10.9	-	-	-	-	-	-
66.0	-	-	-	11.1	10.2	8.8	6.5	-	-	-	-
70.0	-	-	-	10.2	9.5	8.8	6.3	4.0	-	-	-
74.0	-	-	-	-	8.8	8.5	6.1	4.0	3.3	-	-
78.0	-	-	-	-	-	7.9	5.9	4.0	3.3	-	-
82.0	-	-	-	-	-	7.3	5.6	4.0	3.3	-	-
86.0	-	-	-	-	-	-	5.3	4.0	3.3	-	-
90.0	-	-	-	-	-	-	-	4.0	3.2	-	-
94.0	-	-	-	-	-	-	-	4.0	3.1	-	-
98.0	-	-	-	-	-	-	-	-	3.0	-	-



DEMAG AC 650


650 TON

Working speeds Vitesses de travail

Arbeitsgeschwindigkeiten Werksnelheden

Mechanisms Mécanismes Antriebe Aandrijvingen	Speeds Vitesses Geschwindigkeiten Snelheden	Rope diameter Diamètre du câble Seildurchmesser Kabeldiameter	Single line pull Effort sur brin simple Zulässiger Seilzug je strang Toegelaten trekkraft / part	Length of ropes Longueur des cables Länge der Seile Kabellengte
Main hoist Levage sur flèche Hubwerk 1 Hijssier 1	Max 143 m/min	26 mm	134 kN	500 m
Auxiliary hoist Levage sur fléchette Hubwerk 2 Hijssier 2	Max 151 m/min	26 mm	134 kN	770 m
Slewing gear Orientation Drehwerk Zwenkwerk	0 – 1.0 RPM			
Travel speed Vitesse sur route Fahrgeschwindigkeit Rijsnelheid	0 – 63 km/h			
Booming up Relever la flèche Aufwippen Optoppen	-0.5° - +83°			
Telescope Téléscoper Teleskopieren Telescoperen	15.4 m - 60 m			
	120 sec			
	480 sec			

Hook Block / Crane hook Crochet mouflé / Crochet simple



Unterflasche / Hakengehänge Kraanblok / Kraanhaak

Capacity Capacité Tragfähigkeit Capaciteit	Number of sheaves Nombre de poulies Anzahl der Rollen Aantal schijven	Number of lines Nombre de brins Strangzahl Aantal parten	Weight Poids Gewicht Gewicht	"B"
SWL 189 t	7	15	2600 kg	3.0 m
SWL 92 t	3	7	1800 kg	3.0 m
SWL 40 t	1	3	1200 kg	2.7 m