




sarens
group

www.sarens.com

LIEBHERR LR 1750

750 TON



nothing too heavy, nothing too high







LIEBHERR LR 1750

Dimensions
Dimensions

750 TON

Abmessungen
Afmetingen





LIEBHERR LR 1750


750 TON

**Weight
Poids**


**Gewicht
Gewicht**

Superstructure with carbody + winch I, II, IV Partie supérieure avec carter central + treuil I, II, IV Oberwagen mit Mittelstück + Winde I, II, IV Bovenwagen met centraal onderstelgedeelte + lier I, II, IV	76.5 t
Crawler unit Bâti de chenille Raupe Rups	2 x 42 t
Counterweight + cranebody counterweight Contrepoids + lest central Gegengewicht + Zentralballast Tegengewicht + centraalballast	245 + 95 t

Carbody
76.5t (incl. winch I,II,IV)
59.1t (incl. winch IV)
15220 x 3000 x 2300 mm






Carbody
41.3t (excl. A-frame, winch I,II,IV)
12700 x 3000 x 2200 mm



2 x 42 t
11900 x 1500 x 2130 mm




1 x 31 t
8140 x 3000 x 2000 mm




2 x 10t
2780 x 2565 x 1560 mm




Carbody counterweight
2 x 10t
6400 x 2500 x 600 mm



18 x 12.5t
2500 x 2000 x 500 mm



Carbody counterweight
6 x 12.5t
2500 x 2200 x 500 mm






LIEBHERR LR 1750

Configurations
Configurations

750 TON

Konfigurationen
Configuraties






LIEBHERR LR 1750

Configurations
Configurations

750 TON

Konfigurationen
Configuraties






LIEBHERR LR 1750

Working ranges
Portées

750 TON

Arbeitsbereiche
Werkbereich

S + SD + SDBW



S: 21m -> 84m
SD/SDBW: 35m -> 140m




LIEBHERR LR 1750


750 TON

Lifting capacities
Capacités

Tragfähigkeiten
Capacités



S



	21m	28m	35m	42m	49m	56m	63m	70m	77m	84m
	t	t	t	t	t	t	t	t	t	t
7.0	-	-	557.0	-	-	-	-	-	-	-
8.0	-	-	505.0	503.0	496.0	-	-	-	-	-
9.0	-	453.0	450.0	448.0	434.0	403.0	-	-	-	-
10.0	-	408.0	405.0	403.0	385.0	360.0	339.0	319.0	-	-
11.0	373.0	371.0	368.0	366.0	346.0	324.0	306.0	289.0	274.0	261.0
12.0	342.0	340.0	337.0	334.0	313.0	294.0	279.0	264.0	251.0	239.0
14.0	289.0	287.0	285.0	278.0	261.0	247.0	235.0	223.0	213.0	204.0
16.0	248.0	246.0	244.0	237.0	223.0	212.0	202.0	192.0	184.0	176.0
18.0	212.0	211.0	210.0	205.0	194.0	184.0	176.0	168.0	161.0	154.0
20.0	181.0	181.0	180.0	178.0	171.0	162.0	155.0	148.0	142.0	136.0
22.0	-	158.0	156.0	155.0	152.0	144.0	138.0	132.0	126.0	121.0
24.0	-	140.0	138.0	136.0	134.0	129.0	123.0	118.0	113.0	108.0
26.0	-	125.0	123.0	121.0	119.0	116.0	111.0	106.0	102.0	97.0
28.0	-	-	111.0	109.0	107.0	105.0	101.0	96.0	92.0	88.0
30.0	-	-	100.0	98.0	96.0	94.0	92.0	87.0	83.0	79.0
32.0	-	-	91.0	89.0	87.0	85.0	84.0	79.0	76.0	72.0
34.0	-	-	-	82.0	79.0	77.0	76.0	72.0	69.0	65.0
36.0	-	-	-	75.0	73.0	71.0	69.0	66.0	63.0	60.0
38.0	-	-	-	69.0	67.0	65.0	63.0	61.0	58.0	54.0
40.0	-	-	-	64.0	62.0	59.0	58.0	56.0	53.0	49.5
44.0	-	-	-	-	53.0	51.0	49.0	47.0	44.5	41.5
48.0	-	-	-	-	-	44.0	41.5	39.5	37.5	34.5
52.0	-	-	-	-	-	38.0	35.5	33.5	31.5	28.6
56.0	-	-	-	-	-	-	30.5	28.0	26.0	23.7
60.0	-	-	-	-	-	-	-	23.6	21.4	19.4
64.0	-	-	-	-	-	-	-	19.9	17.5	15.5
68.0	-	-	-	-	-	-	-	-	14.2	12.1
72.0	-	-	-	-	-	-	-	-	11.5	9.1
76.0	-	-	-	-	-	-	-	-	-	6.6

	21m	28m	35m	42m	49m	56m	63m	70m	77m	84m
	t	t	t	t	t	t	t	t	t	t
6.0	600.0	-	-	-	-	-	-	-	-	-
6.5	600.0	600.0	-	-	-	-	-	-	-	-
7.0	576.0	574.0	570.0	-	-	-	-	-	-	-
8.0	507.0	505.0	501.0	500.0	460.0	-	-	-	-	-
9.0	442.0	440.0	438.0	435.0	403.0	374.0	-	-	-	-
10.0	399.0	397.0	394.0	384.0	357.0	333.0	313.0	294.0	-	-
11.0	363.0	361.0	358.0	343.0	320.0	300.0	283.0	267.0	253.0	261.0
12.0	331.0	329.0	327.0	309.0	289.0	272.0	257.0	243.0	231.0	239.0
14.0	278.0	276.0	273.0	257.0	241.0	228.0	217.0	206.0	196.0	204.0
16.0	233.0	233.0	231.0	218.0	206.0	195.0	186.0	177.0	169.0	176.0
18.0	196.0	195.0	194.0	189.0	179.0	169.0	161.0	154.0	147.0	154.0
20.0	167.0	167.0	166.0	164.0	157.0	149.0	142.0	135.0	130.0	136.0
22.0	-	146.0	144.0	143.0	139.0	132.0	126.0	120.0	115.0	121.0
24.0	-	128.0	127.0	125.0	123.0	118.0	112.0	107.0	102.0	108.0
26.0	-	114.0	113.0	111.0	109.0	106.0	101.0	96.0	92.0	97.0
28.0	-	-	101.0	100.0	97.0	96.0	91.0	86.0	83.0	88.0
30.0	-	-	92.0	90.0	88.0	86.0	83.0	78.0	75.0	79.0
32.0	-	-	83.0	82.0	79.0	77.0	75.0	71.0	67.0	72.0
34.0	-	-	-	74.0	72.0	70.0	69.0	65.0	61.0	65.0
36.0	-	-	-	68.0	66.0	64.0	62.0	59.0	56.0	60.0
38.0	-	-	-	63.0	60.0	58.0	57.0	54.0	51.0	54.0
40.0	-	-	-	58.0	56.0	53.0	52.0	49.0	46.0	49.5
44.0	-	-	-	-	47.5	45.0	43.5	41.5	38.5	41.5
48.0	-	-	-	-	-	39.0	36.5	34.5	32.0	34.5
52.0	-	-	-	-	-	33.5	30.5	28.5	26.4	28.6
56.0	-	-	-	-	-	-	25.9	23.5	21.5	23.7
60.0	-	-	-	-	-	-	-	19.4	17.3	19.4
64.0	-	-	-	-	-	-	-	16.1	13.6	15.5
68.0	-	-	-	-	-	-	-	-	10.6	12.1
72.0	-	-	-	-	-	-	-	-	8.0	9.1
76.0	-	-	-	-	-	-	-	-	-	6.6




LIEBHERR LR 1750



750 TON

Lifting capacities
Capacités

Tragfähigkeiten
Capacités



SD / SDBW



MB	m	SD	SDBW			
			13m	15m	18m	20m
35m	7.0	-	600.0	600.0	600.0	600.0
	8.0	-	600.0	600.0	600.0	600.0
	9.0	-	600.0	600.0	600.0	600.0
	10.0	-	600.0	600.0	600.0	600.0
	11.0	-	594.0	600.0	600.0	600.0
	12.0	341.0	568.0	586.0	600.0	600.0
	14.0	286.0	523.0	541.0	564.0	576.0
	16.0	241.0	477.0	503.0	526.0	541.0
	18.0	209.0	413.0	462.0	493.0	512.0
	20.0	182.0	364.0	405.0	457.0	458.0
	22.0	160.0	325.0	351.0	399.0	402.0
	24.0	143.0	288.0	308.0	350.0	357.0
	26.0	129.0	254.0	271.0	307.0	315.0
	28.0	117.0	230.0	246.0	277.0	281.0
42m	30.0	106.0	209.0	224.0	249.0	249.0
	32.0	97.0	189.0	204.0	220.0	220.0
	8.0	-	600.0	600.0	600.0	600.0
	9.0	-	600.0	600.0	600.0	600.0
	10.0	-	600.0	600.0	600.0	600.0
	11.0	370.0	585.0	600.0	600.0	600.0
	12.0	339.0	560.0	577.0	597.0	600.0
	14.0	283.0	515.0	533.0	554.0	567.0
	16.0	238.0	476.0	495.0	518.0	531.0
	18.0	206.0	418.0	462.0	484.0	496.0
	20.0	180.0	368.0	412.0	454.0	466.0
	22.0	157.0	328.0	367.0	426.0	434.0
	24.0	140.0	295.0	331.0	385.0	391.0
	26.0	127.0	268.0	301.0	350.0	354.0
49m	28.0	115.0	245.0	275.0	318.0	319.0
	30.0	103.0	226.0	246.0	283.0	286.0
	32.0	95.0	209.0	225.0	257.0	259.0
	34.0	87.0	192.0	206.0	234.0	235.0
	36.0	80.0	177.0	189.0	212.0	212.0
	38.0	74.0	162.0	173.0	191.0	191.0
	40.0	69.0	147.0	157.0	171.0	171.0
	8.0	-	600.0	600.0	600.0	600.0
	10.0	389.0	600.0	600.0	600.0	600.0
	11.0	360.0	575.0	590.0	600.0	600.0
	12.0	326.0	551.0	567.0	586.0	597.0
	14.0	272.0	506.0	523.0	543.0	554.0
	16.0	233.0	468.0	485.0	505.0	518.0
	18.0	202.0	423.0	452.0	471.0	483.0
	20.0	177.0	372.0	416.0	439.0	450.0
	22.0	155.0	331.0	370.0	411.0	420.0
56m	24.0	137.0	298.0	333.0	386.0	394.0
	26.0	124.0	270.0	302.0	352.0	365.0
	28.0	112.0	246.0	276.0	322.0	335.0
	30.0	101.0	226.0	254.0	297.0	307.0
	32.0	92.0	209.0	235.0	275.0	280.0
	34.0	83.0	194.0	218.0	255.0	255.0
	36.0	77.0	180.0	203.0	234.0	234.0
	38.0	71.0	169.0	190.0	216.0	216.0
	40.0	66.0	158.0	177.0	199.0	199.0
	44.0	57.0	138.0	152.0	167.0	167.0
	10.0	386.0	600.0	600.0	600.0	600.0
	11.0	360.0	575.0	590.0	600.0	600.0
	12.0	326.0	551.0	567.0	586.0	597.0
	14.0	272.0	506.0	523.0	543.0	554.0
	16.0	233.0	468.0	485.0	505.0	518.0
	18.0	202.0	423.0	452.0	471.0	483.0
	20.0	177.0	372.0	416.0	439.0	450.0
	22.0	155.0	331.0	370.0	411.0	420.0
	24.0	137.0	298.0	333.0	386.0	394.0
	26.0	124.0	270.0	302.0	352.0	365.0
	28.0	112.0	246.0	276.0	322.0	335.0
	30.0	101.0	226.0	254.0	297.0	307.0
	32.0	92.0	209.0	235.0	275.0	280.0
	34.0	83.0	194.0	218.0	255.0	255.0
	36.0	77.0	180.0	203.0	234.0	234.0
	38.0	71.0	169.0	190.0	216.0	216.0
	40.0	66.0	158.0	177.0	199.0	199.0
	44.0	57.0	138.0	152.0	167.0	167.0

MB	m	SD	SDBW			
			13m	15m	18m	20m
56m	9.0	382.0	600.0	600.0	600.0	600.0
	10.0	376.0	590.0	600.0	600.0	600.0
	11.0	339.0	565.0	580.0	596.0	600.0
	12.0	307.0	541.0	555.0	572.0	581.0
	14.0	259.0	497.0	513.0	528.0	537.0
	16.0	222.0	460.0	476.0	490.0	499.0
	18.0	193.0	425.0	442.0	455.0	464.0
	20.0	170.0	376.0	411.0	423.0	432.0
	22.0	152.0	325.0	374.0	395.0	403.0
	24.0	134.0	269.0	336.0	369.0	377.0
	26.0	122.0	254.0	305.0	349.0	357.0
	28.0	111.0	244.0	278.0	324.0	336.0
	30.0	100.0	228.0	255.0	298.0	311.0
	32.0	91.0	210.0	236.0	276.0	288.0
63m	34.0	82.0	194.0	219.0	256.0	266.0
	36.0	75.0	181.0	204.0	239.0	246.0
	38.0	68.0	169.0	190.0	223.0	226.0
	40.0	61.0	158.0	178.0	208.0	208.0
	44.0	54.0	140.0	158.0	181.0	181.0
	48.0	47.5	125.0	142.0	156.0	156.0
	52.0	41.5	108.0	122.0	134.0	134.0
	10.0	353.0	559.0	559.0	559.0	559.0
	11.0	319.0	549.0	558.0	558.0	558.0
	12.0	290.0	527.0	539.0	549.0	555.0
	14.0	245.0	483.0	494.0	505.0	512.0
	16.0	211.0	444.0	455.0	466.0	473.0
	18.0	184.0	410.0	421.0	432.0	439.0
	20.0	162.0	380.0	391.0	402.0	41.0
	22.0	144.0	337.0	365.0	376.0	383.0
70m	24.0	130.0	302.0	338.0	352.0	359.0
	26.0	116.0	274.0	306.0	332.0	339.0
	28.0	106.0	249.0	279.0	315.0	322.0
	30.0	97.0	228.0	256.0	299.0	302.0
	32.0	88.0	210.0	236.0	276.0	282.0
	34.0	81.0	194.0	219.0	256.0	264.0
	36.0	73.0	180.0	203.0	239.0	246.0
	38.0	67.0	168.0	190.0	223.0	230.0
	40.0	60.0	157.0	178.0	209.0	214.0
	44.0	48.0	138.0	157.0	184.0	185.0
	48.0	42.5	123.0	140.0	163.0	163.0
	52.0	37.5	110.0	126.0	143.0	143.0
	56.0	32.5	98.0	112.0	124.0	125.0
	10.0	332.0	474.0	474.0	474.0	474.0
	11.0	301.0	473.0	473.0	473.0	473.0
	12.0	275.0	472.0	472.0	472.0	472.0
	14.0	233.0	454.0	462.0	470.0	470.0
77m	16.0	201.0	421.0	430.0	439.0	445.0
	18.0	176.0	390.0	399.0	408.0	415.0
	20.0	155.0	363.0	372.0	381.0	388.0
	22.0	138.0	338.0	347.0	357.0	364.0
	24.0	124.0	307.0	325.0	335.0	341.0
	26.0	112.0	277.0	307.0	317.0	324.0
	28.0	101.0	252.0	282.0	301.0	308.0
	30.0	92.0	231.0	259.0	287.0	293.0
	32.0	84.0	212.0	239.0	273.0	277.0
	34.0	77.0	196.0	221.0	258.0	260.0
	36.0	71.0	182.0	205.0	240.0	244.0
	38.0	65.0	169.0	191.0	225.0	230.0
	40.0	60.0	158.0	179.0	210.0	216.0
	44.0	49.5	139.0	158.0	186.0	189.0
	48.0	38.5	123.0	140.0	165.0	165.0
	52.0	33.0	110.0	126.0	146.0	146.0
	56.0	28.5	99.0	114.0	130.0	130.0
	60.0	24.5	90.0	103.0	116.0	116.0
	64.0	20.8	81.0	94.0	102.0	102.0

MB	m	SD	SDBW			
			13m	15m	18m	20m
		t	t	t	t	t
77m	11.0	285.0	404.0	404.0	404.0	404.0
	12.0	261.0	403.0	403.0	403.0	403.0
	14.0	222.0	402.0	402.0	402.0	402.0
	16.0	192.0	393.0	400.0	401.0	401.0
	18.0	168.0	367.0	375.0	382.0	387.0
	20.0	148.0	343.0	350.0	358.0	364.0
	22.0	132.0	321.0	329.0	337.0	342.0
	24.0	118.0	301.0	309.0	317.0	323.0
	26.0	106.0	282.0	290.0	299.0	305.0
	28.0	96.0	256.0	274.0	283.0	288.0
	30.0	87.0	234.0	260.0	268.0	274.0
	32.0	79.0	215.0	242.0	255.0	258.0
	34.0	72.0	199.0	224.0	242.0	242.0
	36.0	66.0	184.0	207.0	227.0	228.0
	38.0	59.0	171.0	193.0	213.0	213.0
	40.0	53.0	160.0	181.0	201.0	201.0
	44.0	44.5	140.0	159.0	181.0	181.0
	48.0	36.5	124.0	141.0	163.0	163.0
	52.0	29.2	110.0	126.0	146.0	146.0
	56.0	24.5	99.0	114.0	131.0	131.0
	60.0	21.0	89.0	103.0	118.0	118.0
	64.0	17.7	81.0	94.0	106.0	106.0
	68.0	14.6	74.0	84.0	94.0	94.0
	72.0	11.7	68.0	74.0	82.0	83.0
84m	11.0	269.0	346.0	346.0	346.0	346.0
	12.0	247.0	346.0	346.0	346.0	346.0
	14.0	211.0	345.0	345.0	345.0	345.0
	16.0	182.0	344.0	344.0	344.0	344.0
	18.0	160.0	343.0	343.0	343.0	343.0
	20.0	141.0	327.0	334.0	341.0	341.0
	22.0	125.0	308.0	315.0	322.0	327.0
	24.0	112.0	289.0	297.0	305.0	310.0
	26.0	101.0	273.0	280.0	288.0	294.0
	28.0	91.0	255.0	265.0	274.0	279.0
	30.0	83.0	233.0	252.0	260.0	262.0
	32.0	75.0	214.0	239.0	246.0	246.0
	34.0	68.0	198.0	222.0	231.0	231.0
	36.0	62.0	183.0	206.0	217.0	217.0
	38.0	57.0	170.0	192.0	205.0	205.0
	40.0	52.0	158.0	179.0	195.0	195.0
	44.0	43.0	138.0	157.0	176.0	176.0
	48.0	35.0	122.0	139.0	160.0	160.0
	52.0	27.7	108.0	124.0	144.0	144.0
	56.0	20.8	97.0	111.0	130.0	130.0
	60.0	16.5	87.0	101.0	117.0	117.0
	64.0	13.9	78.0	91.0	106.0	106.0
	68.0	11.4	71.0	83.0	96.0	96.0
	72.0	9.1	65.0	76.0	86.0	86.0
91m	76.0	6.9	59.0	71.0	77.0	77.0
	12.0	235.0	298.0	298.0	298.0	298.0
	14.0	201.0	297.0	297.0	297.0	297.0
	16.0	174.0	297.0	297.0	297.0	297.0
	18.0	153.0	296.0	296.0	296.0	296.0
	20.0	135.0	295.0	295.0	295.0	295.0
	22.0	120.0	292.0	293.0	293.0	293.0
	24.0	107.0	277.0	283.0	284.0	284.0
	26.0	96.0	262.0	269.0	274.0	274.0
	28.0	87.0	248.0	255.0	263.0	264.0
	30.0	79.0	232.0	243.0	248.0	249.0
	32.0	71.0	213.0	231.0	234.0	234.0
	34.0	65.0	196.0	220.0	221.0	221.0
	36.0	59.0	181.0	205.0	208.0	208.0
	38.0	53.0	168.0	190.0	196.0	196.0
	40.0	48.0	157.0	177.0	185.0	185.0
	44.0	40.0	137.0	155.0	168.0	168.0
	48.0	32.5	120.0	137.0	153.0	153.0
	52.0	25.9	106.0	122.0	140.0	140.0
	56.0	19.7	95.0	109.0	127.0	127.0
	60.0	13.8	85.0	98.0	115.0	115.0
	64.0	9.8	76.0	89.0	104.0	104.0
	68.0	7.8	68.0	80.0	95.0	95.0
	72.0	6.0	62.0	73.0	86.0	86.0
76.0	-	56.0	67.0	78.0	78.0	
80.0	-	51.0	61.0	70.0	70.0	
84.0	-	48.5	58.0	61.0	63.0	




LIEBHERR LR 1750



750 TON

Lifting capacities
Capacités

Tragfähigkeiten
Capacités



SD / SDBW



MB	m	SD	SDBW			
			13m	15m	18m	20m
98m	12.0	224.0	258.0	258.0	258.0	258.0
	14.0	192.0	257.0	257.0	257.0	257.0
	16.0	167.0	256.0	256.0	256.0	256.0
	18.0	147.0	256.0	256.0	256.0	256.0
	20.0	130.0	255.0	255.0	255.0	255.0
	22.0	115.0	254.0	254.0	254.0	254.0
	24.0	103.0	252.0	252.0	252.0	252.0
	26.0	92.0	246.0	246.0	247.0	247.0
	28.0	83.0	237.0	239.0	239.0	239.0
	30.0	75.0	227.0	231.0	232.0	232.0
	32.0	68.0	213.0	222.0	223.0	223.0
	34.0	62.0	196.0	211.0	211.0	211.0
	36.0	56.0	181.0	199.0	200.0	200.0
	38.0	51.0	168.0	189.0	189.0	189.0
	40.0	46.0	156.0	177.0	179.0	179.0
	44.0	38.0	136.0	155.0	161.0	161.0
	48.0	31.0	120.0	137.0	147.0	147.0
	52.0	25.1	106.0	122.0	135.0	135.0
	56.0	19.5	94.0	109.0	123.0	123.0
	60.0	14.2	84.0	98.0	113.0	113.0
105m	64.0	9.3	75.0	88.0	103.0	103.0
	68.0	5.6	68.0	79.0	94.0	94.0
	72.0	-	61.0	72.0	86.0	86.0
	76.0	-	55.0	65.0	78.0	78.0
	80.0	-	49.5	60.0	71.0	71.0
	84.0	-	45.0	54.0	64.0	64.0
	88.0	-	42.5	52.0	58.0	58.0
	14.0	185.0	221.0	221.0	221.0	221.0
	16.0	161.0	220.0	220.0	220.0	220.0
	18.0	142.0	219.0	219.0	219.0	219.0
	20.0	125.0	217.0	217.0	217.0	217.0
	22.0	112.0	215.0	215.0	215.0	215.0
	24.0	100.0	214.0	214.0	214.0	214.0
	26.0	90.0	213.0	213.0	213.0	213.0
	28.0	81.0	211.0	211.0	211.0	211.0
	30.0	73.0	208.0	208.0	208.0	208.0
	32.0	66.0	202.0	202.0	202.0	203.0
	34.0	60.0	195.0	197.0	197.0	197.0
	36.0	54.0	181.0	189.0	189.0	189.0
	38.0	49.0	167.0	179.0	179.0	179.0
	40.0	44.5	156.0	170.0	170.0	170.0
112m	44.0	36.0	135.0	154.0	154.0	154.0
	48.0	26.8	119.0	136.0	140.0	140.0
	52.0	21.2	105.0	121.0	128.0	128.0
	56.0	16.5	93.0	107.0	118.0	118.0
	60.0	12.2	83.0	96.0	108.0	108.0
	64.0	8.2	74.0	87.0	99.0	99.0
	68.0	-	66.0	78.0	91.0	91.0
	72.0	-	59.0	70.0	83.0	83.0
	76.0	-	53.0	64.0	76.0	76.0
	80.0	-	48.0	58.0	70.0	70.0
	84.0	-	43.0	53.0	64.0	64.0
	88.0	-	38.5	48.0	58.0	58.0
	92.0	-	35.0	43.5	52.0	52.0
	96.0	-	33.0	41.5	46.5	46.5
	14.0	178.0	192.0	192.0	192.0	192.0
	16.0	155.0	192.0	192.0	192.0	192.0
	18.0	137.0	191.0	191.0	191.0	191.0
	20.0	121.0	191.0	191.0	191.0	191.0
	22.0	108.0	191.0	191.0	191.0	191.0
	24.0	97.0	190.0	190.0	190.0	191.0
	26.0	87.0	190.0	190.0	190.0	190.0
	28.0	78.0	190.0	190.0	190.0	190.0
	30.0	70.0	190.0	190.0	190.0	190.0
	32.0	64.0	188.0	188.0	188.0	188.0
	34.0	58.0	182.0	187.0	187.0	187.0
	36.0	52.0	177.0	183.0	185.0	185.0
	38.0	47.0	167.0	177.0	177.0	177.0
	40.0	42.5	155.0	167.0	167.0	167.0
	44.0	34.5	135.0	151.0	151.0	151.0
	48.0	25.6	118.0	135.0	138.0	138.0
	52.0	18.1	104.0	120.0	125.0	125.0
	56.0	14.6	92.0	107.0	115.0	115.0
	60.0	11.3	82.0	96.0	106.0	106.0

MB	m	SD	SDBW			
			13m	15m	18m	20m
112m	64.0	8.3	73.0	86.0	98.0	98.0
	68.0	5.4	65.0	77.0	90.0	90.0
	72.0	-	58.0	70.0	82.0	82.0
	76.0	-	52.0	63.0	75.0	75.0
	80.0	-	47.0	57.0	69.0	69.0
	84.0	-	42.0	52.0	63.0	63.0
	88.0	-	37.5	46.5	57.0	57.0
	92.0	-	33.5	42.5	52.0	52.0
	96.0	-	30.0	38.5	46.5	46.5
	100.0	-	28.6	36.5	41.5	41.5
	14.0	167.0	167.0	167.0	167.0	167.0
	16.0	149.0	167.0	167.0	167.0	167.0
	18.0	131.0	166.0	166.0	166.0	166.0
	20.0	117.0	166.0	166.0	166.0	166.0
	22.0	104.0	165.0	165.0	165.0	165.0
	24.0	93.0	165.0	165.0	165.0	165.0
	26.0	83.0	164.0	164.0	164.0	164.0
	28.0	75.0	164.0	164.0	164.0	164.0
	30.0	68.0	164.0	164.0	164.0	164.0
	32.0	61.0	163.0	163.0	163.0	163.0
119m	34.0	55.0	161.0	161.0	161.0	161.0
	36.0	49.5	158.0	158.0	158.0	158.0
	38.0	45.0	155.0	156.0	156.0	156.0
	40.0	40.5	151.0	154.0	154.0	154.0
	44.0	32.0	134.0	146.0	146.0	147.0
	48.0	23.2	117.0	133.0	133.0	133.0
	52.0	16.5	103.0	119.0	122.0	122.0
	56.0	13.4	91.0	106.0	112.0	112.0
	60.0	10.5	81.0	94.0	103.0	103.0
	64.0	7.0	72.0	85.0	95.0	95.0
	68.0	-	64.0	76.0	87.0	87.0
	72.0	-	57.0	68.0	80.0	80.0
	76.0	-	51.0	62.0	73.0	73.0
	80.0	-	45.5	56.0	64.0	64.0
	84.0	-	40.5	50.0	60.0	60.0
	88.0	-	36.0	45.0	55.0	55.0
	92.0	-	32.0	40.5	51.0	50.0
	96.0	-	28.3	36.5	46.0	46.0
	100.0	-	25.0	33.0	41.0	41.0
	104.0	-	22.0	29.7	36.5	36.5
	108.0	-	20.8	28.2	32.0	32.0
126m	16.0	143.0	144.0	144.0	144.0	144.0
	18.0	126.0	143.0	143.0	143.0	143.0
	20.0	112.0	143.0	143.0	143.0	143.0
	22.0	99.0	143.0	143.0	143.0	143.0
	24.0	89.0	142.0	142.0	142.0	142.0
	26.0	80.0	142.0	142.0	142.0	142.0
	28.0	71.0	142.0	142.0	142.0	142.0
	30.0	64.0	141.0	141.0	141.0	141.0
	32.0	58.0	141.0	141.0	141.0	141.0
	34.0	52.0	140.0	140.0	140.0	140.0
	36.0	47.0	139.0	139.0	139.0	139.0
	38.0	42.0	136.0	138.0	138.0	138.0
	40.0	38.0	133.0	137.0	137.0	137.0
	44.0	30.0	127.0	132.0	133.0	133.0
	48.0	23.0	117.0	126.0	128.0	128.0
	52.0	16.3	103.0	117.0	117.0	117.0
	56.0	10.1	91.0	106.0	107.0	107.0
	60.0	7.1	81.0	94.0	99.0	99.0
	64.0	5.2	71.0	84.0	91.0	91.0
	68.0	-	64.0	76.0	84.0	84.0
	72.0	-	57.0	68.0	78.0	78.0
	76.0	-	50.0	61.0	71.0	71.0
	80.0	-	45.0	55.0	65.0	65.0
	84.0	-	40.0	49.5	60.0	60.0
	88.0	-	35.5	44.5	55.0	55.0
	92.0	-	31.5	40.0	50.0	50.0
	96.0	-	27.5	36.0	45.0	45.0
	100.0	-	24.1	32.0	41.0	41.0
	104.0	-	21.0	28.7	36.5	36.5
	108.0	-	18.2	25.6	32.5	32.5
	112.0	-	17.2	24.3	28.4	28.4

MB	m	SD	SDBW			
			13m	15m	18m	20m
		t	t	t	t	
133m	16.0	124.0	124.0	124.0	124.0	124.0
	18.0	121.0	123.0	123.0	123.0	123.0
	20.0	107.0	123.0	123.0	123.0	123.0
	22.0	96.0	123.0	123.0	123.0	123.0
	24.0	85.0	122.0	122.0	122.0	122.0
	26.0	76.0	122.0	122.0	122.0	122.0
	28.0	69.0	122.0	122.0	122.0	122.0
	30.0	62.0	122.0	122.0	122.0	122.0
	32.0	55.0	121.0	121.0	121.0	121.0
	34.0	49.5	119.0	119.0	119.0	119.0
	36.0	44.5	117.0	117.0	117.0	117.0
	38.0	40.0	116.0	116.0	116.0	116.0
	40.0	35.5	115.0	115.0	115.0	115.0
	44.0	28.2	112.0	112.0	112.0	112.0
	48.0	21.2	109.0	109.0	109.0	109.0
	52.0	14.8	102.0	105.0	105.0	105.0
	56.0	8.8	90.0	102.0	102.0	102.0
	60.0	5.1	80.0	93.0	95.0	95.0
	64.0	-	71.0	83.0	88.0	88.0
	68.0	-	63.0	75.0	81.0	81.0
	72.0	-	56.0	67.0	75.0	75.0
	76.0	-	49.5	60.0	69.0	69.0
	80.0	-	43.5	54.0	63.0	63.0
	84.0	-	38.5	48.5	58.0	58.0
	88.0	-	34.0	43.5	53.0	53.0
	92.0	-	30.0	38.5	48.5	48.5
	96.0	-	26.2	34.5	41.5	41.5
	100.0	-	22.7	31.0	37.5	37.5
	104.0	-	19.6	27.3	34.0	34.0
	108.0	-	16.6	24.1	30.5	30.5
	112.0	-	14.0	21.1	27.0	27.0
	116.0	-	11.5	18.4	23.6	23.6
120.0	-	10.7	17.3	20.0	20.0	
140m	16.0	105.0	105.0	105.0	105.0	105.0
	18.0	105.0	105.0	105.0	105.0	105.0
	20.0	104.0	104.0	104.0	104.0	104.0
	22.0	93.0	104.0	104.0	104.0	104.0
	24.0	83.0	103.0	103.0	103.0	103.0
	26.0	74.0	103.0	103.0	103.0	103.0
	28.0	66.0	102.0	102.0	102.0	102.0
	30.0	60.0	102.0	102.0	102.0	102.0
	32.0	53.0	101.0	101.0	101.0	101.0
	34.0	48.0	101.0	101.0	101.0	101.0
	36.0	43.0	100.0	100.0	100.0	100.0
	38.0	38.5	99.0	99.0	99.0	99.0
	40.0	34.5	98.0	98.0	98.0	98.0
	44.0	26.4	96.0	96.0	96.0	96.0
	48.0	17.6	94.0	94.0	94.0	94.0
	52.0	10.3	92.0	92.0	92.0	92.0
	56.0	8.0	87.0	89.0	89.0	89.0
	60.0	5.4	78.0	85.0	86.0	86.0
	64.0	-	69.0	81.0	83.0	83.0
	68.0	-	61.0	73.0	77.0	77.0
	72.0	-	54.0	66.0	71.0	71.0
	76.0	-	48.0	59.0	65.0	65.0
	80.0	-	42.5	52.0	60.0	60.0
	84.0	-	37.0	47.0	55.0	55.0
	88.0	-	32.5	42.0	51.0	51.0
	92.0	-	28.5	37.5	46.5	46.5
	96.0	-	24.7	33.0	42.0	42.0
	100.0	-	21.2	29.3	38.0	38.0
	104.0	-	18.1	25.8	34.0	34.0
	108.0	-	15.1	22.6	30.5	30.5
	112.0	-	12.5	19.6	26.7	26.7
	116.0	-	10.0	16.9	23.3	23.3
120.0	-	7.7	14.3	19.9	19.9	
124.0	-	7.7	13.4	16.6	16.6	




LIEBHERR LR 1750

Working ranges
Portées

750 TON

Arbeitsbereiche
Werkbereich

SW






LIEBHERR LR 1750

Working ranges
Portées

750 TON

Arbeitsbereiche
Werkbereich

SDW + SDWBW






LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
35 m	28 m	14.0	270.0	380.0	380.0	380.0	380.0
		16.0	236.0	372.0	372.0	372.0	372.0
		18.0	208.0	363.0	363.0	363.0	363.0
		20.0	183.0	350.0	350.0	349.0	349.0
		22.0	162.0	336.0	337.0	337.0	337.0
		24.0	146.0	305.0	313.0	312.0	312.0
		26.0	132.0	278.0	283.0	283.0	283.0
		28.0	120.0	255.0	256.0	256.0	256.0
		30.0	110.0	222.0	222.0	222.0	222.0
		32.0	100.0	216.0	216.0	216.0	216.0
	35 m	16.0	226.0	316.0	315.0	315.0	315.0
		18.0	201.0	307.0	306.0	306.0	306.0
		20.0	181.0	298.0	298.0	298.0	298.0
		22.0	161.0	290.0	290.0	290.0	290.0
		24.0	144.0	281.0	281.0	281.0	281.0
		26.0	130.0	273.0	272.0	272.0	272.0
		28.0	119.0	254.0	254.0	254.0	254.0
		30.0	109.0	233.0	233.0	233.0	233.0
		32.0	100.0	216.0	216.0	216.0	216.0
		34.0	93.0	196.0	196.0	196.0	196.0
	42 m	18.0	194.0	258.0	258.0	258.0	258.0
		20.0	175.0	252.0	252.0	252.0	252.0
		22.0	159.0	247.0	247.0	247.0	247.0
		24.0	143.0	242.0	242.0	242.0	242.0
		26.0	130.0	236.0	236.0	236.0	236.0
		28.0	118.0	230.0	230.0	230.0	230.0
		30.0	108.0	224.0	224.0	224.0	224.0
		32.0	99.0	214.0	214.0	214.0	214.0
		34.0	92.0	197.0	197.0	197.0	197.0
		36.0	85.0	184.0	184.0	184.0	184.0
	49 m	20.0	169.0	211.0	211.0	211.0	211.0
		22.0	154.0	207.0	207.0	207.0	207.0
		24.0	141.0	204.0	204.0	204.0	204.0
		26.0	129.0	200.0	200.0	200.0	200.0
		28.0	117.0	197.0	197.0	197.0	197.0
		30.0	107.0	193.0	193.0	193.0	193.0
		32.0	98.0	190.0	190.0	190.0	190.0
		34.0	91.0	186.0	186.0	186.0	186.0
		36.0	84.0	183.0	183.0	183.0	183.0
		38.0	78.0	169.0	169.0	169.0	169.0
	56 m	20.0	163.0	178.0	178.0	178.0	178.0
		22.0	148.0	174.0	174.0	174.0	174.0
		24.0	136.0	171.0	171.0	171.0	171.0
		26.0	125.0	168.0	168.0	168.0	168.0
		28.0	116.0	166.0	166.0	166.0	166.0
		30.0	106.0	163.0	163.0	163.0	163.0
		32.0	97.0	161.0	161.0	161.0	161.0
		34.0	89.0	158.0	158.0	158.0	158.0
		36.0	82.0	156.0	156.0	156.0	156.0
		38.0	76.0	154.0	154.0	154.0	154.0
	63 m	22.0	143.0	148.0	148.0	148.0	148.0
		24.0	131.0	146.0	146.0	146.0	146.0
		26.0	121.0	144.0	144.0	144.0	144.0
		28.0	111.0	142.0	142.0	142.0	142.0
		30.0	103.0	140.0	140.0	140.0	140.0
		32.0	95.0	138.0	138.0	138.0	138.0
		34.0	88.0	136.0	136.0	136.0	136.0
		36.0	81.0	134.0	134.0	134.0	134.0
		38.0	75.0	133.0	133.0	133.0	133.0
		40.0	69.0	131.0	131.0	131.0	131.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
35 m	70 m	24.0	126.0	127.0	127.0	127.0	127.0
		26.0	116.0	125.0	125.0	125.0	125.0
		28.0	107.0	124.0	124.0	124.0	124.0
		30.0	99.0	123.0	123.0	123.0	123.0
		32.0	93.0	121.0	121.0	121.0	121.0
		34.0	85.0	120.0	120.0	120.0	120.0
		36.0	79.0	119.0	119.0	119.0	119.0
		38.0	73.0	117.0	117.0	117.0	117.0
		40.0	67.0	116.0	116.0	116.0	116.0
		44.0	58.0	113.0	113.0	113.0	113.0
	77 m	26.0	105.0	105.0	105.0	105.0	105.0
		28.0	104.0	104.0	104.0	104.0	104.0
		30.0	97.0	104.0	104.0	104.0	104.0
		32.0	90.0	103.0	103.0	103.0	103.0
		34.0	84.0	102.0	102.0	102.0	102.0
		36.0	78.0	101.0	101.0	101.0	101.0
		38.0	72.0	100.0	100.0	100.0	100.0
		40.0	67.0	100.0	100.0	100.0	100.0
		44.0	58.0	97.0	97.0	97.0	97.0
		48.0	50.0	95.0	95.0	95.0	95.0
	84 m	28.0	88.0	88.0	88.0	88.0	88.0
		30.0	87.0	87.0	87.0	87.0	87.0
		32.0	86.0	86.0	86.0	86.0	86.0
		34.0	82.0	85.0	85.0	85.0	85.0
		36.0	77.0	85.0	85.0	85.0	85.0
		38.0	72.0	84.0	84.0	84.0	84.0
		40.0	66.0	83.0	83.0	83.0	83.0
		44.0	57.0	82.0	82.0	82.0	82.0
		48.0	49.0	80.0	80.0	80.0	80.0
		52.0	42.5	79.0	79.0	79.0	79.0
	91 m	30.0	74.0	74.0	74.0	74.0	74.0
		32.0	74.0	74.0	74.0	74.0	74.0
		34.0	73.0	73.0	73.0	73.0	73.0
		36.0	73.0	73.0	73.0	73.0	73.0
		38.0	69.0	72.0	72.0	72.0	72.0
		40.0	65.0	71.0	71.0	71.0	71.0
		44.0	55.0	70.0	70.0	70.0	70.0
		48.0	47.5	68.0	68.0	68.0	68.0
		52.0	41.0	66.0	66.0	66.0	66.0
		56.0	35.5	65.0	65.0	65.0	65.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
35 m	98 m	30.0	61.0	61.0	61.0	61.0	61.0
		32.0	60.0	60.0	60.0	60.0	60.0
		34.0	59.0	59.0	59.0	59.0	59.0
		36.0	59.0	59.0	59.0	59.0	59.0
		38.0	58.0	58.0	58.0	58.0	58.0
		40.0	58.0	58.0	58.0	58.0	58.0
		44.0	55.0	57.0	57.0	57.0	57.0
		48.0	47.5	56.0	56.0	56.0	56.0
		52.0	40.5	55.0	55.0	55.0	55.0
		56.0	35.0	54.0	54.0	54.0	54.0
		60.0	30.0	53.0	53.0	53.0	53.0
		64.0	25.8	52.0	52.0	52.0	52.0
		68.0	21.9	51.0	51.0	51.0	51.0
		72.0	18.5	50.0	50.0	50.0	50.0
		76.0	15.5	50.0	50.0	50.0	50.0
		80.0	13.3	49.5	49.5	49.5	49.5
		84.0	11.6	49.5	49.5	49.5	49.5
		88.0	10.1	45.5	45.5	45.5	45.5
		92.0	8.7	40.0	39.5	39.5	39.5
		96.0	7.5	33.5	33.5	33.5	33.5
	105 m	32.0	52.0	52.0	52.0	52.0	52.0
		34.0	52.0	52.0	52.0	52.0	52.0
		36.0	51.0	51.0	51.0	51.0	51.0
		38.0	51.0	51.0	51.0	51.0	51.0
		40.0	50.0	50.0	50.0	50.0	50.0
		44.0	49.5	49.5	49.5	49.5	49.5
		48.0	45.5	48.5	48.5	48.5	48.5
		52.0	39.0	47.5	47.5	47.5	47.5
		56.0	33.0	46.5	46.5	46.5	46.5
		60.0	28.2	45.5	45.5	45.5	45.5
		64.0	23.8	44.5	44.5	44.5	44.5
		68.0	19.9	43.5	43.5	43.5	43.5
		72.0	16.3	42.5	42.5	42.5	42.5
		76.0	13.7	41.5	41.5	41.5	41.5
		80.0	11.8	41.0	41.0	41.0	41.0
		84.0	10.1	40.5	40.5	40.5	40.5
		88.0	8.6	40.0	40.0	40.0	40.0
		92.0	7.2	39.5	39.5	39.5	39.5
		96.0	6.0	36.5	36.5	36.5	36.5
		100.0	4.8	31.0	31.0	31.0	31.0
42 m	28 m	14.0	256.0	356.0	355.0	355.0	355.0
		16.0	225.0	345.0	345.0	344.0	344.0
		18.0	200.0	334.0	334.0	334.0	334.0
		20.0	180.0	323.0	323.0	323.0	323.0
		22.0	161.0	312.0	312.0	312.0	312.0
		24.0	145.0	303.0	302.0	302.0	302.0
		26.0	131.0	278.0	290.0	290.0	290.0
		28.0	119.0	255.0	266.0	266.0	266.0
		30.0	109.0	232.0	232.0	232.0	232.0
		16.0	216.0	290.0	290.0	290.0	290.0
		18.0	192.0	282.0	282.0	282.0	282.0
		20.0	173.0	275.0	275.0	275.0	275.0
	35 m	22.0	157.0	268.0	268.0	268.0	268.0
		24.0	144.0	260.0	260.0	260.0	260.0
		26.0	130.0	253.0	253.0	253.0	253.0
		28.0	118.0	246.0	246.0	246.0	246.0
		30.0	108.0	235.0	239.0	238.0	238.0
		32.0	99.0	218.0	224.0	224.0	224.0
		34.0	92.0	203.0	203.0	203.0	203.0
		36.0	85.0	182.0	181.0	181.0	181.0
		38.0	79.0	157.0	157.0	157.0	157.0
		18.0	186.0	236.0	236.0	236.0	236.0
		20.0	168.0	231.0	231.0	231.0	231.0
		22.0	153.0	226.0	226.0	226.0	226.0
	42 m	24.0	140.0	221.0	221.0	221.0	221.0
		26.0	129.0	216.0	216.0	216.0	216.0
		28.0	117.0	211.0	211.0	211.0	211.0
		30.0	107.0	206.0	206.0	206.0	206.0
		32.0	99.0	202.0	202.0	202.0	202.0
		34.0	91.0	198.0	198.0	198.0	198.0
		36.0	84.0	189.0	190.0	190.0	190.0
		38.0	78.0	177.0	177.0	177.0	177.0
		40.0	73.0	162.0	162.0	162.0	162.0
		44.0	64.0	131.0	131.0	130.0	130.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
42 m	49 m	20.0	161.0	195.0	195.0	195.0	195.0
		22.0	147.0	191.0	191.0	191.0	191.0
		24.0	135.0	188.0	188.0	188.0	188.0
		26.0	124.0	185.0	185.0	185.0	185.0
		28.0	115.0	183.0	182.0	182.0	182.0
		30.0	106.0	179.0	178.0	178.0	178.0
		32.0	97.0	175.0	175.0	175.0	175.0
		34.0	89.0	171.0	171.0	171.0	171.0
		36.0	83.0	168.0	168.0	168.0	168.0
		38.0	77.0	165.0	165.0	165.0	165.0
		40.0	71.0	162.0	162.0	162.0	162.0
		44.0	63.0	147.0	147.0	147.0	147.0
	56 m	48.0	55.0	125.0	125.0	125.0	125.0
		22.0	142.0	160.0	160.0	160.0	160.0
		24.0	130.0	158.0	158.0	158.0	158.0
		26.0	120.0	156.0	156.0	156.0	156.0
		28.0	111.0	154.0	154.0	154.0	154.0
		30.0	103.0	153.0	153.0	153.0	153.0
		32.0	96.0	150.0	150.0	150.0	150.0
		34.0	88.0	147.0	147.0	147.0	147.0
		36.0	81.0	145.0	145.0	144.0	144.0
		38.0	75.0	142.0	142.0	142.0	142.0
		40.0	70.0	140.0	140.0	140.0	140.0
		44.0	61.0	136.0	135.0	135.0	135.0
	63 m	48.0	54.0	128.0	128.0	128.0	128.0
		52.0	47.5	111.0	111.0	111.0	111.0
		56.0	42.0	94.0	93.0	93.0	93.0
		22.0	137.0	140.0	139.0	139.0	139.0
		24.0	125.0	137.0	137.0	137.0	137.0
		26.0	116.0	136.0	136.0	136.0	136.0
		28.0	107.0	134.0	134.0	134.0	134.0
		30.0	99.0	132.0	132.0	132.0	132.0
		32.0	92.0	131.0	131.0	131.0	131.0
		34.0	86.0	129.0	129.0	129.0	129.0
		36.0	80.0	127.0	127.0	127.0	127.0
		38.0	74.0	126.0	126.0	126.0	126.0
	70 m	40.0	68.0	124.0	124.0	124.0	124.0
		44.0	59.0	122.0	121.0	121.0	121.0
		48.0	52.0	119.0	119.0	119.0	119.0
		52.0	45.5	114.0	114.0	114.0	114.0
		56.0	40.0	102.0	102.0	102.0	102.0
		60.0	35.5	88.0	88.0	88.0	88.0
		64.0	32.0	74.0	74.0	74.0	74.0
		24.0	118.0	118.0	118.0	118.0	118.0
		26.0	112.0	116.0	116.0	116.0	116.0
		28.0	104.0	114.0	114.0	114.0	114.0
		30.0	96.0	113.0	113.0	113.0	113.0
		32.0	90.0	111.0	111.0	111.0	111.0
	77 m	34.0	84.0	110.0	110.0	110.0	110.0
		36.0	79.0	109.0	109.0	109.0	109.0
		38.0	73.0	108.0	108.0	108.0	108.0
		40.0	67.0	106.0	106.0	106.0	106.0
		44.0	58.0	104.0	104.0	104.0	104.0
		48.0	51.0	103.0	103.0	102.0	102.0
		52.0	44.5	101.0	101.0	101.0	101.0
		56.0	39.0	98.0	98.0	98.0	98.0
		60.0	34.5	93.0	93.0	93.0	93.0
		64.0	30.5	82.0	82.0	82.0	82.0
		68.0	26.8	71.0	71.0	71.0	71.0
		26.0	99.0	99.0	99.0	99.0	99.0
	77 m	28.0	98.0	98.0	98.0	98.0	98.0
		30.0	93.0	97.0	97.0	97.0	97.0
		32.0	86.0	96.0	96.0	96.0	96.0
		34.0	81.0	95.0	95.0	95.0	95.0
		36.0	76.0	94.0	94.0	94.0	94.0
		38.0	71.0	94.0	94.0	94.0	94.0
		40.0	66.0	93.0	93.0	93.0	93.0
		44.0	56.0	91.0	91.0	91.0	91.0
		48.0	49.0	89.0	89.0	89.0	89.0
		52.0	42.5	87.0	87.0	87.0	87.0
		56.0	37.0	85.0	85.0	85.0	85.0
		60.0	32.5	84.0	84.0	84.0	84.0
64.0	28.4	82.0	82.0	82.0	82.0		
68.0	24.9	76.0	76.0	76.0	76.0		
72.0	21.8	67.0	67.0	67.0	67.0		
76.0	19.0	57.0	57.0	57.0	57.0		




LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
42 m	84 m	28.0	82.0	82.0	82.0	82.0	82.0
		30.0	81.0	81.0	81.0	81.0	81.0
		32.0	80.0	80.0	80.0	80.0	80.0
		34.0	79.0	80.0	80.0	80.0	80.0
		36.0	74.0	79.0	79.0	79.0	79.0
		38.0	69.0	78.0	78.0	78.0	78.0
		40.0	65.0	78.0	78.0	78.0	78.0
		44.0	56.0	77.0	77.0	77.0	77.0
		48.0	48.0	75.0	75.0	75.0	75.0
		52.0	42.0	74.0	74.0	74.0	74.0
		56.0	36.5	73.0	73.0	73.0	73.0
		60.0	31.5	72.0	72.0	72.0	72.0
		64.0	27.4	71.0	71.0	71.0	71.0
		68.0	23.8	69.0	69.0	69.0	69.0
		72.0	20.5	68.0	68.0	68.0	68.0
		76.0	17.6	62.0	62.0	62.0	62.0
		80.0	15.2	54.0	54.0	54.0	54.0
		84.0	13.5	45.5	45.5	45.5	45.5
	91 m	30.0	70.0	70.0	70.0	70.0	70.0
		32.0	69.0	69.0	69.0	69.0	69.0
		34.0	68.0	68.0	68.0	68.0	68.0
		36.0	68.0	68.0	68.0	68.0	68.0
		38.0	66.0	67.0	67.0	67.0	67.0
		40.0	62.0	67.0	67.0	67.0	67.0
		44.0	54.0	66.0	66.0	66.0	66.0
		48.0	46.5	64.0	64.0	64.0	64.0
		52.0	40.0	63.0	63.0	63.0	63.0
		56.0	34.5	62.0	62.0	62.0	62.0
		60.0	29.7	60.0	60.0	60.0	60.0
		64.0	25.5	59.0	59.0	59.0	59.0
		68.0	21.8	58.0	58.0	58.0	58.0
		72.0	18.4	57.0	57.0	57.0	57.0
		76.0	15.5	56.0	56.0	56.0	56.0
		80.0	13.5	55.0	55.0	55.0	55.0
		84.0	11.9	51.0	51.0	51.0	51.0
		88.0	10.4	44.0	44.0	44.0	44.0
	98 m	32.0	58.0	58.0	58.0	58.0	58.0
		34.0	57.0	57.0	57.0	57.0	57.0
		36.0	57.0	57.0	57.0	57.0	57.0
		38.0	56.0	56.0	56.0	56.0	56.0
		40.0	55.0	55.0	55.0	55.0	55.0
		44.0	54.0	54.0	54.0	54.0	54.0
		48.0	46.5	53.0	53.0	53.0	53.0
		52.0	39.5	52.0	52.0	52.0	52.0
		56.0	34.0	51.0	51.0	51.0	51.0
		60.0	29.1	50.0	50.0	50.0	50.0
		64.0	24.8	49.0	49.0	49.0	49.0
		68.0	20.9	48.0	48.0	48.0	48.0
		72.0	17.4	47.5	47.5	47.5	47.5
		76.0	14.7	47.0	47.0	47.0	47.0
		80.0	12.7	46.0	46.0	46.0	46.0
		84.0	11.0	45.5	45.5	45.5	45.5
		88.0	9.5	45.5	45.5	45.5	45.5
		92.0	8.2	42.0	42.0	42.0	42.0
		96.0	7.0	35.5	35.5	35.5	35.5
	105 m	34.0	49.0	49.0	49.0	49.0	49.0
		36.0	48.5	48.5	48.5	48.5	48.5
		38.0	48.0	48.0	48.0	48.0	48.0
		40.0	47.5	47.5	47.5	47.5	47.5
		44.0	46.5	46.5	46.5	46.5	46.5
		48.0	44.5	46.0	46.0	46.0	46.0
		52.0	38.0	45.5	45.5	45.5	45.5
		56.0	32.0	44.5	44.5	44.5	44.5
		60.0	27.1	43.5	43.5	43.5	43.5
		64.0	22.7	42.5	42.5	42.5	42.5
		68.0	18.7	41.5	41.5	41.5	41.5
		72.0	15.3	41.0	41.0	41.0	41.0
		76.0	13.0	40.0	40.0	40.0	40.0
		80.0	11.1	39.5	39.5	39.5	39.5
		84.0	9.4	39.0	39.0	39.0	39.0
		88.0	8.0	38.0	38.0	38.0	38.0
		92.0	6.6	38.0	38.0	38.0	38.0
		96.0	5.4	37.5	37.5	37.5	37.5
		100.0	4.3	33.0	33.0	33.0	33.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
49 m	28 m	14.0	243.0	324.0	324.0	324.0	324.0
		16.0	214.0	314.0	314.0	313.0	313.0
		18.0	191.0	304.0	304.0	304.0	304.0
		20.0	172.0	295.0	295.0	295.0	295.0
		22.0	157.0	285.0	285.0	285.0	285.0
		24.0	143.0	277.0	277.0	277.0	277.0
		26.0	130.0	268.0	268.0	268.0	268.0
		28.0	119.0	255.0	259.0	259.0	259.0
		30.0	109.0	235.0	242.0	242.0	242.0
		32.0	100.0	214.0	214.0	214.0	214.0
	35 m	16.0	206.0	264.0	263.0	263.0	263.0
		18.0	184.0	256.0	256.0	256.0	256.0
		20.0	166.0	250.0	250.0	250.0	250.0
		22.0	151.0	244.0	244.0	243.0	243.0
		24.0	138.0	237.0	237.0	236.0	236.0
		26.0	128.0	230.0	230.0	230.0	230.0
		28.0	117.0	224.0	224.0	224.0	224.0
		30.0	108.0	219.0	219.0	218.0	218.0
		32.0	99.0	214.0	214.0	214.0	214.0
		34.0	91.0	203.0	208.0	208.0	208.0
	42 m	18.0	178.0	215.0	215.0	215.0	215.0
		20.0	161.0	211.0	211.0	211.0	211.0
		22.0	147.0	207.0	207.0	207.0	207.0
		24.0	134.0	203.0	203.0	203.0	203.0
		26.0	124.0	199.0	199.0	199.0	199.0
		28.0	115.0	194.0	194.0	194.0	194.0
		30.0	107.0	190.0	190.0	190.0	190.0
		32.0	98.0	186.0	186.0	186.0	186.0
		34.0	91.0	183.0	183.0	183.0	183.0
		36.0	84.0	178.0	178.0	178.0	178.0
	49 m	18.0	178.0	215.0	215.0	215.0	215.0
		20.0	161.0	211.0	211.0	211.0	211.0
		22.0	147.0	207.0	207.0	207.0	207.0
		24.0	134.0	203.0	203.0	203.0	203.0
		26.0	124.0	199.0	199.0	199.0	199.0
		28.0	115.0	194.0	194.0	194.0	194.0
		30.0	107.0	190.0	190.0	190.0	190.0
		32.0	98.0	186.0	186.0	186.0	186.0
		34.0	91.0	183.0	183.0	183.0	183.0
		36.0	84.0	178.0	178.0	178.0	178.0
	56 m	18.0	178.0	215.0	215.0	215.0	215.0
		20.0	161.0	211.0	211.0	211.0	211.0
		22.0	147.0	207.0	207.0	207.0	207.0
		24.0	134.0	203.0	203.0	203.0	203.0
		26.0	124.0	199.0	199.0	199.0	199.0
		28.0	115.0	194.0	194.0	194.0	194.0
		30.0	107.0	190.0	190.0	190.0	190.0
		32.0	98.0	186.0	186.0	186.0	186.0
		34.0	91.0	183.0	183.0	183.0	183.0
		36.0	84.0	178.0	178.0	178.0	178.0
	63 m	18.0	178.0	215.0	215.0	215.0	215.0
		20.0	161.0	211.0	211.0	211.0	211.0
		22.0	147.0	207.0	207.0	207.0	207.0
		24.0	134.0	203.0	203.0	203.0	203.0
		26.0	124.0	199.0	199.0	199.0	199.0
		28.0	115.0	194.0	194.0	194.0	194.0
		30.0	107.0	190.0	190.0	190.0	190.0
		32.0	98.0	186.0	186.0	186.0	186.0
		34.0	91.0	183.0	183.0	183.0	183.0
		36.0	84.0	178.0	178.0	178.0	178.0




LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
49 m	70 m	26.0	106.0	106.0	106.0	106.0	106.0
		28.0	99.0	105.0	105.0	105.0	105.0
		30.0	92.0	104.0	104.0	104.0	104.0
		32.0	86.0	103.0	103.0	103.0	103.0
		34.0	80.0	102.0	102.0	102.0	102.0
		36.0	75.0	102.0	102.0	102.0	102.0
		38.0	71.0	101.0	101.0	101.0	101.0
		40.0	66.0	99.0	99.0	99.0	99.0
		44.0	57.0	96.0	96.0	96.0	96.0
		48.0	49.5	94.0	94.0	94.0	94.0
		52.0	43.5	91.0	91.0	91.0	91.0
		56.0	38.0	89.0	89.0	89.0	89.0
		60.0	33.5	87.0	87.0	87.0	87.0
		64.0	29.5	84.0	84.0	84.0	84.0
		68.0	26.0	73.0	73.0	73.0	73.0
	77 m	26.0	92.0	92.0	92.0	92.0	92.0
		28.0	91.0	91.0	91.0	91.0	91.0
		30.0	90.0	90.0	90.0	90.0	90.0
		32.0	84.0	89.0	89.0	89.0	89.0
		34.0	78.0	88.0	88.0	88.0	88.0
		36.0	73.0	88.0	88.0	87.0	87.0
		38.0	69.0	87.0	87.0	87.0	87.0
		40.0	65.0	86.0	86.0	86.0	86.0
		44.0	57.0	84.0	84.0	84.0	84.0
		48.0	49.0	83.0	83.0	83.0	83.0
		52.0	42.5	81.0	81.0	81.0	81.0
		56.0	37.5	80.0	80.0	80.0	80.0
		60.0	32.5	78.0	78.0	78.0	78.0
		64.0	28.5	76.0	76.0	76.0	76.0
		68.0	24.9	74.0	74.0	74.0	74.0
		72.0	21.7	68.0	68.0	68.0	68.0
	84 m	76.0	19.0	59.0	59.0	59.0	59.0
		28.0	77.0	77.0	77.0	77.0	77.0
		30.0	77.0	77.0	77.0	77.0	77.0
		32.0	76.0	76.0	76.0	76.0	76.0
		34.0	75.0	75.0	75.0	75.0	75.0
		36.0	70.0	74.0	74.0	74.0	74.0
		38.0	66.0	74.0	74.0	74.0	74.0
		40.0	62.0	73.0	73.0	73.0	73.0
		44.0	55.0	72.0	72.0	72.0	72.0
		48.0	47.0	70.0	70.0	70.0	70.0
		52.0	41.0	69.0	69.0	69.0	69.0
		56.0	35.5	68.0	68.0	68.0	68.0
		60.0	30.5	67.0	67.0	67.0	67.0
		64.0	26.5	66.0	66.0	66.0	66.0
		68.0	22.9	65.0	65.0	65.0	65.0
		72.0	19.6	63.0	63.0	63.0	63.0
	91 m	76.0	16.6	63.0	63.0	63.0	63.0
		80.0	14.4	55.0	55.0	55.0	55.0
		84.0	12.9	47.5	47.0	47.0	47.0
		30.0	66.0	66.0	66.0	66.0	66.0
		32.0	65.0	65.0	65.0	65.0	65.0
		34.0	65.0	65.0	64.0	64.0	64.0
		36.0	64.0	64.0	64.0	64.0	64.0
		38.0	63.0	64.0	63.0	63.0	63.0
		40.0	59.0	63.0	63.0	63.0	63.0
		44.0	53.0	62.0	62.0	62.0	62.0
		48.0	45.5	61.0	61.0	61.0	61.0
		52.0	39.0	60.0	60.0	60.0	60.0
		56.0	33.5	59.0	59.0	59.0	59.0
		60.0	28.7	58.0	58.0	58.0	58.0
		64.0	24.5	57.0	57.0	56.0	56.0
		68.0	20.7	55.0	55.0	55.0	55.0
		72.0	17.3	55.0	55.0	55.0	55.0
		76.0	14.7	54.0	54.0	54.0	54.0
		80.0	12.8	53.0	53.0	53.0	53.0
		84.0	11.2	42.0	42.0	42.0	42.0
		88.0	9.8	45.0	45.0	45.0	45.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
49 m	98 m	32.0	55.0	55.0	55.0	55.0	55.0
		34.0	54.0	54.0	54.0	54.0	54.0
		36.0	53.0	53.0	53.0	53.0	53.0
		38.0	53.0	53.0	53.0	53.0	53.0
		40.0	52.0	52.0	52.0	52.0	52.0
		44.0	51.0	52.0	52.0	52.0	52.0
		48.0	45.0	51.0	51.0	51.0	51.0
		52.0	38.5	49.5	49.5	49.5	49.5
		56.0	33.0	48.5	48.5	48.5	48.5
		60.0	28.1	47.5	47.5	47.5	47.5
		64.0	23.8	46.5	46.5	46.5	46.5
		68.0	19.8	46.0	46.0	46.0	46.0
		72.0	16.3	45.0	45.0	45.0	45.0
		76.0	13.8	44.5	44.5	44.5	44.5
		80.0	11.9	44.0	44.0	43.5	43.5
		84.0	10.3	43.5	43.5	43.5	43.5
	105 m	88.0	8.9	43.0	43.0	43.0	43.0
		92.0	7.6	42.5	42.5	42.5	42.5
		96.0	6.4	37.0	37.0	37.0	37.0
		34.0	45.5	45.5	45.5	45.5	45.5
		36.0	45.0	45.0	45.0	45.0	45.0
		38.0	44.5	44.5	44.5	44.5	44.5
		40.0	44.0	44.0	44.0	44.0	44.0
		44.0	43.5	43.5	43.5	43.5	43.5
		48.0	42.5	42.5	42.5	42.5	42.5
		52.0	36.5	42.0	42.0	42.0	42.0
		56.0	31.0	41.5	41.5	41.5	41.5
		60.0	26.0	40.5	40.5	40.5	40.5
		64.0	21.5	40.0	40.0	40.0	40.0
		68.0	17.4	39.0	39.0	39.0	39.0
		72.0	14.3	38.5	38.5	38.5	38.5
		76.0	12.2	38.0	38.0	38.0	38.0
	28 m	80.0	10.4	37.5	37.5	37.5	37.5
		84.0	8.7	37.0	37.0	37.0	37.0
		88.0	7.3	36.5	36.5	36.5	36.5
		92.0	6.0	36.0	36.0	36.0	36.0
		96.0	4.8	36.0	36.0	36.0	36.0
		100.0	3.8	34.0	34.0	34.0	34.0
		104.0	2.9	28.8	28.7	28.7	28.7
		16.0	204.0	283.0	283.0	283.0	283.0
		18.0	182.0	275.0	275.0	275.0	275.0
		20.0	165.0	267.0	267.0	267.0	267.0
		22.0	150.0	258.0	258.0	258.0	258.0
		24.0	138.0	249.0	249.0	249.0	249.0
		26.0	127.0	242.0	241.0	241.0	241.0
		28.0	118.0	235.0	235.0	235.0	235.0
		30.0	108.0	231.0	231.0	231.0	231.0
		32.0	99.0	209.0	208.0	208.0	208.0
56 m	35 m	18.0	176.0	231.0	231.0	231.0	231.0
		20.0	159.0	225.0	225.0	225.0	225.0
		22.0	145.0	220.0	220.0	220.0	220.0
		24.0	133.0	214.0	214.0	214.0	214.0
		26.0	123.0	209.0	209.0	209.0	209.0
		28.0	114.0	204.0	204.0	204.0	204.0
		30.0	106.0	199.0	199.0	199.0	199.0
		32.0	98.0	194.0	194.0	194.0	194.0
		34.0	91.0	189.0	189.0	189.0	189.0
		36.0	84.0	186.0	186.0	186.0	186.0
		38.0	78.0	165.0	165.0	165.0	165.0
		18.0	169.0	196.0	196.0	196.0	196.0
		20.0	153.0	192.0	192.0	192.0	192.0
		22.0	140.0	189.0	189.0	189.0	189.0
		24.0	128.0	185.0	185.0	185.0	185.0
		26.0	119.0	181.0	181.0	181.0	181.0
	42 m	28.0	110.0	177.0	177.0	177.0	177.0
		30.0	102.0	173.0	173.0	173.0	173.0
		32.0	96.0	169.0	169.0	169.0	169.0
		34.0	89.0	165.0	165.0	165.0	165.0
		36.0	83.0	162.0	162.0	162.0	162.0
		38.0	77.0	158.0	158.0	158.0	158.0
		40.0	72.0	156.0	156.0	156.0	156.0
		44.0	63.0	137.0	137.0	137.0	137.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
56 m	49 m	20.0	148.0	162.0	162.0	162.0	162.0
		22.0	135.0	159.0	159.0	159.0	159.0
		24.0	124.0	157.0	157.0	157.0	157.0
		26.0	114.0	155.0	155.0	155.0	155.0
		28.0	106.0	153.0	153.0	153.0	153.0
		30.0	99.0	150.0	150.0	150.0	150.0
		32.0	92.0	146.0	146.0	146.0	146.0
		34.0	86.0	143.0	143.0	143.0	143.0
		36.0	81.0	141.0	140.0	140.0	140.0
		38.0	75.0	138.0	138.0	138.0	138.0
	56 m	40.0	70.0	135.0	135.0	135.0	135.0
		44.0	61.0	130.0	130.0	130.0	130.0
		48.0	54.0	127.0	127.0	127.0	127.0
		22.0	130.0	138.0	138.0	138.0	138.0
		24.0	120.0	135.0	135.0	135.0	135.0
		26.0	111.0	133.0	133.0	133.0	133.0
		28.0	102.0	131.0	131.0	131.0	131.0
		30.0	95.0	129.0	129.0	129.0	129.0
		32.0	89.0	127.0	127.0	127.0	127.0
		34.0	83.0	125.0	125.0	125.0	125.0
		36.0	78.0	124.0	124.0	124.0	124.0
	63 m	38.0	74.0	122.0	122.0	122.0	122.0
		40.0	69.0	120.0	120.0	120.0	120.0
		44.0	60.0	117.0	117.0	117.0	117.0
		48.0	52.0	112.0	112.0	112.0	112.0
		52.0	46.0	109.0	109.0	109.0	109.0
		56.0	41.0	95.0	95.0	95.0	95.0
		24.0	115.0	117.0	117.0	117.0	117.0
		26.0	107.0	116.0	116.0	116.0	116.0
		28.0	99.0	114.0	114.0	114.0	114.0
		30.0	92.0	112.0	112.0	112.0	112.0
	70 m	32.0	86.0	111.0	111.0	111.0	111.0
		34.0	80.0	109.0	109.0	109.0	109.0
		36.0	75.0	108.0	108.0	108.0	108.0
		38.0	71.0	106.0	106.0	106.0	106.0
		40.0	67.0	105.0	105.0	105.0	105.0
		44.0	58.0	103.0	103.0	103.0	103.0
		48.0	51.0	101.0	101.0	101.0	101.0
		52.0	44.5	97.0	97.0	97.0	97.0
		56.0	39.0	94.0	94.0	94.0	94.0
		60.0	34.5	90.0	89.0	89.0	89.0
	77 m	64.0	31.0	75.0	75.0	75.0	75.0
		26.0	98.0	98.0	98.0	98.0	98.0
		28.0	95.0	97.0	97.0	97.0	97.0
		30.0	88.0	96.0	96.0	96.0	96.0
		32.0	82.0	95.0	94.0	94.0	94.0
		34.0	77.0	93.0	93.0	93.0	93.0
		36.0	72.0	92.0	92.0	92.0	92.0
		38.0	67.0	91.0	91.0	91.0	91.0
		40.0	63.0	90.0	90.0	90.0	90.0
		44.0	56.0	88.0	88.0	88.0	88.0
	77 m	48.0	48.5	86.0	86.0	86.0	86.0
		52.0	42.5	84.0	84.0	84.0	84.0
		56.0	37.0	82.0	82.0	82.0	82.0
		60.0	32.5	81.0	81.0	81.0	81.0
		64.0	28.5	80.0	80.0	80.0	80.0
		68.0	25.1	71.0	71.0	71.0	71.0
		28.0	84.0	84.0	84.0	84.0	84.0
		30.0	83.0	83.0	83.0	83.0	83.0
		32.0	80.0	83.0	83.0	83.0	83.0
		34.0	75.0	82.0	82.0	82.0	82.0
	77 m	36.0	70.0	82.0	82.0	82.0	82.0
		38.0	66.0	81.0	81.0	81.0	81.0
		40.0	62.0	80.0	80.0	80.0	80.0
		44.0	55.0	78.0	78.0	78.0	78.0
		48.0	48.0	76.0	76.0	76.0	76.0
		52.0	41.5	75.0	75.0	75.0	75.0
		56.0	36.5	73.0	73.0	73.0	73.0
		60.0	31.5	71.0	71.0	71.0	71.0
		64.0	27.5	70.0	70.0	70.0	70.0
		68.0	23.9	69.0	69.0	69.0	69.0
	77 m	72.0	20.8	67.0	67.0	67.0	67.0
		76.0	18.0	57.0	57.0	57.0	57.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
56 m	84 m	28.0	71.0	71.0	71.0	71.0	71.0
		30.0	71.0	71.0	71.0	71.0	71.0
		32.0	70.0	70.0	70.0	70.0	70.0
		34.0	69.0	69.0	69.0	69.0	69.0
		36.0	67.0	69.0	69.0	69.0	69.0
		38.0	63.0	68.0	68.0	68.0	68.0
		40.0	59.0	68.0	68.0	68.0	68.0
		44.0	52.0	67.0	67.0	67.0	67.0
		48.0	46.0	65.0	65.0	65.0	65.0
		52.0	39.5	64.0	64.0	64.0	64.0
		56.0	34.5	63.0	63.0	63.0	63.0
		60.0	29.6	62.0	62.0	62.0	62.0
		64.0	25.4	61.0	61.0	61.0	61.0
		68.0	21.8	60.0	60.0	60.0	60.0
		72.0	18.5	59.0	59.0	59.0	59.0
		76.0	15.6	58.0	58.0	58.0	58.0
	80.0	13.7	55.0	55.0	55.0	55.0	
	84.0	12.2	46.5	46.5	46.5	46.5	
	91 m	30.0	60.0	60.0	60.0	60.0	60.0
		32.0	60.0	60.0	60.0	60.0	60.0
		34.0	59.0	59.0	59.0	59.0	59.0
		36.0	59.0	59.0	59.0	59.0	59.0
		38.0	58.0	58.0	58.0	58.0	58.0
		40.0	58.0	58.0	58.0	58.0	58.0
		44.0	51.0	57.0	57.0	57.0	57.0
		48.0	45.5	56.0	56.0	56.0	56.0
		52.0	39.5	55.0	55.0	55.0	55.0
		56.0	34.0	55.0	55.0	54.0	54.0
		60.0	29.0	54.0	54.0	54.0	54.0
		64.0	24.7	53.0	53.0	53.0	53.0
		68.0	20.9	52.0	52.0	52.0	52.0
		72.0	17.4	51.0	51.0	51.0	51.0
		76.0	14.7	50.0	50.0	50.0	50.0
		80.0	12.8	49.5	49.5	49.5	49.5
	98 m	84.0	11.2	49.0	49.0	49.0	49.0
		88.0	9.8	43.5	43.5	43.5	43.5
		32.0	51.0	51.0	51.0	51.0	51.0
		34.0	50.0	50.0	50.0	50.0	50.0
		36.0	49.5	49.5	49.5	49.5	49.5
		38.0	49.0	49.0	49.0	49.0	49.0
		40.0	48.5	48.5	48.5	48.5	48.5
		44.0	48.0	48.0	48.0	48.0	48.0
		48.0	43.0	47.0	47.0	47.0	47.0
		52.0	37.5	46.0	46.0	46.0	46.0
		56.0	32.0	45.0	45.0	45.0	45.0
		60.0	26.9	44.0	44.0	44.0	44.0
		64.0	22.5	43.0	43.0	43.0	43.0
		68.0	18.5	42.5	42.5	42.5	42.5
		72.0	15.2	41.5	41.5	41.5	41.5
		76.0	12.9	41.0	41.0	41.0	41.0
	105 m	80.0	11.2	40.5	40.5	40.5	40.5
		84.0	9.6	40.5	40.5	40.5	40.5
		88.0	8.2	40.0	40.0	40.0	40.0
		92.0	6.9	40.0	40.0	40.0	40.0
		96.0	5.8	36.0	36.0	36.0	36.0
		34.0	42.0	42.0	42.0	42.0	42.0
		36.0	42.0	42.0	42.0	42.0	42.0
		38.0	41.5	41.5	41.5	41.5	41.5
		40.0	41.5	41.5	41.5	41.5	41.5
		44.0	40.5	40.5	40.5	40.5	40.5
		48.0	40.0	40.0	40.0	40.0	40.0
		52.0	35.5	39.5	39.5	39.5	39.5
		56.0	29.7	38.5	38.5	38.5	38.5
		60.0	24.7	38.0	38.0	38.0	38.0
		64.0	20.1	37.0	37.0	37.0	37.0
		68.0	16.1	36.5	36.5	36.5	36.5
	72.0	13.3	36.0	36.0	36.0	36.0	
	76.0	11.3	35.5	35.5	35.5	35.5	
	80.0	9.5	35.0	35.0	35.0	35.0	
	84.0	8.0	34.5	34.5	34.5	34.5	
	88.0	6.6	34.5	34.5	34.5	34.5	
	92.0	5.3	34.5	34.5	34.5	34.5	
	96.0	4.2	34.0	34.0	34.0	34.0	
	100.0	3.2	33.5	33.5	33.5	33.5	
	104.0	2.3	27.7	27.7	27.7	27.7	




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
63 m	28 m	16.0	194.0	250.0	250.0	250.0	250.0
		18.0	174.0	243.0	243.0	243.0	243.0
		20.0	157.0	236.0	236.0	236.0	236.0
		22.0	144.0	227.0	227.0	227.0	227.0
		24.0	132.0	219.0	219.0	219.0	219.0
		26.0	122.0	213.0	213.0	213.0	213.0
		28.0	113.0	208.0	207.0	207.0	207.0
		30.0	106.0	203.0	203.0	203.0	203.0
		32.0	98.0	202.0	202.0	202.0	202.0
		34.0	90.0	202.0	202.0	202.0	202.0
	35 m	18.0	168.0	207.0	207.0	207.0	207.0
		20.0	152.0	202.0	202.0	202.0	202.0
		22.0	139.0	198.0	198.0	198.0	198.0
		24.0	128.0	193.0	193.0	193.0	193.0
		26.0	118.0	188.0	188.0	188.0	188.0
		28.0	109.0	184.0	184.0	184.0	184.0
		30.0	102.0	180.0	180.0	180.0	180.0
		32.0	95.0	175.0	175.0	175.0	175.0
		34.0	90.0	170.0	170.0	170.0	170.0
		36.0	84.0	166.0	166.0	166.0	166.0
	42 m	20.0	147.0	175.0	175.0	175.0	175.0
		22.0	134.0	171.0	171.0	171.0	171.0
		24.0	123.0	168.0	168.0	168.0	168.0
		26.0	114.0	165.0	165.0	165.0	165.0
		28.0	106.0	161.0	161.0	161.0	161.0
		30.0	99.0	157.0	157.0	157.0	157.0
		32.0	92.0	154.0	154.0	154.0	154.0
		34.0	86.0	151.0	151.0	151.0	151.0
		36.0	81.0	148.0	148.0	148.0	148.0
		38.0	76.0	145.0	145.0	145.0	145.0
	49 m	20.0	142.0	150.0	150.0	150.0	150.0
		22.0	129.0	147.0	147.0	147.0	147.0
		24.0	119.0	145.0	145.0	145.0	145.0
		26.0	110.0	143.0	143.0	143.0	143.0
		28.0	102.0	141.0	141.0	141.0	141.0
		30.0	95.0	139.0	139.0	139.0	139.0
		32.0	89.0	135.0	135.0	135.0	135.0
		34.0	83.0	133.0	133.0	133.0	133.0
		36.0	78.0	130.0	130.0	130.0	130.0
		38.0	74.0	127.0	127.0	127.0	127.0
	56 m	22.0	125.0	125.0	125.0	125.0	125.0
		24.0	115.0	124.0	124.0	124.0	124.0
		26.0	107.0	122.0	122.0	122.0	122.0
		28.0	99.0	121.0	121.0	121.0	121.0
		30.0	92.0	120.0	120.0	120.0	120.0
		32.0	86.0	118.0	118.0	118.0	118.0
		34.0	81.0	116.0	116.0	116.0	116.0
		36.0	76.0	114.0	114.0	114.0	114.0
		38.0	71.0	111.0	111.0	111.0	111.0
		40.0	67.0	109.0	109.0	109.0	109.0
	63 m	24.0	106.0	106.0	106.0	106.0	106.0
		26.0	102.0	105.0	105.0	105.0	105.0
		28.0	94.0	104.0	104.0	104.0	104.0
		30.0	88.0	103.0	103.0	103.0	103.0
		32.0	82.0	102.0	102.0	102.0	102.0
		34.0	76.0	101.0	101.0	101.0	101.0
		36.0	72.0	100.0	100.0	100.0	100.0
		38.0	67.0	98.0	98.0	98.0	98.0
		40.0	63.0	96.0	96.0	96.0	96.0
		44.0	57.0	93.0	93.0	93.0	93.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
63 m	70 m	26.0	92.0	92.0	92.0	92.0	92.0
		28.0	91.0	91.0	91.0	91.0	91.0
		30.0	85.0	90.0	90.0	90.0	90.0
		32.0	79.0	89.0	89.0	89.0	89.0
		34.0	74.0	88.0	88.0	88.0	88.0
		36.0	70.0	87.0	87.0	87.0	87.0
		38.0	65.0	86.0	86.0	86.0	86.0
		40.0	62.0	85.0	85.0	85.0	85.0
		44.0	55.0	83.0	83.0	83.0	83.0
		48.0	48.5	81.0	81.0	81.0	81.0
	77 m	28.0	78.0	78.0	78.0	78.0	78.0
		30.0	77.0	77.0	77.0	77.0	77.0
		32.0	76.0	77.0	77.0	77.0	77.0
		34.0	71.0	76.0	76.0	76.0	76.0
		36.0	67.0	75.0	75.0	75.0	75.0
		38.0	63.0	74.0	74.0	74.0	74.0
		40.0	59.0	73.0	73.0	73.0	73.0
		44.0	52.0	72.0	72.0	72.0	72.0
		48.0	46.5	70.0	70.0	70.0	70.0
		52.0	40.5	69.0	69.0	69.0	69.0
	84 m	28.0	78.0	78.0	78.0	78.0	78.0
		30.0	77.0	77.0	77.0	77.0	77.0
		32.0	76.0	77.0	77.0	77.0	77.0
		34.0	71.0	76.0	76.0	76.0	76.0
		36.0	67.0	75.0	75.0	75.0	75.0
		38.0	63.0	74.0	74.0	74.0	74.0
		40.0	59.0	73.0	73.0	73.0	73.0
		44.0	52.0	72.0	72.0	72.0	72.0
		48.0	46.5	70.0	70.0	70.0	70.0
		52.0	40.5	69.0	69.0	69.0	69.0
	91 m	28.0	78.0	78.0	78.0	78.0	78.0
		30.0	77.0	77.0	77.0	77.0	77.0
		32.0	76.0	77.0	77.0	77.0	77.0
		34.0	71.0	76.0	76.0	76.0	76.0
		36.0	67.0	75.0	75.0	75.0	75.0
		38.0	63.0	74.0	74.0	74.0	74.0
		40.0	59.0	73.0	73.0	73.0	73.0
		44.0	52.0	72.0	72.0	72.0	72.0
		48.0	46.5	70.0	70.0	70.0	70.0
		52.0	40.5	69.0	69.0	69.0	69.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
63 m	98 m	32.0	46.5	46.5	46.5	46.5	46.5
		34.0	46.0	46.0	46.0	46.0	46.0
		36.0	46.0	46.0	46.0	46.0	46.0
		38.0	45.5	45.5	45.5	45.5	45.5
		40.0	45.0	45.0	45.0	45.0	45.0
		44.0	44.0	44.0	44.0	44.0	44.0
		48.0	41.0	43.5	43.5	43.5	43.5
		52.0	36.0	42.5	42.5	42.5	42.5
		56.0	30.5	41.5	41.5	41.5	41.5
		60.0	25.4	40.5	40.5	40.5	40.5
		64.0	20.9	39.5	39.5	39.5	39.5
		68.0	16.7	39.0	39.0	39.0	39.0
		72.0	13.8	38.0	38.0	38.0	38.0
		76.0	11.9	37.5	37.5	37.5	37.5
		80.0	10.2	37.0	37.0	37.0	37.0
		84.0	8.7	36.5	36.5	36.5	36.5
		88.0	7.3	36.5	36.0	36.0	36.0
		92.0	6.1	36.0	36.0	36.0	36.0
		96.0	5.1	36.0	36.0	36.0	36.0
	105 m	34.0	39.5	39.5	39.5	39.5	39.5
		36.0	39.5	39.5	39.5	39.5	39.5
		38.0	39.0	39.0	39.0	39.0	39.0
		40.0	38.5	38.5	38.5	38.5	38.5
		44.0	38.0	38.0	38.0	38.0	38.0
		48.0	37.5	37.5	37.5	37.5	37.5
		52.0	34.0	36.5	36.5	36.5	36.5
		56.0	28.1	36.0	36.0	36.0	36.0
		60.0	23.0	35.0	35.0	35.0	35.0
		64.0	18.1	34.5	34.5	34.5	34.5
		68.0	14.5	34.0	34.0	34.0	34.0
		72.0	12.1	33.0	33.0	33.0	33.0
		76.0	10.2	32.5	32.5	32.5	32.5
		80.0	8.5	32.0	32.0	32.0	32.0
		84.0	7.0	32.0	32.0	32.0	32.0
		88.0	5.7	31.5	31.5	31.5	31.5
		92.0	4.5	31.5	31.5	31.5	31.5
		96.0	3.4	31.5	31.5	31.5	31.5
		100.0	2.4	31.5	31.5	31.5	31.5
		104.0	-	30.5	30.5	30.5	30.5
70 m	28 m	16.0	184.0	217.0	217.0	217.0	217.0
		18.0	166.0	212.0	212.0	212.0	212.0
		20.0	150.0	207.0	207.0	207.0	207.0
		22.0	137.0	200.0	200.0	200.0	200.0
		24.0	126.0	193.0	193.0	192.0	192.0
		26.0	117.0	186.0	186.0	186.0	186.0
		28.0	109.0	182.0	182.0	182.0	182.0
		30.0	101.0	179.0	179.0	179.0	179.0
		32.0	95.0	177.0	177.0	177.0	177.0
	35 m	18.0	160.0	183.0	183.0	183.0	183.0
		20.0	146.0	179.0	179.0	179.0	179.0
		22.0	133.0	176.0	175.0	175.0	175.0
		24.0	123.0	171.0	171.0	171.0	171.0
		26.0	113.0	166.0	166.0	166.0	166.0
		28.0	105.0	161.0	160.0	160.0	160.0
		30.0	98.0	156.0	156.0	156.0	156.0
		32.0	92.0	152.0	152.0	152.0	152.0
		34.0	86.0	150.0	149.0	149.0	149.0
		36.0	81.0	147.0	147.0	147.0	147.0
		38.0	77.0	146.0	146.0	146.0	146.0
	42 m	20.0	140.0	157.0	157.0	157.0	157.0
		22.0	128.0	154.0	154.0	154.0	154.0
		24.0	117.0	150.0	150.0	150.0	150.0
		26.0	109.0	147.0	147.0	147.0	147.0
		28.0	101.0	143.0	143.0	143.0	143.0
		30.0	94.0	139.0	139.0	139.0	139.0
		32.0	88.0	136.0	136.0	136.0	136.0
		34.0	82.0	132.0	132.0	132.0	132.0
		36.0	78.0	129.0	129.0	129.0	129.0
		38.0	73.0	127.0	127.0	127.0	127.0
		40.0	69.0	125.0	125.0	125.0	125.0
		44.0	61.0	122.0	122.0	122.0	122.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
70 m	49 m	22.0	123.0	134.0	134.0	134.0	134.0
		24.0	113.0	131.0	131.0	131.0	131.0
		26.0	105.0	129.0	129.0	129.0	129.0
		28.0	97.0	126.0	126.0	126.0	126.0
		30.0	91.0	124.0	124.0	124.0	124.0
		32.0	85.0	121.0	121.0	121.0	121.0
		34.0	79.0	118.0	118.0	118.0	118.0
		36.0	75.0	115.0	115.0	115.0	115.0
		38.0	70.0	113.0	113.0	113.0	113.0
		40.0	66.0	110.0	110.0	110.0	110.0
		44.0	59.0	107.0	107.0	107.0	107.0
		48.0	52.0	104.0	104.0	104.0	104.0
		52.0	46.0	103.0	103.0	103.0	103.0
	56 m	24.0	110.0	114.0	113.0	113.0	113.0
		26.0	101.0	111.0	111.0	111.0	111.0
		28.0	94.0	109.0	109.0	109.0	109.0
		30.0	88.0	107.0	107.0	107.0	107.0
		32.0	82.0	105.0	105.0	105.0	105.0
		34.0	77.0	104.0	104.0	104.0	104.0
		36.0	72.0	102.0	102.0	102.0	102.0
		38.0	68.0	101.0	101.0	101.0	101.0
		40.0	64.0	99.0	99.0	99.0	99.0
		44.0	57.0	95.0	95.0	95.0	95.0
		48.0	51.0	92.0	92.0	92.0	92.0
		52.0	44.5	89.0	89.0	89.0	89.0
	63 m	24.0	99.0	99.0	99.0	99.0	99.0
		26.0	97.0	98.0	98.0	98.0	98.0
		28.0	90.0	96.0	96.0	96.0	96.0
		30.0	83.0	95.0	95.0	95.0	95.0
		32.0	78.0	94.0	94.0	94.0	94.0
		34.0	73.0	93.0	93.0	93.0	93.0
		36.0	68.0	92.0	92.0	92.0	92.0
		38.0	64.0	90.0	90.0	90.0	90.0
		40.0	60.0	89.0	89.0	89.0	89.0
		44.0	54.0	86.0	86.0	86.0	86.0
		48.0	48.0	83.0	83.0	83.0	83.0
		52.0	42.0	81.0	81.0	81.0	81.0
70 m	70 m	26.0	84.0	84.0	84.0	84.0	84.0
		28.0	83.0	83.0	83.0	83.0	83.0
		30.0	81.0	82.0	82.0	82.0	82.0
		32.0	75.0	81.0	81.0	81.0	81.0
		34.0	71.0	80.0	80.0	80.0	80.0
		36.0	66.0	79.0	79.0	79.0	79.0
		38.0	62.0	79.0	79.0	79.0	79.0
		40.0	58.0	77.0	77.0	77.0	77.0
		44.0	52.0	75.0	75.0	75.0	75.0
		48.0	46.5	73.0	73.0	73.0	73.0
		52.0	41.0	72.0	72.0	72.0	72.0
		56.0	35.5	70.0	70.0	70.0	70.0
	77 m	60.0	31.0	68.0	68.0	68.0	68.0
		64.0	27.0	66.0	66.0	66.0	66.0
		68.0	23.6	65.0	65.0	65.0	65.0
		72.0	20.6	64.0	64.0	64.0	64.0
		28.0	71.0	71.0	71.0	71.0	71.0
		30.0	70.0	70.0	70.0	70.0	70.0
		32.0	69.0	69.0	69.0	69.0	69.0
		34.0	68.0	69.0	69.0	69.0	69.0
		36.0	63.0	68.0	68.0	68.0	68.0
		38.0	59.0	68.0	68.0	68.0	68.0
		40.0	56.0	67.0	67.0	67.0	67.0
		44.0	49.5	66.0	66.0	66.0	66.0
		48.0	44.0	64.0	64.0	64.0	64.0
		52.0	39.0	63.0	63.0	63.0	63.0
		56.0	33.5	61.0	61.0	61.0	61.0
		60.0	28.9	60.0	60.0	60.0	60.0
		64.0	24.8	59.0	59.0	59.0	59.0
		68.0	21.2	57.0	57.0	57.0	57.0
		72.0	18.0	56.0	56.0	56.0	56.0
		76.0	15.4	55.0	55.0	55.0	55.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
70 m	84 m	30.0	60.0	60.0	60.0	60.0	60.0
		32.0	59.0	59.0	59.0	59.0	59.0
		34.0	58.0	58.0	58.0	58.0	58.0
		36.0	58.0	58.0	58.0	58.0	58.0
		38.0	57.0	57.0	57.0	57.0	57.0
		40.0	54.0	56.0	56.0	56.0	56.0
		44.0	48.0	55.0	55.0	55.0	55.0
		48.0	43.0	54.0	54.0	54.0	54.0
		52.0	38.5	53.0	53.0	53.0	53.0
		56.0	33.0	52.0	52.0	52.0	52.0
		60.0	28.2	51.0	51.0	51.0	51.0
		64.0	24.0	51.0	51.0	51.0	51.0
		68.0	20.2	50.0	50.0	50.0	50.0
		72.0	16.7	49.0	49.0	49.0	49.0
		76.0	14.3	48.0	48.0	48.0	48.0
		80.0	12.6	47.5	47.5	47.5	47.5
		84.0	11.1	47.0	47.0	47.0	47.0
	91 m	32.0	52.0	52.0	52.0	52.0	52.0
		34.0	51.0	51.0	51.0	51.0	51.0
		36.0	51.0	51.0	51.0	51.0	51.0
		38.0	50.0	50.0	50.0	50.0	50.0
		40.0	50.0	50.0	50.0	50.0	50.0
		44.0	46.0	49.0	49.0	49.0	49.0
		48.0	40.5	48.5	48.5	48.5	48.5
		52.0	36.0	47.5	47.5	47.5	47.5
		56.0	31.0	46.5	46.5	46.5	46.5
		60.0	26.0	45.5	45.5	45.5	45.5
		64.0	21.6	45.0	45.0	45.0	45.0
		68.0	17.5	44.0	44.0	44.0	44.0
		72.0	14.5	43.0	43.0	43.0	43.0
		76.0	12.5	42.5	42.5	42.5	42.5
		80.0	10.9	41.5	41.5	41.5	41.5
		84.0	9.4	41.0	41.0	41.0	41.0
		88.0	8.1	41.0	41.0	41.0	41.0
		92.0	7.0	40.5	40.5	40.5	40.5
	98 m	34.0	42.0	42.0	42.0	42.0	42.0
		36.0	42.0	42.0	42.0	42.0	42.0
		38.0	41.5	41.5	41.5	41.5	41.5
		40.0	41.5	41.5	41.5	41.5	41.5
		44.0	40.5	40.5	40.5	40.5	40.5
		48.0	38.5	40.0	40.0	40.0	40.0
		52.0	34.0	39.5	39.5	39.5	39.5
		56.0	28.6	38.5	38.5	38.5	38.5
		60.0	23.6	37.5	37.5	37.5	37.5
		64.0	18.9	36.5	36.5	36.5	36.5
		68.0	15.2	35.5	35.5	35.5	35.5
		72.0	12.7	35.0	35.0	35.0	35.0
		76.0	10.8	34.5	34.5	34.5	34.5
		80.0	9.2	34.0	34.0	34.0	34.0
		84.0	7.7	33.0	33.0	33.0	33.0
		88.0	6.4	32.5	32.5	32.5	32.5
		92.0	5.3	32.5	32.5	32.5	32.5
		96.0	4.2	32.5	32.5	32.5	32.5
	105 m	36.0	35.5	35.5	35.5	35.5	35.5
		38.0	35.5	35.5	35.5	35.5	35.5
		40.0	35.0	35.0	35.0	35.0	35.0
		44.0	34.5	34.5	34.5	34.5	34.5
		48.0	34.0	34.0	34.0	34.0	34.0
		52.0	32.0	33.5	33.5	33.5	33.5
		56.0	26.2	33.0	33.0	33.0	33.0
		60.0	20.9	32.5	32.5	32.5	32.5
		64.0	16.2	31.5	31.5	31.5	31.5
		68.0	13.0	31.0	31.0	31.0	31.0
		72.0	11.0	30.5	30.5	30.5	30.5
		76.0	9.1	29.9	29.9	29.8	29.8
		80.0	7.5	29.4	29.4	29.4	29.4
		84.0	6.0	29.0	29.0	29.0	29.0
		88.0	4.7	28.7	28.7	28.7	28.7
		92.0	3.6	28.3	28.3	28.3	28.3
		96.0	2.5	28.1	28.1	28.0	28.0
		100.0	-	28.1	28.1	28.0	28.0
		104.0	-	28.1	28.1	28.0	28.0

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
77 m	35 m	18.0	152.0	163.0	163.0	163.0	163.0
		20.0	138.0	159.0	159.0	159.0	159.0
		22.0	126.0	155.0	155.0	155.0	155.0
		24.0	116.0	151.0	151.0	151.0	151.0
		26.0	108.0	147.0	147.0	147.0	147.0
		28.0	100.0	143.0	143.0	143.0	143.0
		30.0	93.0	139.0	139.0	139.0	139.0
		32.0	87.0	136.0	136.0	136.0	136.0
		34.0	82.0	132.0	132.0	132.0	132.0
		36.0	77.0	129.0	129.0	129.0	129.0
		38.0	73.0	128.0	128.0	128.0	128.0
	42 m	20.0	133.0	139.0	139.0	139.0	139.0
		22.0	122.0	136.0	136.0	136.0	136.0
		24.0	113.0	132.0	132.0	132.0	132.0
		26.0	104.0	130.0	130.0	130.0	130.0
		28.0	97.0	126.0	126.0	126.0	126.0
		30.0	90.0	123.0	123.0	123.0	123.0
		32.0	85.0	120.0	120.0	120.0	120.0
		34.0	79.0	117.0	117.0	117.0	117.0
		36.0	75.0	115.0	115.0	114.0	114.0
		38.0	70.0	112.0	112.0	112.0	112.0
		40.0	67.0	110.0	110.0	110.0	110.0
		44.0	60.0	106.0	106.0	106.0	106.0
	49 m	22.0	118.0	121.0	121.0	121.0	121.0
		24.0	109.0	118.0	118.0	118.0	118.0
		26.0	101.0	116.0	116.0	116.0	116.0
		28.0	93.0	114.0	114.0	114.0	114.0
		30.0	87.0	111.0	111.0	111.0	111.0
		32.0	82.0	109.0	109.0	109.0	109.0
		34.0	76.0	106.0	106.0	106.0	106.0
		36.0	72.0	104.0	104.0	104.0	104.0
		38.0	68.0	101.0	101.0	101.0	101.0
		40.0	64.0	99.0	99.0	99.0	99.0
		44.0	57.0	95.0	95.0	95.0	95.0
		48.0	51.0	92.0	92.0	92.0	92.0
		52.0	45.5	91.0	91.0	91.0	91.0
	56 m	24.0	103.0	103.0	103.0	103.0	103.0
		26.0	96.0	101.0	101.0	101.0	101.0
		28.0	89.0	100.0	100.0	100.0	100.0
		30.0	83.0	98.0	98.0	98.0	98.0
		32.0	78.0	97.0	97.0	97.0	97.0
		34.0	73.0	95.0	95.0	95.0	95.0
		36.0	68.0	92.0	92.0	92.0	92.0
		38.0	64.0	90.0	90.0	90.0	90.0
		40.0	61.0	88.0	88.0	88.0	88.0
		44.0	54.0	85.0	85.0	85.0	85.0
		48.0	49.0	82.0	82.0	82.0	82.0
		52.0	43.0	79.0	79.0	79.0	79.0
		56.0	38.0	78.0	78.0	78.0	78.0
	63 m	26.0	88.0	88.0	88.0	88.0	88.0
		28.0	86.0	87.0	87.0	87.0	87.0
		30.0	80.0	86.0	86.0	86.0	86.0
		32.0	75.0	85.0	85.0	85.0	85.0
		34.0	70.0	83.0	83.0	83.0	83.0
		36.0	66.0	82.0	82.0	82.0	82.0
		38.0	62.0	81.0	81.0	81.0	81.0
		40.0	58.0	79.0	79.0	79.0	79.0
		44.0	52.0	76.0	76.0	76.0	76.0
		48.0	46.5	73.0	73.0	73.0	73.0
		52.0	41.5	71.0	71.0	71.0	71.0
		56.0	36.5	69.0	69.0	68.0	68.0
		60.0	32.0	67.0	67.0	66.0	66.0
		64.0	28.0	66.0	66.0	66.0	66.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
77 m	70 m	28.0	76.0	76.0	76.0	76.0	76.0
		30.0	75.0	75.0	75.0	75.0	75.0
		32.0	71.0	74.0	74.0	74.0	74.0
		34.0	67.0	73.0	73.0	73.0	73.0
		36.0	63.0	72.0	72.0	72.0	72.0
		38.0	59.0	71.0	71.0	71.0	71.0
		40.0	55.0	70.0	70.0	70.0	70.0
		44.0	49.0	68.0	68.0	68.0	68.0
		48.0	44.0	66.0	66.0	66.0	66.0
		52.0	39.0	63.0	63.0	63.0	63.0
		56.0	34.0	61.0	61.0	61.0	61.0
		60.0	29.4	59.0	59.0	59.0	59.0
		64.0	25.5	58.0	58.0	58.0	58.0
		68.0	22.0	57.0	57.0	57.0	57.0
		72.0	19.0	56.0	56.0	56.0	56.0
	77 m	28.0	64.0	64.0	64.0	64.0	64.0
		30.0	63.0	63.0	63.0	63.0	63.0
		32.0	63.0	63.0	63.0	63.0	63.0
		34.0	63.0	63.0	63.0	63.0	63.0
		36.0	60.0	62.0	62.0	62.0	62.0
		38.0	56.0	61.0	61.0	61.0	61.0
		40.0	53.0	61.0	61.0	61.0	61.0
		44.0	46.5	60.0	60.0	60.0	60.0
		48.0	41.5	58.0	58.0	58.0	58.0
		52.0	37.0	56.0	56.0	56.0	56.0
		56.0	32.0	54.0	54.0	54.0	54.0
		60.0	27.2	52.0	52.0	52.0	52.0
		64.0	23.1	51.0	51.0	51.0	51.0
		68.0	19.5	49.5	49.5	49.5	49.5
		72.0	16.1	48.5	48.5	48.5	48.5
		76.0	14.0	48.0	48.0	48.0	48.0
	84 m	30.0	55.0	55.0	55.0	55.0	55.0
		32.0	55.0	55.0	55.0	55.0	55.0
		34.0	54.0	54.0	54.0	54.0	54.0
		36.0	54.0	54.0	54.0	54.0	54.0
		38.0	53.0	53.0	53.0	53.0	53.0
		40.0	51.0	53.0	53.0	53.0	53.0
		44.0	45.5	52.0	52.0	52.0	52.0
		48.0	40.5	51.0	51.0	51.0	51.0
		52.0	36.0	49.5	49.5	49.5	49.5
		56.0	31.0	48.0	48.0	48.0	48.0
		60.0	26.4	47.0	47.0	47.0	47.0
		64.0	22.2	46.0	46.0	46.0	46.0
		68.0	18.3	44.5	44.5	44.5	44.5
		72.0	15.1	43.5	43.5	43.5	43.5
		76.0	13.1	42.5	42.5	42.5	42.5
		80.0	11.5	41.5	41.5	41.5	41.5
	91 m	84.0	10.1	41.5	41.5	41.5	41.5
		32.0	46.5	46.5	46.5	46.5	46.5
		34.0	46.0	46.0	46.0	46.0	46.0
		36.0	46.0	46.0	46.0	46.0	46.0
		38.0	45.5	45.5	45.5	45.5	45.5
		40.0	45.5	45.5	45.5	45.5	45.5
		44.0	43.0	44.5	44.5	44.5	44.5
		48.0	38.0	44.0	44.0	44.0	44.0
		52.0	34.0	43.0	43.0	43.0	43.0
		56.0	29.0	42.0	42.0	42.0	42.0
		60.0	24.0	41.0	41.0	41.0	41.0
		64.0	19.5	40.0	40.0	40.0	40.0
		68.0	15.6	39.0	39.0	39.0	39.0
		72.0	13.1	38.0	38.0	38.0	38.0
		76.0	11.3	37.0	37.0	37.0	37.0
		80.0	9.7	36.0	36.0	36.0	36.0
		84.0	8.3	35.5	35.5	35.5	35.5
		88.0	7.1	35.0	35.0	35.0	35.0
		92.0	6.0	34.5	34.5	34.5	34.5

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
77 m	98 m	34.0	35.0	35.0	35.0	35.0	35.0
		36.0	35.0	35.0	35.0	35.0	35.0
		38.0	34.5	34.5	34.5	34.5	34.5
		40.0	34.0	34.0	34.0	34.0	34.0
		44.0	33.5	33.5	33.5	33.5	33.5
		48.0	32.0	33.0	33.0	33.0	33.0
		52.0	28.4	32.5	32.5	32.5	32.5
		56.0	23.9	31.5	31.5	31.5	31.5
		60.0	19.2	30.5	30.5	30.5	30.5
		64.0	15.0	29.8	29.8	29.8	29.8
		68.0	12.0	29.1	29.1	29.1	29.1
		72.0	10.2	28.4	28.4	28.4	28.4
		76.0	8.6	28.0	28.0	28.0	28.0
		80.0	7.2	27.6	27.6	27.6	27.6
		84.0	6.0	27.2	27.2	27.2	27.2
		88.0	4.8	26.9	26.9	26.8	26.8
	77 m	92.0	3.9	26.7	26.7	26.7	26.7
		96.0	3.0	26.7	26.7	26.7	26.7
		36.0	29.2	29.2	29.2	29.2	29.2
		38.0	29.0	29.0	29.0	29.0	29.0
		40.0	28.8	28.8	28.8	28.8	28.8
		44.0	28.3	28.3	28.3	28.3	28.3
		48.0	28.0	28.0	28.0	28.0	28.0
		52.0	27.6	27.6	27.6	27.6	27.6
		56.0	24.3	27.0	27.0	27.0	27.0
		60.0	19.2	26.3	26.3	26.3	26.3
		64.0	14.7	25.7	25.7	25.7	25.7
		68.0	11.7	25.1	25.1	25.1	25.1
		72.0	9.8	24.5	24.5	24.5	24.5
		76.0	8.1	24.0	24.0	24.0	24.0
		80.0	6.7	23.6	23.6	23.6	23.6
		84.0	5.4	23.3	23.3	23.3	23.3
	105 m	88.0	4.2	23.0	22.9	22.9	22.9
		92.0	3.2	22.7	22.7	22.7	22.7
		96.0	2.2	22.3	22.3	22.3	22.3
		100.0	-	22.1	22.1	22.1	22.1
		104.0	-	21.9	21.9	21.9	21.9
		20.0	125.0	125.0	125.0	125.0	125.0
		22.0	117.0	122.0	122.0	122.0	122.0
		24.0	108.0	119.0	119.0	119.0	119.0
		26.0	100.0	116.0	116.0	116.0	116.0
		28.0	93.0	113.0	113.0	113.0	113.0
		30.0	87.0	110.0	110.0	110.0	110.0
		32.0	81.0	107.0	107.0	107.0	107.0
		34.0	76.0	104.0	104.0	104.0	104.0
		36.0	72.0	102.0	102.0	102.0	102.0
		38.0	68.0	99.0	99.0	99.0	99.0
	42 m	40.0	64.0	97.0	97.0	97.0	97.0
		44.0	58.0	94.0	94.0	94.0	94.0
		22.0	107.0	107.0	107.0	107.0	107.0
		24.0	103.0	105.0	105.0	105.0	105.0
		26.0	95.0	103.0	103.0	103.0	103.0
		28.0	89.0	101.0	101.0	101.0	101.0
		30.0	83.0	99.0	99.0	99.0	99.0
		32.0	77.0	96.0	96.0	96.0	96.0
		34.0	73.0	93.0	93.0	93.0	93.0
		36.0	68.0	91.0	91.0	91.0	91.0
		38.0	64.0	89.0	89.0	89.0	89.0
		40.0	61.0	87.0	87.0	87.0	87.0
		44.0	54.0	83.0	83.0	83.0	83.0
		48.0	49.0	81.0	81.0	81.0	81.0
		52.0	44.0	79.0	79.0	79.0	79.0
		24.0	92.0	92.0	92.0	92.0	92.0
	49 m	26.0	91.0	91.0	91.0	91.0	91.0
		28.0	86.0	89.0	89.0	89.0	89.0
		30.0	80.0	88.0	88.0	88.0	88.0
		32.0	75.0	86.0	86.0	86.0	86.0
		34.0	70.0	85.0	85.0	84.0	84.0
		36.0	66.0	82.0	82.0	82.0	82.0
		38.0	62.0	80.0	80.0	80.0	80.0
		40.0	59.0	78.0	78.0	78.0	78.0
		44.0	52.0	75.0	75.0	75.0	75.0
		48.0	47.0	72.0	72.0	72.0	72.0
		52.0	42.5	69.0	69.0	69.0	69.0
		56.0	37.5	68.0	68.0	68.0	68.0
		60.0	33.0	67.0	67.0	67.0	67.0




LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
84 m	63 m	26.0	79.0	79.0	79.0	79.0	79.0
		28.0	78.0	78.0	78.0	78.0	78.0
		30.0	76.0	77.0	77.0	77.0	77.0
		32.0	71.0	75.0	75.0	75.0	75.0
		34.0	66.0	74.0	74.0	74.0	74.0
		36.0	62.0	73.0	73.0	73.0	73.0
		38.0	58.0	71.0	71.0	71.0	71.0
		40.0	55.0	70.0	70.0	70.0	70.0
		44.0	49.0	67.0	67.0	67.0	67.0
		48.0	44.0	64.0	64.0	64.0	64.0
		52.0	39.5	62.0	62.0	62.0	62.0
		56.0	34.5	60.0	60.0	60.0	60.0
	70 m	60.0	30.5	58.0	58.0	58.0	58.0
		64.0	26.5	57.0	57.0	57.0	57.0
		28.0	68.0	68.0	68.0	68.0	68.0
		30.0	67.0	67.0	67.0	67.0	67.0
		32.0	66.0	66.0	66.0	66.0	66.0
		34.0	63.0	65.0	65.0	65.0	65.0
		36.0	59.0	64.0	64.0	64.0	64.0
		38.0	55.0	63.0	63.0	63.0	63.0
		40.0	52.0	62.0	62.0	62.0	62.0
		44.0	46.0	59.0	59.0	59.0	59.0
		48.0	41.0	57.0	57.0	57.0	57.0
		52.0	37.0	54.0	54.0	54.0	54.0
	77 m	56.0	32.0	53.0	53.0	53.0	53.0
		60.0	27.7	51.0	51.0	51.0	51.0
		64.0	23.8	50.0	50.0	50.0	50.0
		68.0	20.3	48.5	48.5	48.5	48.5
		72.0	17.2	48.0	48.0	48.0	48.0
		30.0	59.0	59.0	59.0	59.0	59.0
		32.0	58.0	58.0	58.0	58.0	58.0
		34.0	58.0	58.0	58.0	58.0	58.0
		36.0	57.0	57.0	57.0	57.0	57.0
		38.0	54.0	56.0	56.0	56.0	56.0
		40.0	51.0	56.0	56.0	56.0	56.0
		44.0	45.0	54.0	54.0	54.0	54.0
	84 m	48.0	40.0	52.0	52.0	52.0	52.0
		52.0	35.5	50.0	50.0	50.0	50.0
		56.0	31.5	48.0	48.0	48.0	48.0
		60.0	26.9	46.0	46.0	46.0	46.0
		64.0	22.8	45.0	45.0	45.0	45.0
		68.0	19.0	43.5	43.5	43.5	43.5
		72.0	15.8	42.0	42.0	42.0	42.0
		76.0	13.7	41.5	41.5	41.5	41.5
		30.0	49.5	49.5	49.5	49.5	49.5
		32.0	49.0	49.0	49.0	49.0	49.0
		34.0	48.5	48.5	48.5	48.5	48.5
		36.0	48.0	48.0	48.0	48.0	48.0
		38.0	47.5	47.5	47.5	47.5	47.5
		40.0	47.5	47.5	47.5	47.5	47.5
		44.0	42.5	46.5	46.5	46.5	46.5
		48.0	37.5	45.5	45.5	45.5	45.5
		52.0	33.5	43.5	43.5	43.5	43.5
		56.0	29.3	42.0	42.0	42.0	42.0
		60.0	24.4	41.0	41.0	41.0	41.0
		64.0	20.0	39.5	39.5	39.5	39.5
		68.0	16.1	38.0	38.0	38.0	38.0
		72.0	13.6	37.0	37.0	37.0	37.0
		76.0	11.8	36.0	36.0	36.0	36.0
		80.0	10.3	35.0	35.0	35.0	35.0
		84.0	9.0	34.5	34.5	34.5	34.5

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
84 m	91 m	32.0	37.5	37.5	37.5	37.5	37.5
		34.0	37.0	37.0	37.0	37.0	37.0
		36.0	36.5	36.5	36.5	36.5	36.5
		38.0	36.5	36.5	36.5	36.5	36.5
		40.0	36.0	36.0	35.0	36.0	36.0
		44.0	35.5	35.5	35.5	35.5	35.5
		48.0	32.0	35.0	35.0	35.0	35.0
		52.0	28.2	34.5	34.5	34.5	34.5
		56.0	24.1	33.0	33.0	33.0	33.0
		60.0	19.6	32.0	32.0	32.0	32.0
		64.0	15.3	30.5	30.5	30.5	30.5
		68.0	12.3	29.7	29.7	29.7	29.7
	98 m	72.0	10.6	28.8	28.8	28.8	28.8
		76.0	9.1	28.0	28.0	28.0	28.0
		80.0	7.7	27.2	27.2	27.2	27.2
		84.0	6.5	26.5	26.5	26.5	26.5
		88.0	5.5	26.1	26.1	26.1	26.1
		92.0	4.5	25.6	25.6	25.6	25.6
		34.0	31.5	31.5	31.5	31.0	31.0
		36.0	31.0	31.0	31.0	31.0	31.0
		38.0	30.5	30.5	30.5	30.5	30.5
		40.0	30.5	30.5	30.5	30.5	30.5
		44.0	29.8	29.8	29.8	29.8	29.8
		48.0	29.3	29.3	29.3	29.2	29.2
	105 m	52.0	27.6	28.7	28.7	28.7	28.7
		56.0	24.4	28.0	28.0	28.0	28.0
		60.0	19.6	27.2	27.2	27.2	27.2
		64.0	15.1	26.5	26.5	26.5	26.5
		68.0	12.0	25.8	25.8	25.8	25.8
		72.0	10.2	25.1	25.1	25.1	25.1
		76.0	8.6	24.6	24.6	24.6	24.6
		80.0	7.2	23.9	23.9	23.9	23.9
		84.0	5.9	23.3	23.3	23.3	23.3
		88.0	4.8	22.7	22.7	22.7	22.7
		92.0	3.8	22.2	22.2	22.2	22.2
		96.0	2.9	21.8	21.8	21.8	21.8
	49 m	36.0	24.5	24.5	24.5	24.5	24.5
		38.0	24.3	24.3	24.3	24.3	24.3
		40.0	24.1	24.1	24.1	24.1	24.1
		44.0	23.7	23.7	23.7	23.7	23.7
		48.0	23.3	23.3	23.3	23.3	23.3
		52.0	23.0	23.0	23.0	23.0	23.0
		56.0	20.7	22.7	22.6	22.6	22.6
		60.0	15.5	22.1	22.1	22.1	22.1
		64.0	11.7	21.5	21.5	21.5	21.5
		68.0	9.8	20.9	20.9	20.9	20.9
		72.0	8.1	20.3	20.3	20.3	20.3
		76.0	6.6	19.8	19.8	19.8	19.8
		80.0	5.3	19.1	19.1	19.1	19.1
91 m	49 m	84.0	4.1	18.5	18.5	18.5	18.5
		88.0	3.1	18.0	17.9	17.9	17.9
		92.0	2.1	17.4	17.4	17.4	17.4
		96.0	-	16.9	16.9	16.9	16.9
		100.0	-	16.6	16.6	16.6	16.6
		104.0	-	16.3	16.3	16.3	16.3
		22.0	94.0	94.0	94.0	94.0	94.0
		24.0	93.0	93.0	93.0	92.0	92.0
		26.0	91.0	91.0	91.0	91.0	91.0
		28.0	85.0	89.0	89.0	89.0	89.0
		30.0	79.0	87.0	87.0	87.0	87.0
		32.0	74.0	85.0	85.0	85.0	85.0
		34.0	70.0	82.0	82.0	82.0	82.0
		36.0	65.0	80.0	80.0	80.0	80.0
		38.0	62.0	78.0	78.0	78.0	78.0
		40.0	58.0	76.0	76.0	76.0	76.0
		44.0	52.0	73.0	73.0	73.0	73.0
		48.0	47.0	71.0	71.0	71.0	71.0
		52.0	43.0	69.0	69.0	69.0	69.0




LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDW/SDWBW



MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
91 m	56 m	24.0	81.0	81.0	81.0	81.0	81.0
		26.0	79.0	79.0	79.0	79.0	79.0
		28.0	78.0	78.0	78.0	78.0	78.0
		30.0	76.0	76.0	76.0	76.0	76.0
		32.0	71.0	75.0	75.0	75.0	75.0
		34.0	66.0	74.0	74.0	74.0	74.0
		36.0	62.0	72.0	72.0	72.0	72.0
		38.0	59.0	70.0	70.0	70.0	70.0
		40.0	55.0	68.0	68.0	68.0	68.0
		44.0	49.5	65.0	65.0	65.0	65.0
		48.0	44.5	62.0	62.0	62.0	62.0
		52.0	40.0	60.0	60.0	60.0	60.0
	63 m	56.0	35.5	58.0	58.0	58.0	58.0
		60.0	31.5	57.0	57.0	57.0	57.0
		26.0	70.0	70.0	70.0	70.0	70.0
		28.0	69.0	69.0	69.0	69.0	69.0
		30.0	67.0	67.0	67.0	67.0	67.0
		32.0	66.0	66.0	66.0	66.0	66.0
		34.0	62.0	65.0	65.0	65.0	65.0
		36.0	58.0	64.0	64.0	64.0	64.0
		38.0	55.0	63.0	63.0	63.0	63.0
		40.0	52.0	61.0	61.0	61.0	61.0
		44.0	46.0	58.0	58.0	58.0	58.0
		48.0	41.0	55.0	55.0	55.0	55.0
	70 m	52.0	37.0	53.0	53.0	53.0	53.0
		56.0	33.0	52.0	52.0	52.0	52.0
		60.0	28.4	50.0	50.0	50.0	50.0
		64.0	24.6	49.0	49.0	49.0	49.0
		28.0	60.0	60.0	60.0	60.0	60.0
		30.0	59.0	59.0	59.0	59.0	59.0
		32.0	58.0	58.0	58.0	58.0	58.0
		34.0	57.0	57.0	57.0	57.0	57.0
		36.0	56.0	56.0	56.0	56.0	56.0
		38.0	53.0	55.0	55.0	55.0	55.0
		40.0	50.0	55.0	55.0	55.0	55.0
		44.0	44.5	52.0	52.0	52.0	52.0
	77 m	48.0	39.5	49.5	49.5	49.5	49.5
		52.0	35.5	47.5	47.5	47.5	47.5
		56.0	32.0	45.5	45.5	45.5	45.5
		60.0	27.2	44.0	44.0	44.0	44.0
		64.0	23.2	42.5	42.5	42.5	42.5
		68.0	19.7	41.5	41.5	41.5	41.5
		72.0	16.5	41.0	41.0	41.0	41.0
		30.0	52.0	52.0	52.0	52.0	52.0
		32.0	51.0	51.0	51.0	51.0	51.0
		34.0	50.0	50.0	50.0	50.0	50.0
		36.0	49.5	49.5	49.5	49.5	49.5
		38.0	49.0	49.0	49.0	49.0	49.0
	84 m	40.0	47.5	48.0	48.0	48.0	48.0
		44.0	42.0	46.5	46.5	46.5	46.5
		48.0	37.5	44.5	44.5	44.5	44.5
		52.0	33.0	42.5	42.5	42.5	42.5
		56.0	29.4	41.0	41.0	41.0	41.0
		60.0	24.7	39.5	39.5	39.5	39.5
		64.0	20.5	38.0	38.0	38.0	38.0
		68.0	16.6	37.0	37.0	37.0	37.0
		72.0	14.0	35.5	35.5	35.5	35.5
		76.0	12.3	35.0	35.0	35.0	35.0
		80.0	11.0	34.5	34.5	34.5	34.5
		32.0	39.0	39.0	39.0	39.0	39.0
		34.0	38.5	38.5	38.5	38.5	38.5
		36.0	38.5	38.5	38.5	38.5	38.5
		38.0	38.0	38.0	38.0	38.0	38.0
		40.0	35.5	37.5	37.5	37.5	37.5
		44.0	31.0	36.5	36.5	36.5	36.5
		48.0	27.2	35.5	35.5	35.5	35.5
		52.0	23.9	34.0	33.5	33.5	33.5
		56.0	21.0	32.5	32.5	32.5	32.5
		60.0	18.4	31.0	31.0	31.0	31.0
		64.0	15.5	29.7	29.7	29.7	29.7
		68.0	12.6	28.7	28.7	28.7	28.7
		72.0	10.9	27.8	27.8	27.8	27.8
		76.0	9.4	26.9	26.9	26.9	26.9
		80.0	8.1	26.2	26.2	26.2	26.2
		84.0	7.0	25.7	25.7	25.7	25.7

MB	JIB	m	SDW	SDBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
91 m	91 m	34.0	33.5	33.5	33.5	33.5	33.5
		36.0	33.0	33.0	33.0	33.0	33.0
		38.0	33.0	33.0	33.0	33.0	33.0
		40.0	32.5	32.5	32.5	32.5	32.5
		44.0	32.0	32.0	32.0	32.0	32.0
		48.0	29.5	31.5	31.5	31.5	31.5
		52.0	26.0	30.0	30.0	30.0	30.0
		56.0	21.7	28.8	28.8	28.8	28.8
		60.0	16.7	27.6	27.6	27.6	27.6
		64.0	12.9	26.5	26.5	26.5	26.5
		68.0	10.9	25.5	25.5	25.5	25.5
		72.0	9.2	24.6	24.6	24.6	24.6
	98 m	76.0	7.8	23.8	23.8	23.8	23.8
		80.0	6.5	23.1	23.1	23.1	23.1
		84.0	5.4	22.4	22.4	22.4	22.4
		88.0	4.4	21.8	21.8	21.8	21.8
		92.0	3.5	21.3	21.3	21.3	21.3
		34.0	26.1	26.1	26.1	26.1	26.1
		36.0	25.8	25.8	25.8	25.8	25.8
		38.0	25.5	25.5	25.5	25.5	25.5
		40.0	25.3	25.3	25.3	25.3	25.3
		44.0	24.8	24.8	24.8	24.8	24.8
		48.0	24.3	24.3	24.3	24.3	24.3
		52.0	23.9	23.9	23.9	23.9	23.9
	105 m	56.0	20.8	23.3	23.3	23.3	23.3
		60.0	15.6	22.4	22.4	22.4	22.4
		64.0	11.8	21.5	21.5	21.5	21.5
		68.0	9.9	20.6	20.6	20.6	20.6
		72.0	8.3	19.8	19.8	19.8	19.8
		76.0	6.9	19.1	19.1	19.1	19.1
		80.0	5.6	18.4	18.4	18.4	18.4
		84.0	4.5	17.7	17.7	17.7	17.7
		88.0	3.5	17.1	17.1	17.1	17.1
		92.0	2.6	16.6	16.6	16.6	16.6
		96.0	-	16.2	16.2	16.2	16.2
		36.0	20.0	20.0	20.0	20.0	20.0
		38.0	19.8	19.8	19.8	19.8	19.8
		40.0	19.6	19.6	19.6	19.6	19.6
		44.0	19.2	19.2	19.2	19.2	19.2
		48.0	18.8	18.8	18.8	18.8	18.8
		52.0	18.5	18.5	18.5	18.5	18.5
		56.0	16.6	18.2	18.2	18.2	18.2
		60.0	11.9	17.7	17.7	17.7	17.7
		64.0	9.6	17.0	17.0	16.9	16.9
		68.0	7.9	16.2	16.2	16.2	16.2
		72.0	6.3	15.6	15.6	15.6	15.6
		76.0	5.0	14.9	14.9	14.9	14.9
		80.0	3.9	14.3	14.3	14.3	14.3
		84.0	2.8	13.7	13.7	13.7	13.7
		88.0	-	13.2	13.2	13.2	13.2
		92.0	-	12.7	12.7	12.7	12.7
		96.0	-	12.2	12.2	12.2	12.2
		100.0	-	11.8	11.8	11.8	11.8
		104.0	-	11.5	11.5	11.5	11.5




LIEBHERR LR 1750

Working ranges
Portées

750 TON

Arbeitsbereiche
Werkbereich

SDVV + SDVVBW
12° - 20°






LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDWV+BW 12°



MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
35 m	14 m	10.0	316.0	590.0	590.0	590.0	590.0
		11.0	316.0	590.0	590.0	590.0	590.0
		12.0	316.0	568.0	577.0	587.0	590.0
		14.0	282.0	506.0	521.0	540.0	551.0
		16.0	228.0	467.0	482.0	501.0	512.0
		18.0	197.0	411.0	448.0	466.0	476.0
		20.0	169.0	360.0	403.0	434.0	444.0
		22.0	145.0	318.0	358.0	405.0	407.0
		24.0	128.0	285.0	321.0	373.0	373.0
		26.0	115.0	257.0	290.0	338.0	341.0
		28.0	103.0	233.0	263.0	308.0	310.0
		30.0	92.0	213.0	241.0	280.0	281.0
		32.0	82.0	195.0	222.0	252.0	254.0
		34.0	73.0	180.0	205.0	225.0	228.0
		36.0	64.0	166.0	185.0	202.0	205.0
		38.0	59.0	154.0	170.0	185.0	187.0
		40.0	55.0	142.0	156.0	170.0	171.0
		44.0	46.5	119.0	130.0	141.0	141.0
	21 m	12.0	297.0	505.0	505.0	504.0	504.0
		14.0	275.0	497.0	503.0	503.0	500.0
		16.0	235.0	463.0	478.0	492.0	498.0
		18.0	197.0	416.0	444.0	459.0	471.0
		20.0	171.0	364.0	408.0	428.0	435.0
		22.0	150.0	323.0	362.0	399.0	401.0
		24.0	132.0	289.0	325.0	367.0	367.0
		26.0	114.0	260.0	293.0	336.0	336.0
		28.0	103.0	237.0	267.0	312.0	312.0
		30.0	93.0	216.0	244.0	286.0	288.0
		32.0	85.0	198.0	225.0	264.0	265.0
		34.0	77.0	183.0	208.0	243.0	243.0
		36.0	69.0	169.0	192.0	222.0	222.0
		38.0	62.0	157.0	179.0	202.0	203.0
		40.0	55.0	146.0	166.0	183.0	184.0
		44.0	46.0	126.0	140.0	154.0	155.0
		48.0	39.5	108.0	119.0	129.0	131.0
		52.0	33.0	91.0	99.0	107.0	109.0
42 m	14 m	10.0	312.0	580.0	580.0	580.0	580.0
		11.0	312.0	566.0	575.0	580.0	580.0
		12.0	312.0	542.0	557.0	580.0	580.0
		14.0	266.0	499.0	514.0	527.0	541.0
		16.0	227.0	460.0	476.0	493.0	503.0
		18.0	192.0	410.0	442.0	459.0	468.0
		20.0	167.0	358.0	402.0	427.0	436.0
		22.0	145.0	317.0	356.0	398.0	405.0
		24.0	125.0	283.0	319.0	369.0	369.0
		26.0	109.0	255.0	288.0	336.0	339.0
		28.0	99.0	231.0	261.0	306.0	318.0
		30.0	89.0	210.0	239.0	280.0	298.0
		32.0	80.0	193.0	219.0	258.0	276.0
		34.0	71.0	177.0	202.0	238.0	253.0
		36.0	63.0	164.0	187.0	221.0	231.0
		38.0	56.0	152.0	173.0	206.0	210.0
		40.0	49.0	141.0	161.0	191.0	191.0
		44.0	41.0	122.0	141.0	163.0	163.0
		48.0	34.5	107.0	124.0	138.0	138.0
		52.0	28.2	92.0	107.0	115.0	115.0
	21 m	12.0	295.0	461.0	461.0	461.0	460.0
		14.0	260.0	461.0	461.0	460.0	459.0
		16.0	223.0	453.0	458.0	459.0	457.0
		18.0	193.0	415.0	434.0	445.0	456.0
		20.0	167.0	363.0	405.0	416.0	423.0
		22.0	147.0	321.0	361.0	390.0	395.0
		24.0	130.0	287.0	323.0	363.0	364.0
		26.0	114.0	259.0	292.0	335.0	335.0
		28.0	99.0	235.0	265.0	308.0	309.0
		30.0	89.0	214.0	242.0	284.0	288.0
		32.0	81.0	196.0	222.0	262.0	272.0
		34.0	73.0	180.0	205.0	242.0	257.0
		36.0	66.0	167.0	190.0	224.0	240.0
		38.0	60.0	154.0	176.0	209.0	222.0
		40.0	53.0	144.0	164.0	195.0	205.0
		44.0	41.5	125.0	144.0	171.0	173.0
		48.0	34.5	109.0	127.0	148.0	148.0
		52.0	29.3	97.0	112.0	128.0	128.0
		56.0	24.5	86.0	98.0	109.0	109.0

MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
49 m	14 m	11.0	317.0	510.0	510.0	511.0	511.0
		12.0	302.0	510.0	510.0	511.0	511.0
		14.0	253.0	497.0	503.0	509.0	511.0
		16.0	216.0	455.0	467.0	479.0	486.0
		18.0	187.0	411.0	435.0	446.0	453.0
		20.0	163.0	358.0	403.0	416.0	423.0
		22.0	144.0	316.0	356.0	389.0	396.0
		24.0	126.0	282.0	318.0	365.0	367.0
		26.0	108.0	254.0	287.0	336.0	336.0
		28.0	94.0	230.0	260.0	305.0	310.0
		30.0	85.0	209.0	237.0	279.0	292.0
		32.0	77.0	191.0	218.0	257.0	275.0
		34.0	69.0	176.0	200.0	237.0	258.0
		36.0	62.0	162.0	185.0	220.0	240.0
		38.0	55.0	150.0	172.0	204.0	222.0
		40.0	48.5	139.0	159.0	190.0	205.0
		44.0	36.5	120.0	139.0	167.0	173.0
		48.0	30.5	105.0	122.0	147.0	150.0
		52.0	25.3	92.0	108.0	129.0	129.0
		56.0	20.6	81.0	96.0	110.0	110.0
	21 m	14.0	248.0	414.0	414.0	413.0	413.0
		16.0	212.0	414.0	414.0	413.0	413.0
		18.0	185.0	410.0	412.0	413.0	413.0
		20.0	162.0	363.0	392.0	409.0	411.0
		22.0	143.0	321.0	361.0	378.0	384.0
		24.0	127.0	287.0	323.0	356.0	358.0
		26.0	113.0	258.0	291.0	331.0	332.0
		28.0	99.0	233.0	264.0	307.0	307.0
		30.0	87.0	213.0	241.0	283.0	284.0
		32.0	77.0	195.0	221.0	260.0	266.0
		34.0	70.0	179.0	204.0	240.0	252.0
		36.0	63.0	165.0	188.0	223.0	239.0
		38.0	57.0	152.0	175.0	207.0	226.0
		40.0	51.0	141.0	162.0	193.0	211.0
		44.0	40.5	123.0	141.0	169.0	183.0
		48.0	30.5	107.0	124.0	150.0	158.0
		52.0	24.2	94.0	110.0	133.0	137.0
		56.0	20.3	83.0	98.0	119.0	119.0
56 m	14 m	60.0	16.6	74.0	87.0	103.0	103.0
		64.0	13.2	65.0	78.0	88.0	88.0
		11.0	315.0	436.0	436.0	436.0	436.0
		12.0	287.0	436.0	436.0	436.0	435.0
		14.0	241.0	436.0	436.0	436.0	435.0
		16.0	206.0	434.0	436.0	436.0	435.0
		18.0	179.0	411.0	419.0	429.0	435.0
		20.0	156.0	359.0	392.0	402.0	409.0
		22.0	138.0	317.0	357.0	377.0	384.0
		24.0	122.0	283.0	319.0	355.0	361.0
		26.0	109.0	254.0	287.0	333.0	333.0
		28.0	95.0	229.0	260.0	305.0	307.0
		30.0	82.0	209.0	237.0	279.0	284.0
		32.0	74.0	191.0	217.0	256.0	268.0
		34.0	67.0	175.0	200.0	236.0	253.0
		36.0	60.0	161.0	184.0	219.0	238.0
		38.0	53.0	148.0	171.0	203.0	222.0
		40.0	47.5	137.0	158.0	189.0	208.0
		44.0	36.0	119.0	137.0	165.0	180.0
		48.0	25.7	103.0	120.0	146.0	155.0
		52.0	20.9	90.0	106.0	129.0	136.0
		56.0	17.1	79.0	94.0	115.0	119.0
		60.0	13.5	70.0	83.0	103.0	103.0
		64.0	10.1	61.0	74.0	88.0	88.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDWV+BW 12°



MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
56 m	21 m	14.0	236.0	361.0	361.0	361.0	361.0
		16.0	203.0	361.0	361.0	361.0	361.0
		18.0	177.0	361.0	361.0	361.0	361.0
		20.0	155.0	361.0	361.0	361.0	361.0
		22.0	137.0	322.0	359.0	361.0	361.0
		24.0	122.0	287.0	323.0	344.0	349.0
		26.0	109.0	258.0	291.0	325.0	326.0
		28.0	98.0	233.0	264.0	303.0	303.0
		30.0	87.0	212.0	240.0	282.0	282.0
		32.0	76.0	194.0	220.0	260.0	263.0
		34.0	66.0	178.0	203.0	239.0	246.0
		36.0	60.0	164.0	187.0	222.0	234.0
		38.0	54.0	151.0	173.0	206.0	221.0
		40.0	49.0	140.0	161.0	192.0	208.0
		44.0	39.0	121.0	140.0	168.0	184.0
		48.0	29.0	105.0	122.0	148.0	162.0
		52.0	21.5	92.0	108.0	131.0	141.0
		56.0	16.2	81.0	95.0	117.0	124.0
		60.0	13.2	71.0	85.0	105.0	110.0
		64.0	10.4	63.0	76.0	95.0	96.0
63 m	14 m	68.0	7.8	56.0	68.0	83.0	83.0
		11.0	298.0	373.0	373.0	373.0	373.0
		12.0	272.0	372.0	372.0	372.0	372.0
		14.0	230.0	372.0	372.0	372.0	372.0
		16.0	197.0	372.0	372.0	372.0	372.0
		18.0	171.0	372.0	371.0	371.0	371.0
		20.0	149.0	359.0	370.0	371.0	371.0
		22.0	131.0	317.0	353.0	362.0	367.0
		24.0	116.0	282.0	318.0	342.0	347.0
		26.0	103.0	253.0	286.0	323.0	326.0
		28.0	92.0	228.0	259.0	302.0	303.0
		30.0	81.0	207.0	236.0	278.0	281.0
		32.0	70.0	189.0	216.0	255.0	259.0
		34.0	63.0	173.0	198.0	235.0	243.0
		36.0	57.0	159.0	183.0	217.0	228.0
		38.0	51.0	147.0	169.0	202.0	215.0
		40.0	45.5	136.0	156.0	187.0	202.0
		44.0	35.5	116.0	135.0	163.0	179.0
		48.0	26.0	101.0	118.0	144.0	157.0
		52.0	17.3	88.0	103.0	127.0	137.0
		56.0	13.3	76.0	91.0	113.0	121.0
		60.0	10.2	67.0	80.0	101.0	107.0
		64.0	7.4	59.0	71.0	90.0	94.0
		68.0	4.5	51.0	63.0	81.0	81.0
	21 m	14.0	226.0	311.0	311.0	311.0	311.0
		16.0	194.0	311.0	311.0	311.0	311.0
		18.0	169.0	311.0	311.0	311.0	311.0
		20.0	148.0	311.0	311.0	311.0	311.0
		22.0	131.0	311.0	311.0	311.0	311.0
		24.0	116.0	287.0	311.0	311.0	311.0
		26.0	104.0	257.0	291.0	311.0	311.0
		28.0	93.0	232.0	263.0	296.0	301.0
		30.0	83.0	211.0	240.0	280.0	280.0
		32.0	75.0	193.0	219.0	259.0	260.0
		34.0	65.0	177.0	202.0	239.0	241.0
		36.0	56.0	162.0	186.0	221.0	224.0
		38.0	51.0	150.0	172.0	205.0	211.0
		40.0	46.5	138.0	159.0	191.0	200.0
		44.0	37.5	119.0	138.0	166.0	179.0
		48.0	29.5	103.0	121.0	146.0	160.0
		52.0	22.1	90.0	106.0	129.0	142.0
		56.0	15.1	79.0	93.0	115.0	125.0
		60.0	10.6	69.0	83.0	103.0	111.0
		64.0	8.1	60.0	73.0	92.0	99.0
		68.0	5.4	53.0	65.0	83.0	87.0
		72.0	-	46.5	58.0	75.0	76.0
		76.0	-	41.0	51.0	66.0	66.0

MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
70 m	14 m	12.0	259.0	320.0	320.0	320.0	320.0
		14.0	219.0	319.0	319.0	319.0	320.0
		16.0	188.0	319.0	319.0	319.0	319.0
		18.0	163.0	319.0	319.0	319.0	319.0
		20.0	143.0	318.0	318.0	318.0	318.0
		22.0	126.0	317.0	318.0	318.0	318.0
		24.0	111.0	282.0	316.0	318.0	318.0
		26.0	98.0	252.0	286.0	309.0	315.0
		28.0	88.0	228.0	259.0	291.0	292.0
		30.0	78.0	206.0	235.0	270.0	270.0
		32.0	70.0	188.0	215.0	250.0	250.0
		34.0	60.0	172.0	197.0	231.0	231.0
		36.0	53.0	158.0	181.0	216.0	217.0
		38.0	48.0	145.0	168.0	200.0	205.0
		40.0	43.0	134.0	155.0	186.0	194.0
		44.0	34.5	115.0	134.0	162.0	173.0
		48.0	26.1	99.0	116.0	142.0	154.0
		52.0	18.6	86.0	102.0	125.0	137.0
		56.0	11.5	74.0	89.0	111.0	121.0
		60.0	8.4	65.0	78.0	99.0	107.0
		64.0	4.8	56.0	69.0	88.0	96.0
		68.0	-	49.0	61.0	79.0	84.0
		72.0	-	42.5	54.0	71.0	74.0
		76.0	-	37.0	47.5	63.0	64.0
	21 m	14.0	216.0	269.0	269.0	269.0	269.0
		16.0	186.0	269.0	269.0	269.0	269.0
		18.0	162.0	269.0	269.0	269.0	269.0
		20.0	143.0	269.0	269.0	269.0	269.0
		22.0	126.0	268.0	268.0	268.0	268.0
		24.0	112.0	267.0	267.0	267.0	267.0
		26.0	99.0	257.0	266.0	266.0	266.0
		28.0	89.0	232.0	263.0	266.0	266.0
		30.0	79.0	211.0	240.0	266.0	266.0
		32.0	71.0	192.0	219.0	248.0	248.0
		34.0	64.0	176.0	201.0	232.0	232.0
		36.0	56.0	162.0	185.0	216.0	216.0
		38.0	48.0	149.0	171.0	201.0	201.0
		40.0	43.0	137.0	159.0	190.0	190.0
		44.0	35.5	118.0	137.0	165.0	171.0
		48.0	28.1	102.0	119.0	145.0	154.0
		52.0	21.6	88.0	104.0	128.0	139.0
		56.0	15.5	77.0	92.0	114.0	124.0
		60.0	9.8	67.0	81.0	101.0	111.0
		64.0	6.1	59.0	71.0	90.0	98.0
		68.0	-	51.0	63.0	81.0	88.0
		72.0	-	44.5	56.0	73.0	78.0
		76.0	-	38.5	49.0	65.0	69.0
		80.0	-	33.5	43.5	58.0	60.0
77 m	21 m	14.0	206.0	233.0	233.0	233.0	233.0
		16.0	178.0	232.0	232.0	232.0	232.0
		18.0	155.0	232.0	232.0	232.0	232.0
		20.0	136.0	231.0	231.0	231.0	231.0
		22.0	120.0	230.0	230.0	230.0	230.0
		24.0	106.0	229.0	229.0	229.0	229.0
		26.0	94.0	228.0	227.0	227.0	227.0
		28.0	84.0	228.0	226.0	226.0	226.0
		30.0	75.0	209.0	224.0	225.0	225.0
		32.0	67.0	191.0	218.0	223.0	223.0
		34.0	60.0	174.0	199.0	220.0	220.0
		36.0	53.0	160.0	184.0	206.0	206.0
		38.0	46.5	147.0	169.0	193.0	193.0
		40.0	39.0	136.0	157.0	180.0	180.0
		44.0	31.0	116.0	135.0	162.0	162.0
		48.0	24.7	100.0	117.0	143.0	147.0
		52.0	18.0	86.0	102.0	126.0	133.0
		56.0	12.3	75.0	89.0	111.0	120.0
		60.0	7.2	65.0	78.0	99.0	108.0
		64.0	-	56.0	69.0	88.0	96.0
		68.0	-	48.5	60.0	78.0	86.0
		72.0	-	41.5	53.0	70.0	77.0
		76.0	-	36.0	46.5	62.0	69.0
		80.0	-	30.5	40.5	56.0	61.0
		84.0	-	25.6	35.5	49.5	53.0
		88.0	-	21.3	30.5	44.0	46.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités




SDVV+BW 12°





MB	JIB	m	SDVV	SDVV/BW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
84 m	21 m	16.0	170.0	202.0	202.0	202.0	202.0
		18.0	148.0	200.0	200.0	200.0	200.0
		20.0	130.0	199.0	199.0	199.0	199.0
		22.0	114.0	198.0	198.0	197.0	197.0
		24.0	101.0	196.0	196.0	196.0	196.0
		26.0	90.0	195.0	195.0	195.0	195.0
		28.0	79.0	194.0	194.0	194.0	194.0
		30.0	71.0	193.0	192.0	192.0	192.0
		32.0	63.0	190.0	191.0	190.0	191.0
		34.0	56.0	173.0	189.0	189.0	189.0
		36.0	49.5	159.0	182.0	188.0	188.0
		38.0	43.5	146.0	168.0	183.0	183.0
		40.0	37.0	134.0	155.0	172.0	172.0
		44.0	25.5	114.0	133.0	152.0	152.0
		48.0	19.6	98.0	115.0	138.0	138.0
		52.0	14.1	84.0	100.0	124.0	126.0
		56.0	9.1	73.0	87.0	109.0	114.0
		60.0	-	63.0	76.0	97.0	103.0
		64.0	-	54.0	67.0	86.0	93.0
		68.0	-	46.0	58.0	76.0	83.0
		72.0	-	39.5	51.0	68.0	74.0
		76.0	-	33.5	44.0	60.0	67.0
		80.0	-	28.0	38.0	53.0	59.0
		84.0	-	23.2	33.0	47.0	53.0
		88.0	-	18.8	28.0	41.5	46.0
		92.0	-	14.8	23.6	36.5	40.0
		96.0	-	13.1	21.5	33.5	33.5

MB	JIB	m	SDVV	SDVV/BW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
91 m	21 m	16.0	162.0	174.0	174.0	174.0	174.0
		18.0	141.0	172.0	172.0	172.0	172.0
		20.0	124.0	171.0	171.0	171.0	171.0
		22.0	109.0	169.0	169.0	169.0	169.0
		24.0	96.0	168.0	168.0	168.0	168.0
		26.0	85.0	167.0	167.0	167.0	167.0
		28.0	75.0	166.0	166.0	166.0	166.0
		30.0	66.0	164.0	164.0	164.0	164.0
		32.0	59.0	162.0	162.0	162.0	162.0
		34.0	52.0	159.0	160.0	160.0	160.0
		36.0	45.5	157.0	158.0	158.0	158.0
		38.0	40.0	144.0	156.0	156.0	156.0
		40.0	35.0	132.0	154.0	154.0	154.0
		44.0	22.3	113.0	132.0	145.0	145.0
		48.0	15.6	96.0	114.0	130.0	130.0
		52.0	11.3	82.0	98.0	118.0	118.0
		56.0	5.9	71.0	85.0	107.0	108.0
		60.0	-	60.0	74.0	95.0	98.0
		64.0	-	52.0	65.0	84.0	88.0
		68.0	-	44.0	56.0	74.0	80.0
		72.0	-	37.0	48.5	65.0	71.0
		76.0	-	31.0	42.0	58.0	64.0
		80.0	-	25.5	36.0	51.0	57.0
		84.0	-	20.6	30.5	44.5	50.0
		88.0	-	16.2	25.4	39.0	44.0
		92.0	-	12.1	21.0	34.0	38.5
		96.0	-	8.4	16.9	29.4	33.0
		100.0	-	5.1	13.2	25.2	27.4



SDVV+BW 20°



MB	JIB	m	SDVV	SDVV/BW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
35 m	14 m	12.0	300.0	526.0	526.0	526.0	526.0
		14.0	287.0	488.0	488.0	488.0	489.0
		16.0	235.0	456.0	455.0	456.0	456.0
		18.0	196.0	414.0	427.0	428.0	428.0
		20.0	171.0	362.0	403.0	404.0	404.0
		22.0	148.0	321.0	360.0	382.0	382.0
		24.0	128.0	287.0	323.0	362.0	362.0
		26.0	115.0	259.0	292.0	340.0	341.0
		28.0	103.0	235.0	265.0	310.0	311.0
		30.0	93.0	214.0	242.0	283.0	283.0
		32.0	83.0	196.0	223.0	257.0	257.0
		34.0	74.0	181.0	206.0	232.0	232.0
		36.0	65.0	167.0	190.0	208.0	209.0
		38.0	59.0	155.0	173.0	189.0	189.0
		40.0	55.0	143.0	158.0	173.0	173.0
		44.0	46.5	120.0	131.0	143.0	143.0
	21 m	16.0	240.0	426.0	426.0	426.0	426.0
		18.0	207.0	398.0	398.0	398.0	398.0
		20.0	174.0	368.0	373.0	373.0	373.0
		22.0	151.0	326.0	352.0	352.0	352.0
		24.0	134.0	292.0	328.0	334.0	334.0
		26.0	119.0	263.0	296.0	317.0	317.0
		28.0	104.0	239.0	270.0	301.0	301.0
		30.0	94.0	218.0	247.0	287.0	287.0
		32.0	85.0	200.0	227.0	266.0	266.0
		34.0	78.0	185.0	209.0	245.0	245.0
		36.0	70.0	171.0	194.0	226.0	226.0
		38.0	63.0	159.0	181.0	207.0	207.0
		40.0	57.0	148.0	168.0	189.0	189.0
		44.0	46.0	129.0	145.0	158.0	158.0
		48.0	39.5	110.0	122.0	133.0	133.0
		52.0	33.5	92.0	101.0	110.0	111.0

MB	JIB	m	SDVV	SDVV/BW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
42 m	14 m	12.0	298.0	534.0	534.0	534.0	534.0
		14.0	272.0	499.0	499.0	499.0	499.0
		16.0	231.0	463.0	470.0	470.0	470.0
		18.0	195.0	413.0	443.0	443.0	443.0
		20.0	168.0	361.0	405.0	420.0	420.0
		22.0	147.0	319.0	359.0	399.0	400.0
		24.0	128.0	285.0	321.0	372.0	372.0
		26.0	111.0	257.0	290.0	339.0	340.0
		28.0	99.0	233.0	263.0	308.0	317.0
		30.0	89.0	212.0	240.0	282.0	297.0
		32.0	81.0	194.0	220.0	259.0	277.0
		34.0	72.0	178.0	203.0	240.0	255.0
		36.0	65.0	165.0	188.0	222.0	233.0
		38.0	57.0	152.0	174.0	207.0	213.0
		40.0	50.0	142.0	162.0	193.0	194.0
		44.0	41.5	123.0	142.0	164.0	164.0
	21 m	16.0	229.0	431.0	430.0	430.0	430.0
		18.0	199.0	407.0	407.0	407.0	407.0
		20.0	174.0	368.0	385.0	385.0	385.0
		22.0	149.0	326.0	364.0	364.0	364.0
		24.0	132.0	291.0	327.0	347.0	347.0
		26.0	117.0	262.0	295.0	331.0	331.0
		28.0	104.0	238.0	268.0	312.0	312.0
		30.0	91.0	217.0	245.0	287.0	290.0
		32.0	81.0	198.0	225.0	264.0	271.0
		34.0	74.0	183.0	207.0	244.0	257.0
		36.0	67.0	169.0	192.0	226.0	241.0
		38.0	61.0	156.0	178.0	211.0	224.0
		40.0	55.0	145.0	166.0	197.0	208.0
		44.0	43.5	126.0	145.0	173.0	177.0
		48.0	34.5	111.0	128.0	150.0	151.0
		52.0	29.4	97.0	113.0	129.0	130.0
		56.0	24.7	86.0	100.0	110.0	110.0
		60.0	20.3	77.0	84.0	92.0	92.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDWV+BW 20°



MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
49 m	14 m	14.0	259.0	485.0	490.0	491.0	491.0
		16.0	221.0	453.0	463.0	473.0	478.0
		18.0	191.0	415.0	433.0	443.0	450.0
		20.0	165.0	362.0	405.0	416.0	423.0
		22.0	145.0	320.0	359.0	390.0	397.0
		24.0	128.0	285.0	321.0	366.0	368.0
		26.0	112.0	256.0	289.0	338.0	339.0
		28.0	97.0	232.0	262.0	308.0	312.0
		30.0	86.0	211.0	239.0	281.0	290.0
		32.0	77.0	193.0	219.0	258.0	274.0
		34.0	70.0	177.0	202.0	239.0	258.0
		36.0	63.0	163.0	186.0	221.0	240.0
		38.0	56.0	151.0	173.0	205.0	223.0
		40.0	49.5	140.0	161.0	191.0	207.0
		44.0	37.5	121.0	140.0	167.0	176.0
		48.0	30.5	105.0	122.0	148.0	151.0
		52.0	25.3	92.0	108.0	130.0	130.0
		56.0	20.6	81.0	96.0	111.0	111.0
	21 m	16.0	219.0	392.0	392.0	392.0	392.0
		18.0	190.0	392.0	392.0	392.0	392.0
		20.0	167.0	369.0	387.0	392.0	392.0
		22.0	148.0	326.0	366.0	375.0	375.0
		24.0	129.0	291.0	327.0	355.0	356.0
		26.0	115.0	262.0	295.0	331.0	331.0
		28.0	103.0	237.0	268.0	309.0	309.0
		30.0	91.0	216.0	244.0	286.0	288.0
		32.0	80.0	197.0	224.0	263.0	268.0
		34.0	70.0	181.0	206.0	243.0	251.0
		36.0	64.0	167.0	191.0	225.0	238.0
		38.0	58.0	155.0	177.0	209.0	226.0
		40.0	52.0	143.0	164.0	195.0	211.0
		44.0	42.0	124.0	143.0	171.0	185.0
		48.0	32.0	108.0	126.0	151.0	161.0
		52.0	24.3	95.0	111.0	134.0	139.0
		56.0	20.3	84.0	98.0	120.0	121.0
		60.0	16.7	74.0	88.0	105.0	105.0
		64.0	13.3	66.0	79.0	86.0	89.0
56 m	14 m	14.0	247.0	421.0	421.0	421.0	421.0
		16.0	211.0	421.0	421.0	421.0	421.0
		18.0	183.0	404.0	412.0	419.0	421.0
		20.0	160.0	363.0	390.0	400.0	406.0
		22.0	141.0	320.0	360.0	378.0	384.0
		24.0	125.0	286.0	322.0	355.0	361.0
		26.0	111.0	256.0	290.0	334.0	334.0
		28.0	98.0	232.0	262.0	308.0	310.0
		30.0	85.0	211.0	239.0	281.0	287.0
		32.0	74.0	192.0	219.0	258.0	267.0
		34.0	67.0	176.0	201.0	238.0	253.0
		36.0	60.0	162.0	186.0	220.0	237.0
		38.0	54.0	150.0	172.0	205.0	222.0
		40.0	48.0	139.0	160.0	190.0	208.0
		44.0	37.0	120.0	138.0	166.0	181.0
		48.0	26.9	104.0	121.0	146.0	157.0
		52.0	20.9	91.0	106.0	130.0	137.0
		56.0	17.0	79.0	94.0	116.0	120.0
		60.0	13.5	70.0	83.0	104.0	104.0
		64.0	10.1	61.0	74.0	89.0	89.0

MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
56 m	21 m	16.0	210.0	343.0	343.0	343.0	343.0
		18.0	183.0	343.0	343.0	343.0	343.0
		20.0	160.0	343.0	343.0	343.0	343.0
		22.0	142.0	327.0	343.0	343.0	343.0
		24.0	126.0	291.0	328.0	343.0	343.0
		26.0	113.0	262.0	295.0	324.0	324.0
		28.0	101.0	237.0	267.0	303.0	303.0
		30.0	90.0	215.0	244.0	284.0	284.0
		32.0	80.0	197.0	223.0	263.0	266.0
		34.0	70.0	181.0	206.0	242.0	248.0
		36.0	61.0	166.0	190.0	224.0	233.0
		38.0	55.0	154.0	176.0	208.0	220.0
		40.0	50.0	142.0	163.0	194.0	207.0
		44.0	40.5	123.0	142.0	170.0	184.0
		48.0	31.5	107.0	124.0	150.0	163.0
		52.0	23.5	93.0	109.0	133.0	143.0
		56.0	16.6	82.0	97.0	118.0	126.0
		60.0	13.5	72.0	86.0	106.0	111.0
		64.0	10.6	64.0	76.0	95.0	97.0
		68.0	7.9	56.0	68.0	84.0	84.0
		72.0	5.4	49.5	61.0	72.0	72.0
	14 m	14.0	235.0	361.0	361.0	361.0	361.0
		16.0	202.0	361.0	361.0	361.0	361.0
		18.0	175.0	361.0	361.0	361.0	361.0
		20.0	153.0	361.0	361.0	361.0	361.0
		22.0	135.0	320.0	358.0	360.0	361.0
		24.0	119.0	285.0	322.0	342.0	348.0
		26.0	106.0	256.0	289.0	324.0	328.0
		28.0	95.0	231.0	262.0	304.0	305.0
		30.0	84.0	210.0	238.0	280.0	282.0
		32.0	73.0	191.0	218.0	257.0	260.0
		34.0	63.0	175.0	200.0	237.0	241.0
		36.0	57.0	161.0	184.0	219.0	227.0
		38.0	52.0	148.0	170.0	203.0	214.0
		40.0	46.0	137.0	158.0	189.0	202.0
		44.0	36.5	118.0	137.0	165.0	179.0
		48.0	27.2	102.0	119.0	145.0	158.0
		52.0	18.8	88.0	104.0	128.0	139.0
		56.0	13.5	77.0	92.0	113.0	122.0
		60.0	10.3	67.0	81.0	101.0	108.0
		64.0	7.4	59.0	72.0	90.0	94.0
		68.0	4.7	51.0	63.0	81.0	82.0
63 m	21 m	16.0	201.0	298.0	298.0	298.0	298.0
		18.0	175.0	298.0	298.0	298.0	298.0
		20.0	154.0	298.0	298.0	298.0	298.0
		22.0	136.0	298.0	298.0	298.0	298.0
		24.0	121.0	292.0	298.0	298.0	298.0
		26.0	108.0	262.0	295.0	298.0	298.0
		28.0	97.0	236.0	267.0	296.0	295.0
		30.0	87.0	215.0	243.0	277.0	277.0
		32.0	78.0	196.0	223.0	258.0	259.0
		34.0	69.0	180.0	205.0	241.0	242.0
		36.0	60.0	165.0	189.0	224.0	225.0
		38.0	52.0	152.0	175.0	207.0	210.0
	14 m	40.0	47.5	141.0	162.0	193.0	199.0
		44.0	38.5	121.0	140.0	168.0	178.0
		48.0	31.0	105.0	122.0	148.0	160.0
		52.0	23.6	91.0	107.0	131.0	143.0
		56.0	16.9	80.0	95.0	116.0	127.0
		60.0	10.9	70.0	84.0	104.0	112.0
		64.0	8.4	61.0	74.0	93.0	100.0
		68.0	6.1	54.0	66.0	83.0	88.0
		72.0	-	47.0	58.0	75.0	77.0
		76.0	-	41.0	52.0	67.0	67.0




LIEBHERR LR 1750



Lifting capacities
Capacités

750 TON

Tragfähigkeiten
Capacités



SDWV+BW 20°



MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
70 m	14 m	14.0	225.0	310.0	310.0	310.0	310.0
		16.0	193.0	310.0	310.0	310.0	310.0
		18.0	168.0	310.0	310.0	310.0	310.0
		20.0	147.0	310.0	310.0	310.0	310.0
		22.0	129.0	310.0	310.0	310.0	310.0
		24.0	114.0	285.0	310.0	310.0	310.0
		26.0	101.0	256.0	289.0	308.0	308.0
		28.0	90.0	231.0	261.0	288.0	288.0
		30.0	81.0	209.0	238.0	268.0	268.0
		32.0	72.0	191.0	217.0	250.0	250.0
		34.0	63.0	174.0	199.0	232.0	232.0
		36.0	54.0	160.0	183.0	216.0	216.0
		38.0	48.5	147.0	169.0	202.0	204.0
		40.0	44.0	136.0	157.0	188.0	193.0
		44.0	35.0	116.0	135.0	163.0	173.0
		48.0	27.0	100.0	118.0	143.0	154.0
		52.0	19.6	87.0	103.0	126.0	138.0
		56.0	12.7	75.0	90.0	112.0	122.0
		60.0	8.4	65.0	79.0	99.0	108.0
		64.0	5.4	57.0	70.0	89.0	96.0
		68.0	-	49.5	61.0	79.0	85.0
		72.0	-	42.5	54.0	71.0	74.0
		76.0	-	37.0	47.5	63.0	64.0
	21 m	18.0	169.0	259.0	259.0	259.0	259.0
		20.0	148.0	259.0	259.0	259.0	259.0
		22.0	131.0	259.0	259.0	259.0	259.0
		24.0	116.0	259.0	259.0	259.0	259.0
		26.0	104.0	259.0	259.0	259.0	259.0
		28.0	93.0	237.0	259.0	259.0	259.0
		30.0	83.0	215.0	244.0	259.0	259.0
		32.0	75.0	196.0	223.0	245.0	245.0
		34.0	67.0	179.0	204.0	230.0	230.0
		36.0	60.0	165.0	188.0	216.0	216.0
		38.0	52.0	152.0	174.0	202.0	202.0
		40.0	44.5	140.0	161.0	189.0	190.0
		44.0	36.0	120.0	139.0	168.0	170.0
		48.0	29.1	104.0	121.0	147.0	154.0
		52.0	22.7	90.0	106.0	130.0	139.0
		56.0	16.7	78.0	93.0	115.0	125.0
		60.0	11.2	68.0	82.0	102.0	112.0
		64.0	6.2	60.0	72.0	91.0	99.0
		68.0	-	52.0	64.0	82.0	89.0
		72.0	-	45.0	56.0	73.0	79.0
		76.0	-	39.0	49.5	66.0	70.0
		80.0	-	33.5	44.0	59.0	61.0
		84.0	-	28.7	38.5	52.0	52.0
77 m	21 m	18.0	162.0	226.0	225.0	225.0	225.0
		20.0	142.0	225.0	225.0	225.0	225.0
		22.0	125.0	224.0	224.0	224.0	224.0
		24.0	111.0	223.0	223.0	223.0	223.0
		26.0	99.0	223.0	223.0	223.0	223.0
		28.0	88.0	222.0	222.0	222.0	222.0
		30.0	79.0	214.0	221.0	221.0	221.0
		32.0	70.0	195.0	221.0	221.0	221.0
		34.0	63.0	178.0	203.0	217.0	217.0
		36.0	56.0	163.0	187.0	204.0	204.0
		38.0	50.0	150.0	173.0	192.0	192.0
		40.0	42.5	139.0	160.0	181.0	181.0
		44.0	31.5	118.0	138.0	161.0	161.0
		48.0	25.4	102.0	119.0	145.0	146.0
		52.0	19.8	88.0	104.0	128.0	132.0
		56.0	13.9	76.0	91.0	113.0	120.0
		60.0	8.7	66.0	80.0	100.0	108.0
		64.0	-	57.0	70.0	89.0	97.0
		68.0	-	49.5	62.0	79.0	87.0
		72.0	-	42.5	54.0	71.0	78.0
		76.0	-	36.5	47.0	63.0	69.0
		80.0	-	31.0	41.0	56.0	61.0
		84.0	-	26.0	35.5	50.0	54.0
		88.0	-	21.6	31.0	44.5	46.5

MB	JIB	m	SDWV	SDWVBW Max.Superlift 400t			
				13m	15m	18m	20m
				t	t	t	t
84 m	21 m	18.0	155.0	195.0	195.0	195.0	195.0
		20.0	136.0	194.0	194.0	194.0	194.0
		22.0	120.0	193.0	193.0	193.0	193.0
		24.0	106.0	192.0	192.0	192.0	192.0
		26.0	94.0	191.0	191.0	191.0	191.0
		28.0	84.0	190.0	190.0	190.0	190.0
		30.0	75.0	189.0	189.0	189.0	189.0
		32.0	67.0	188.0	188.0	188.0	188.0
		34.0	59.0	177.0	187.0	187.0	186.0
		36.0	53.0	162.0	186.0	186.0	184.0
		38.0	46.5	149.0	171.0	182.0	182.0
		40.0	41.0	137.0	158.0	172.0	172.0
		44.0	27.7	117.0	136.0	153.0	153.0
		48.0	20.5	100.0	118.0	138.0	138.0
		52.0	15.3	86.0	102.0	125.0	125.0
		56.0	10.5	74.0	89.0	111.0	114.0
		60.0	5.7	64.0	78.0	98.0	103.0
		64.0	-	55.0	68.0	87.0	94.0
		68.0	-	47.5	60.0	77.0	84.0
		72.0	-	40.5	52.0	69.0	75.0
		76.0	-	34.5	45.0	61.0	67.0
		80.0	-	28.8	39.0	54.0	60.0
		84.0	-	23.8	33.5	48.0	53.0
		88.0	-	19.2	28.5	42.0	46.5
		92.0	-	15.1	23.9	37.0	40.0
		96.0	-	11.3	19.8	32.0	34.0
91 m	21 m	18.0	148.0	170.0	170.0	170.0	170.0
		20.0	130.0	168.0	168.0	168.0	168.0
		22.0	115.0	167.0	167.0	167.0	167.0
		24.0	101.0	165.0	166.0	166.0	166.0
		26.0	90.0	164.0	164.0	164.0	164.0
		28.0	80.0	163.0	163.0	163.0	163.0
		30.0	71.0	162.0	162.0	162.0	162.0
		32.0	63.0	161.0	161.0	161.0	161.0
		34.0	56.0	158.0	158.0	158.0	158.0
		36.0	49.0	156.0	156.0	156.0	156.0
		38.0	43.0	148.0	154.0	154.0	154.0
		40.0	38.0	136.0	152.0	152.0	152.0
		44.0	27.3	116.0	135.0	145.0	145.0
		48.0	17.0	99.0	116.0	129.0	129.0
		52.0	12.6	85.0	101.0	118.0	118.0
		56.0	7.9	73.0	87.0	107.0	107.0
		60.0	-	62.0	76.0	97.0	98.0
		64.0	-	53.0	66.0	85.0	89.0
		68.0	-	45.5	57.0	75.0	80.0
		72.0	-	38.5	49.5	67.0	72.0
		76.0	-	32.0	43.0	59.0	64.0
		80.0	-	26.4	36.5	52.0	57.0
		84.0	-	21.4	31.0	45.5	51.0
		88.0	-	16.8	26.0	39.5	44.5
		92.0	-	12.6	21.4	34.5	39.0
		96.0	-	8.8	17.2	29.7	33.0
		100.0	-	5.2	13.4	25.3	27.6




LIEBHERR LR 1750

Working ranges
Portées

750 TON

Arbeitsbereiche
Werkbereich

SL4HS + SL7DHS






LIEBHERR LR 1750


Lifting capacities
Capacités

750 TON


Tragfähigkeiten
Capacités




SL4HS



	70 m	77 m	84 m	91 m	98 m	105 m	112 m	70 m	77 m	84 m	91 m	98 m	105 m	112 m
m	t	t	t	t	t	t	t	t	t	t	t	t	t	t
12.0	120.0	-	-	-	-	-	-	120.0	-	-	-	-	-	-
14.0	118.0	120.0	120.0	120.0	-	-	-	118.0	120.0	120.0	120.0	-	-	-
16.0	115.0	116.0	117.0	119.0	120.0	118.0	114.0	115.0	116.0	117.0	119.0	120.0	118.0	-
18.0	107.0	110.0	111.0	113.0	114.0	113.0	110.0	107.0	110.0	111.0	113.0	114.0	113.0	-
20.0	100.0	103.0	104.0	107.0	108.0	108.0	106.0	100.0	103.0	104.0	107.0	108.0	108.0	-
22.0	94.0	97.0	99.0	101.0	103.0	103.0	101.0	94.0	97.0	99.0	101.0	103.0	103.0	-
24.0	88.0	92.0	93.0	96.0	98.0	98.0	97.0	88.0	92.0	93.0	96.0	98.0	96.0	-
26.0	84.0	87.0	89.0	92.0	93.0	94.0	92.0	84.0	87.0	89.0	92.0	91.0	87.0	-
28.0	79.0	83.0	84.0	87.0	89.0	87.0	84.0	79.0	83.0	84.0	87.0	83.0	79.0	-
30.0	75.0	79.0	81.0	84.0	84.0	80.0	76.0	75.0	79.0	81.0	80.0	75.0	72.0	-
32.0	71.0	75.0	77.0	80.0	77.0	73.0	70.0	71.0	75.0	77.0	73.0	69.0	66.0	-
34.0	67.0	71.0	74.0	75.0	71.0	67.0	64.0	67.0	71.0	72.0	67.0	63.0	60.0	-
36.0	64.0	68.0	70.0	69.0	65.0	62.0	59.0	64.0	68.0	67.0	62.0	58.0	55.0	-
38.0	62.0	65.0	67.0	64.0	60.0	57.0	54.0	62.0	65.0	62.0	57.0	54.0	51.0	-
40.0	59.0	62.0	64.0	59.0	56.0	53.0	50.0	59.0	60.0	57.0	53.0	49.5	46.5	-
44.0	54.0	57.0	56.0	51.0	47.5	45.0	42.0	53.0	52.0	49.5	45.5	42.0	39.5	-
48.0	51.0	49.5	48.5	44.5	41.0	38.5	36.0	46.5	44.5	43.0	39.5	36.0	33.0	-
52.0	45.0	43.5	42.5	39.0	35.5	33.0	30.5	40.5	39.0	37.5	34.0	30.5	27.9	-
56.0	40.0	38.5	37.0	34.0	30.5	28.0	25.6	36.0	34.0	33.0	29.3	25.9	23.4	-
60.0	35.5	34.0	32.5	29.7	26.3	23.8	21.4	31.5	29.9	28.4	25.3	22.0	19.5	-
64.0	32.0	30.0	28.4	25.8	22.6	20.1	17.8	28.2	26.1	24.5	21.8	18.5	16.1	-
68.0	28.6	26.4	24.9	22.2	19.3	16.9	14.6	24.9	22.8	21.2	18.6	15.5	13.1	-
72.0	-	23.4	21.8	19.1	16.5	14.0	11.7	-	19.9	18.3	15.7	12.8	10.4	-
76.0	-	-	19.0	16.3	13.9	11.5	9.2	-	-	15.8	13.1	10.4	8.0	-
80.0	-	-	16.7	13.9	11.4	9.2	6.9	-	-	13.6	10.8	8.3	5.9	-
84.0	-	-	-	11.8	9.3	7.2	4.9	-	-	-	8.9	6.4	4.1	-
88.0	-	-	-	-	7.3	5.4	3.1	-	-	-	-	4.6	-	-
92.0	-	-	-	-	5.6	3.8	-	-	-	-	-	3.0	-	-



SL7DHS



	105 m	112 m	119 m	126 m	133 m	140 m	147 m	105 m	112 m	119 m	126 m	133 m	140 m	147 m
m	t	t	t	t	t	t	t	t	t	t	t	t	t	t
16.0	120.0	120.0	-	-	-	-	-	120.0	120.0	-	-	-	-	-
18.0	118.0	117.0	114.0	107.0	102.0	-	-	118.0	117.0	114.0	107.0	102.0	-	-
20.0	112.0	111.0	110.0	105.0	100.0	93.0	81.0	112.0	111.0	110.0	105.0	100.0	93.0	81.0
22.0	107.0	107.0	105.0	102.0	97.0	91.0	81.0	107.0	103.0	98.0	94.0	90.0	86.0	81.0
24.0	102.0	102.0	97.0	93.0	90.0	86.0	80.0	97.0	92.0	88.0	84.0	81.0	77.0	73.0
26.0	97.0	92.0	88.0	84.0	81.0	77.0	74.0	88.0	83.0	79.0	75.0	72.0	69.0	66.0
28.0	88.0	84.0	80.0	76.0	73.0	70.0	67.0	79.0	75.0	71.0	68.0	65.0	62.0	59.0
30.0	80.0	76.0	72.0	69.0	66.0	63.0	60.0	72.0	68.0	65.0	61.0	59.0	56.0	53.0
32.0	73.0	69.0	66.0	63.0	60.0	57.0	54.0	66.0	62.0	58.0	55.0	53.0	50.0	47.5
34.0	67.0	63.0	60.0	57.0	54.0	51.0	49.0	60.0	56.0	53.0	50.0	48.0	45.0	42.5
36.0	62.0	58.0	55.0	52.0	49.5	46.5	44.0	55.0	51.0	48.0	45.5	43.0	40.5	38.0
38.0	57.0	53.0	50.0	47.0	45.0	42.0	40.0	50.0	47.0	43.5	41.0	39.0	36.0	34.0
40.0	52.0	49.0	45.5	43.0	40.5	38.0	36.0	46.0	42.5	39.5	37.0	35.0	32.0	30.0
44.0	44.0	41.0	38.0	35.5	33.5	31.0	28.7	38.5	35.5	32.5	29.9	27.9	25.5	23.4
48.0	37.5	34.5	31.5	29.0	27.1	24.6	22.7	32.0	29.2	26.2	23.9	22.1	19.7	17.8
52.0	31.5	28.7	25.8	23.5	21.7	19.3	17.4	26.8	23.9	21.0	18.8	17.0	14.7	12.9
56.0	26.2	23.8	21.0	18.8	17.0	14.7	12.9	22.1	19.4	16.5	14.4	12.6	10.4	8.6
60.0	21.0	18.8	16.7	14.6	12.9	10.6	8.9	18.1	15.4	12.6	10.5	8.7	6.6	4.9
64.0	16.4	14.2	12.3	11.0	9.2	7.1	5.3	14.6	11.9	9.1	7.1	5.3	-	-
68.0	12.9	10.3	8.2	7.7	6.0	3.9	-	11.5	8.8	6.1	4.0	-	-	-
72.0	9.8	7.8	5.1	4.9	-	-	-	8.7	6.1	3.4	-	-	-	-
76.0	6.9	5.7	3.5	-	-	-	-	6.3	3.7	-	-	-	-	-
80.0	4.6	3.6	-	-	-	-	-	4.1	-	-	-	-	-	-
84.0	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-



LIEBHERR LR 1750

750 TON

Working speeds
Vitesses de travail

Arbeitsgeschwindigkeiten
Werksnelheden


Mechanisms Mécanismes Antriebe Aandrijvingen	Speeds Vitesses Geschwindigkeiten Snelheden	Rope diameter Diamètre du câble Seildurchmesser Kabeldiameter	Single line pull Effort sur brin simple Zulässiger Seilzug je Strang Toegelaten trekkracht per part	Length of ropes Longueur des câbles Länge der Seile Kabellengte
Main hoist No.1 Levage sur flèche No.1 Hubwerk 1 Hijsslier 1	0 - 130 m/min	28 mm	160 kN	1250 m
Main hoist No.2 Levage sur flèche No.2 Hubwerk 2 Hijsslier 2	0 - 130 m/min	28 mm	160 kN	1250 m
Luffing hoist Relevage de fléchette Wippwerk Toplier wipper	0 - 130 m/min	28 mm	160 kN	1300 m
Hoist A-frame Relevage chevalet Einzehwerk lier A-frame	2 x 0 - 70 m/min	28 mm	2 x 160 kN	750 m
Main boom hoist / D-operation Levage de flèche principale / version D Verstellung Hauptausleger / D-betrieb Toplier hoofdgiek / D-uitvoering	0 - 130 m/min	28 mm	160 kN	1300 m
Runner Hoist Levage de crochet rapide Hubwerk Mastnase Hijsslier Runner	0 - 130 m/min	28 mm	160 kN	600 m

Runner
Crochet rapide

Auslegerspitze
Giekneus

	Capacity Max. 48 t Capacité Max. 48 t Tragfähigkeit Max. 48 t Capaciteit Max. 48 t L = 2400 mm		Capacity Max. 48 t Capacité Max. 48 t Tragfähigkeit Max. 48 t Capaciteit Max. 48 t L = 2100 mm
--	--	--	--

Hook block/Crane hook
Crochet mouflé/Crochet simple



Unterflasche/Hakengehänge
Kraanblok/Kraanhaak

Capacity Capacité Tragfähigkeit Capaciteit	Number of sheaves Nombre de poulies Anzahl der Rollen Aantal schijven	Number of lines Nombre de brins Strangzahl Aantal parten	Weight Poids Gewicht Gewicht	"B"
SWL 600t / 312t	2 x 11 / 1 x 11	2 x 22 / 1 x 23	11 - 16 / 8.4 t	5.3 m
SWL 400t / 215t	2 x 7 / 1 x 7	2 x 14 / 1 x 15	7 - 15 / 5.5 - 7.5 t	4.6 m
SWL 107 t	3	7	2.5 - 5.5 t	4.5 m
SWL 47 t	1	3	1 - 3 t	4.2 m
SWL 16 t	-	1	1.1 t	3.2 m