



sarens
group

www.sarens.com

SARSPIN

4 x 150 t



The SARspin is a combination of 4 hydraulic cylinders.

Designed for levelling loads.

This system allows leveling the load up to 600 tons with 4 cylinders. It gives also a constant monitoring of the tension and stroke in the 4 cylinders.

The SARspin can be used in combination with a spreader system.

nothing too heavy, nothing too high







SARSPIN

Werking
Fonctionnement

4 X 150 TON

Operation
Betrieb



Rotation free polyester round slings.



nothing too heavy, nothing too high





SARSPIN

Werking
Fonctionnement

4 X 150 TON

Operation
Betrieb

Reference projects with adaptable spreader system



Nothing too high





SARSPIN

**Werking
Fonctionnement**

4 X 150 TON

**Operation
Betrieb**

Wireless communication between Powerpack and operator.



Hydraulic cylinders		
Power pack	31	kW air cooled diesel engine
Max pulling force (SWL)	150	t
Max working pressure	350	bar
Max extend velocity	2.98	mm / sec
Max retract velocity	3.44	mm / sec
Min length of cylinder – center-center	2955	mm
Max length of cylinder – center-center	4455	mm
Stroke	1500	mm
Weight of single cylinder	1000	kg
Total weight – with spreader & slings	Approx. 15000 kg depending on spreader system	

More information available on request.

V.11.10.10

nothing too heavy, nothing too high

